



**SEIKO**

WATCH CATALOGUE 2017-2018



SEIKO History.....	4
The SEIKO Website.....	6
About this Guide.....	7
Water Resistance Usage.....	8
Abbreviations.....	9
Prospex.....	11
Presage Enamel .....	18
Presage.....	20
Premier .....	24
Coutura .....	29
Le Grand Sport.....	32
Sportura.....	36
Kinetic .....	37
Solar Alarm Chronograph.....	38
Quartz Alarm Chronograph.....	40
Solar Chronograph.....	41
Quartz Chronograph .....	42
Men's Solar Analogue 100 Metre .....	43
Men's Solar Analogue Dress .....	44
Men's Quartz Analogue 100 Metre .....	45
Men's Automatic Sport.....	46
Men's Automatic Dress.....	49
Ladies Solar Analogue 100 Metre .....	51
Ladies Solar Analogue 50 Metre .....	52
Ladies Solar Analogue Dress.....	53
Ladies Quartz Analogue 100 Metres .....	56
Ladies Quartz Analogue 50 Metres.....	56
Ladies Quartz Analogue Dress .....	60
Stopwatches.....	62
Product Information Matrix.....	64
Product Information Matrix – Stopwatch.....	82
SEIKO Kinetic.....	84
SEIKO Solar.....	85
SEIKO Trimatic.....	86
Operating Instructions .....	87
Contacts.....	106
Service Information.....	107
After Sales Service and Spare Parts.....	108
SEIKO Corporate .....	109
Sports Timing & Specialty Clocks .....	110
Index.....	111



- 1881** K. Hattori, predecessor of today's Seiko Holdings Corporation, established.
- 1892** Seikosha clock supply factory established; production of wall clocks begins.  
Seikosha builds the first pocket watch.
- 1913** Production of Laurel, the first wristwatch made in Japan begins.
- 1953** SEIKO sponsors Japan's first TV commercial.
- 1959** SEIKO commercializes quartz clocks for broadcasting use.
- 1964** SEIKO develops the portable quartz chronometer and Seiko serves as Official Timer for the "Games of the XVIII Olympiad" held in Tokyo.
- 1968** SEIKO achieves the highest ever score in the Geneva competition and is awarded the "best mechanical wrist chronometer".

- 1969** Introduction of cal. 6139, the world's first automatic chronograph watch equipped with both vertical clutch and column wheel.  
Introduction of the world's first quartz watch, "SEIKO Quartz Astron" cal. 3500.
- 1982** Introduction of the world's first TV watch cal. T001.
- 1988** Introduction of the world's first "Auto Quartz" watch cal. 7M42. (later renamed as "Kinetic").
- 1992** Introduction of 1/100th analogue quartz chronograph watch cal. 7T59.
- 1999** Introduction of the world's first Spring Drive watch cal. 7R68 (hand winding).  
Introduction of the Ultimate Kinetic Chronograph cal. 9T82.
- 2005** Introduction of the Kinetic Perpetual cal. 7D48.  
Introduction of the Spring Drive cal. 5R series (automatic winding).





**2006** Introduction of the world's first watch with electrophoresis display module cal. G510.

Introduction of the Credor Spring Drive Sonnerie cal. 7R06.  
Suggested retail price: 15 million Japanese Yen.

**2007** Introduction of the Kinetic Direct Drive cal. 5D44.

Introduction of the Spring Drive Chronograph cal. 5R86 equipped with both vertical clutch and column wheel.

**2009** Introduction of the Chronograph Perpetual.

**2010** World's first EPD watch with an active matrix system.

**2011** SEIKO's 130th Anniversary

Served as Official Timer of the IAAF World Championships Daegu 2011.

**2012** SEIKO introduces the world's first Solar Powered GPS watch that supports all internationally recognised timezones.

**2013** 100 years of SEIKO Wrist watches marked by a collection of Special Edition models.

**2014** SEIKO introduces the world's first Solar GPS watch with a chronograph.

**2015** Astron GPS Solar Dual Time with AM & PM indicator is introduced.

SEIKO celebrates 50 years of diver's watches.

**2016** Astron GPS Solar World Time introduced.

**2017** Introduction of Astron GPS Solar Big Date.

The SEIKO website is designed to provide customers, retailers and consumers with instant access to information about SEIKO. Log onto [www.seiko.com.au](http://www.seiko.com.au) and click the following links to find out all there is to know about the world's leading watch manufacturer.

**Products** – Learn more about the SEIKO Premium Collection or explore the entire SEIKO product range.

**Support** – Designed with retailers in mind, this section provides service information, instruction manuals you can download and 'frequently asked questions' to aid in trouble shooting, procedures for sending back repairs for prompt and efficient service.

**About Us** – Discover SEIKO's history from humble beginnings in 1881 and the rise that carried SEIKO to new heights and international renown. Learn about corporate structure, global networks and SEIKO's extensive involvement in sports timing.

**Corporate** – This section outlines specialised services that include the printing of company logos on the dial of a watch or clock, engraving and personalised messages, as well as customised packaging and more.

SEIKO will continue to grow and evolve and so too will [www.seiko.com.au](http://www.seiko.com.au), so keep checking for regular updates. Please send any comments you have to [info@seiko.com.au](mailto:info@seiko.com.au), all feedback is welcome.

**[www.seiko.co.nz](http://www.seiko.co.nz)**

BELOW ARE THE ABBREVIATIONS AND SYMBOLS YOU WILL FIND IN THIS CATALOGUE



**SSC607P \$1150** ————— Reference number and price

SOLAR CHRONOGRAPH ————— Watch type

SSWR (10BAR) ————— Case material (refer to Abbreviations page)

SAPPHIRE GLASS ————— Glass type

M0FPB19J0 ————— Band reference

V192 ————— Calibre Number

- ADVERTISED MODEL ——— Advertised model
- 6

————— Solar – Power reserve indicated in months
- 1

————— Kinetic – Power reserve indicated in months
- NEW

————— New release model
- SS




————— Stainless steel case
- 100M

————— Water resistance
- TI

————— Titanium
- C

————— Ceramic
- Platinum Dealer Model Only

## WATER RESISTANCE USAGE

							
EVERYDAY LIFE (International Standard ISO 2281) Recommended Usage							
Splash Resistant	●	●	●	●	●	●	●
Rain Resistant	●	●	●	●	●	●	●
SWIMMING/WATERSPORTS (International Standard ISO 2281) Recommended Usage							
Water-related Work		●	●	●	●	●	●
Swimming		●	●	●	●	●	●
Watersports (Snorkelling, Surfing, etc)			●	●	●	●	●
DIVING (International Standard ISO 6425) Recommended Usage							
Scuba Diving						●	●
Saturation Diving							●



<b>18KYG</b>	18K yellow gold, 18KYG middle, and 18KYG back
<b>AHC</b>	All Hard Coat case and back
<b>ALSGP</b>	All Light SEIKO Gold Colour Plated case
<b>ASG</b>	All SEIKO Gold Plated case
<b>ATI</b>	All Titanium case
<b>ATIHICDC</b>	All TI case with super hard coating
<b>BTIHC.MBTIHC</b>	All high intensity titanium
<b>CE</b>	Ceramics
<b>FRP</b>	Fibre Reinforced Plastic
<b>GPDP</b>	Combined SGP and PDP middle with bezel and SS back
<b>GPHC</b>	Combined SGP and HC middle with bezel and SS back
<b>HC</b>	Hard Coating SS middle with bezel and SS back
<b>HC.SSHC</b>	HC bezel and middle with combined SS and HC back
<b>HGC</b>	Hard Gold Coating middle with bezel and SS back
<b>LSGP</b>	Light colour SGP
<b>MHC</b>	HC middle with SS bezel and back
<b>MSSGP</b>	SS bezel, combined SS and SGP middle and SS back
<b>MSSPCD</b>	SS bezel combined SS and plastic middle with SS back
<b>MSS.HC</b>	SS middle with HC bezel and back
<b>PDP</b>	Palladium plated middle with bezel and SS back
<b>SGP</b>	SEIKO Gold Colour Plate and Stainless Steel back
<b>SS</b>	Stainless Steel case
<b>SSGP</b>	Combined SS and SGP middle with bezel and SS back
<b>SSHC</b>	Combined SS and HC middle with bezel and SS back
<b>TCE.GP</b>	CE bezel, SGP middle, and SGP back
<b>TCE.HICDC</b>	Ceramic bezel, super hard coating SS middle and back
<b>TCE.HICDCG</b>	Ceramic bezel, super hard coating middle, SGP, SS back
<b>TCE.HICDN</b>	Ceramic bezel, SS with super black hard coating, SS back
<b>TCE.MTIHICDC</b>	CE bezel, TI with super hard coating middle, and TI with super hard coating back
<b>TCE.TIHC</b>	CE bezel, TIHC middle and TIHC back
<b>TCE.TIHICDC</b>	Ceramic bezel, TI with super hard coating middle and back
<b>TCE.TIHICDN</b>	Ceramic bezel, TI with super black hard coating middle and back
<b>TGPCE.MGP</b>	Combined SGP and Ceramic bezel, SGP middle and SS back
<b>TGPDP</b>	Combined SGP and PDP bezel, SS middle and SS back
<b>TGP.MGPHC</b>	SGP bezel, SGP and HC middle and SS back
<b>TGP.MSSGP</b>	SGP bezel, combined SS and SGP middle and SS back
<b>TGP.TIHCCE</b>	SGP bezel, combined TI, HC, and CE middle (No case back as it's a one piece case model)
<b>TGPTI.TI</b>	Combined TI and SGP bezel, TI middle and TI back
<b>THC</b>	HC bezel, SS middle and SS back
<b>THC.BTI</b>	HC bezel, BTI (Bright Titanium) middle and BTI back
<b>THC.MHPCDP</b>	HC bezel, combined HC and plastic middle with SS back
<b>THC.MSSCE</b>	HC bezel, combined SS and CE middle, and SS back
<b>THC.TIHCCE</b>	CE Outer Case, TI HC Inner Case
<b>THGMCETIHG</b>	HGC bezel, combined Ceramics, TI and HGC middle and combined Ceramics, TI and HGC back
<b>TI</b>	Titanium
<b>TPDP</b>	PDP bezel, SS middle and SS back
<b>TSGP</b>	Combined SS and SGP case and SS back
<b>TSSCE</b>	Combined SS and Ceramic bezel , SS middle and SS back
<b>TSSGP</b>	Combined SS and SGP bezel, SS middle and SS back
<b>TSSGP.GP</b>	SSGP bezel, SGP middle, and SGP back
<b>TSSHC</b>	Combined SS and HC bezel, SS middle and SS back
<b>TSSHC.HICDC</b>	SSHC bezel, SS with super hard coating, and SS with super hard coating back
<b>TTIHC.MTIHICDC.TI</b>	Ti & HC bezel, Ti & HC middle, Ti Back
<b>TTIHC.TI</b>	Combined TI and HC bezel, TI middle and TI back
<b>WR</b>	Water Resistant
<b>XL</b>	Lumibrite hands and hour markers



## AUTOMATIC

Powered by the movement of the wearer or by winding the crown. Approximately 50 hours power reserve. Accuracy +25/-15 seconds a day average. Hour, minute, second hand. Calendar.



Case Size  
43mm



**SPB051J \$2300**



AUTOMATIC, TSS.HICDCWR, (20BAR), DIVER'S, XL, SAPPHIRE GLASS,  
SCREW DOWN CROWN, ONE WAY ROTATING BEZEL,  
M01X331H0, 6R15



Case Size  
43mm



**SPB053J \$1750**



AUTOMATIC, TSS.HICDCWR, (20BAR), DIVER'S, XL, SAPPHIRE GLASS,  
SCREW DOWN CROWN, ONE WAY ROTATING BEZEL,  
R02C011J0, 6R15



Since the launch of our first diver's watch in 1965, Seiko has brought to professional divers a stream of innovative new technologies and designs that have made diving safer and easier for the professional and recreational diver alike. Thanks to these advances and to the supreme quality of our diver's watches, Seiko has earned a high reputation of trust in the diving community.

By a strange coincidence, a few months after Seiko's first diver's watch appeared two American dive enthusiasts decided that standards of training in diving needed to be raised and founded the Professional Association of Diving Instructors. Over the past fifty years, PADI™ has become the world's most trusted scuba diving training organization. With over 6,300 Dive Centres and more than 136,000 qualified PADI professional instructors around the world, PADI has issued an amazing 24 million certifications and has done more than any other organization to introduce diving to the world.

Seiko and PADI share a passion for ensuring the safety and enjoyment of divers and for protection of the marine environment, so a partnership felt very right.

To celebrate and promote this partnership we introduce the Prospex PADI Special Edition.



All Seiko P.A.D.I. Special Edition watches are presented in this special box

## KINETIC G.M.T.

Powered by the movement of the wearer. 6 month power storage with power reserve indicator. Hour, minute, second hand and 24 hour hand that can be set to a second time zone independently. Calendar.



**SUN065P \$1150**

KINETIC G.M.T. MSSHCWR, (20BAR), DIVER'S, XL, SAPPHIRE GLASS, SPECIAL EDITION P.A.D.I. SPECIAL BOX, R0Y011J0, 5M85

## SOLAR ANALOGUE

Powered by all light sources. 10 month power reserve. Instant start and low energy warning functions. Hour, minute, second hand. Calendar.



**SNE435P \$699**

SOLAR ANALOGUE, SSWR, (20BAR), DIVER'S, XL, HARDLEX GLASS, ONE WAY ROTATING BEZEL, SCREW DOWN CROWN, SPECIAL EDITION P.A.D.I. SPECIAL BOX, M0FP93CJ0, V157


## AUTOMATIC

Powered by the movement of the wearer or by winding the crown. Accuracy +/- 25 seconds per day average. Hour, minute and second hand. Calendar. Day of week.



**SRPA83K \$1200**

AUTOMATIC, THC.MSSCEWR, (20BAR), DIVER'S, XL, HARDLEX GLASS, ONE WAY ROTATING BEZEL, SCREW DOWN CROWN, SPECIAL EDITION P.A.D.I. SPECIAL BOX, R02Y012J0, 4R36



**SRPA21K \$799**

AUTOMATIC, SSWR, (20BAR), DIVER'S, XL, HARDLEX GLASS, ONE WAY ROTATING BEZEL, SCREW DOWN CROWN, SPECIAL EDITION P.A.D.I. SPECIAL BOX, M0EV631J0, 4R36



**SRPB99K \$899**

AUTOMATIC, SSWR, (20 BAR), DIVER'S, XL, HARDLEX GLASS, ONE WAY ROTATING BEZEL, SCREW DOWN CROWN, SPECIAL EDITION P.A.D.I. SPECIAL BOX, M0FPA37J0, 4R35



## KINETIC G.M.T.

Powered by the movement of the wearer. 6 month power storage with power reserve indicator. Hour, minute, second hand and 24 hour hand that can be set to a second time zone independently. Calendar.



Case Size  
47.5mm



**SUN019P \$1325**



KINETIC G.M.T. SSWR, (20BAR), DIVER'S, XL, SAPPHIRE GLASS, SCREW DOWN CROWN & BUTTON, ONE WAY ROTATING BEZEL, MOVY111J0, 5M85

## SOLAR CHRONOGRAPH

Powered by all light sources. 6 month power reserve. Stopwatch measures 60 minutes in 1/5th of a second increments with split time facility. Hour, minute, second hand. Calendar. 24-hour hand.

**ADVERTISED MODEL**



Case Size  
43.5mm




**SSC618P \$899**



SOLAR CHRONOGRAPH, SGPPWR, (20BAR), DIVER'S, XL, HARDLEX GLASS, SCREW DOWN CROWN AND BUTTONS, ONE WAY ROTATING BEZEL, R035011P0, V175



Case Size  
43.5mm




**SSC613P \$750**



SOLAR CHRONOGRAPH, SSWR, (20BAR), DIVER'S, XL, HARDLEX GLASS, SCREW DOWN CROWN AND BUTTONS, ONE WAY ROTATING BEZEL, M0ES327J0, V175



Case Size  
43.5mm



**SSC617P \$699**



SOLAR CHRONOGRAPH, SSWR, (20BAR), DIVER'S, XL, HARDLEX GLASS, SCREW DOWN CROWN AND BUTTONS, ONE WAY ROTATING BEZEL, R035011J0, V175

## SOLAR ANALOGUE

Powered by all light sources. 10 month power reserve. Instant start and low energy warning functions. Hour, minute, second hand. Calendar.



Case Size  
43.5mm



**SNE437P \$699**



SOLAR ANALOGUE, SSWR, (20BAR), DIVER'S, XL, HARDLEX GLASS, ONE WAY ROTATING BEZEL, SCREW DOWN CROWN, M0FP93CJ0, V157



Case Size  
43.5mm



**SNE441P \$660**



SOLAR ANALOGUE, HCWR, (20BAR), DIVER'S, XL, HARDLEX GLASS, ONE WAY ROTATING BEZEL, SCREW DOWN CROWN, R035011N0, V157



Case Size  
43.5mm



**SNE439P \$599**



SOLAR ANALOGUE, SSWR, (20BAR), DIVER'S, XL, HARDLEX GLASS, ONE WAY ROTATING BEZEL, SCREW DOWN CROWN, R035011J0, V157

# AUTOMATIC

Powered by the movement of the wearer or by winding the crown. Accuracy +/- 25 seconds per day average. Hour, minute and second hand. Calendar. Day of week.



Case Size  
51.7mm



**SRPA81K \$1250**



AUTOMATIC, THC.MHCCEWR, (20BAR), DIVER'S, XL, HARDLEX GLASS, ONE WAY ROTATING BEZEL, SCREW DOWN CROWN, R02Y011M0, 4R36



Case Size  
51.7mm



**SRPA82K \$1250**



AUTOMATIC, THC.MPGCEWR, (20BAR), DIVER'S, XL, HARDLEX GLASS, ONE WAY ROTATING BEZEL, SCREW DOWN CROWN, R02Y011K0, 4R36

**ADVERTISED MODEL**



Case Size  
43.8mm



**SRPB51K \$860**



AUTOMATIC, SSWR, (20BAR), DIVER'S, XL, HARDLEX GLASS, SCREW DOWN CROWN, ONE WAY ROTATING BEZEL, M0FPA37J0, 4R35



Case Size  
43.8mm



**SRPB49K \$860**



AUTOMATIC, SSWR, (20BAR), DIVER'S, XL, HARDLEX GLASS, SCREW DOWN CROWN, ONE WAY ROTATING BEZEL, M0FPA37J0, 4R35



Case Size  
43.8mm



**SRPB55K \$899**



AUTOMATIC, HCWR, (20BAR), DIVER'S, XL, HARDLEX GLASS, SCREW DOWN CROWN, ONE WAY ROTATING BEZEL, R02F011N0, 4R35



Case Size  
43.8mm



**SRPB53K \$775**



AUTOMATIC, SSWR, (20BAR), DIVER'S, XL, HARDLEX GLASS, SCREW DOWN CROWN, ONE WAY ROTATING BEZEL, R02F011J0, 4R35



Case Size  
46.4mm



**SRP639K \$925**



AUTOMATIC, THCWR, (20BAR), DIVER'S, XL, HARDLEX GLASS, ONE WAY ROTATING BEZEL, SCREW DOWN CROWN, R002031J0, 4R36



## AUTOMATIC

Powered by the movement of the wearer or by winding the crown. Accuracy +/- 25 seconds per day average. Hour, minute and second hand. Calendar. Day of week.



Case Size  
44.3mm



**SRP775K \$840**



AUTOMATIC, SSWR, (20BAR), DIVER'S, XL, HARDEX GLASS,  
ONE WAY ROTATING BEZEL, SCREW DOWN CROWN,  
M0EV634J0, 4R36



Case Size  
44.3mm



**SRP773K \$840**



AUTOMATIC, SSWR, (20BAR), DIVER'S, XL, HARDEX GLASS,  
ONE WAY ROTATING BEZEL, SCREW DOWN CROWN,  
M0EV634J0, 4R36



Case Size  
44.3mm



**SRP777K \$799**



AUTOMATIC, SSWR, (20BAR), DIVER'S, XL, HARDEX GLASS,  
ONE WAY ROTATING BEZEL, SCREW DOWN CROWN,  
R02F011J0, 4R36

SOLAR WORLD TIME CHRONOGRAPH

Powered by all light sources. 6 month power reserve with power reserve indicator. World Time – 25 Cities pre-programmed. Dual Time Facility. Stopwatch measures 24 hours in 1/5th of second increments with split time facility. 24-hour alarm. Hour, minute, second hand. Calendar.



Case Size  
44.6mm



Case Size  
44.6mm



Case Size  
44.6mm

**SSC487P \$1100**

SOLAR WORLD TIME CHRONOGRAPH, THCWR, (10BAR), XL, SAPPHIRE GLASS, SCREW DOWN CROWN, M0FP418J0, V195

**SSC549P \$1150**

SOLAR WORLD TIME CHRONOGRAPH, THC.MSSHCWR, (10BAR), XL, SAPPHIRE GLASS, SCREW DOWN CROWN, **SPECIAL EDITION**, M0FP418J0, V195

**SSC551P \$1150**

SOLAR WORLD TIME CHRONOGRAPH, HCWR, (10BAR), XL, SAPPHIRE GLASS, SCREW DOWN CROWN, **SPECIAL EDITION**, R034012M0, V195

SOLAR CHRONOGRAPH

Powered by all light sources. 6 month power reserve with power reserve indicator. Stopwatch measures 60 minutes in 1/5th of a second increments with split time facility. Hour, minute, second hands. Calendar.



Case Size  
45mm



Case Size  
45mm

**SSC607P \$1150**

SOLAR CHRONOGRAPH, SSWR, (10BAR), XL, SAPPHIRE GLASS, **SPECIAL EDITION**, SPECIAL BOX, M0FPB19J0, V192

**SSC611P \$1050**

SOLAR CHRONOGRAPH, TSGPWR, (10BAR), XL, SAPPHIRE GLASS, L0HL012J0, V192



Case Size  
44.9mm



Case Size  
44.9mm

**SSC603P \$1100**

SOLAR CHRONOGRAPH, THCWR, (10BAR), XL, SAPPHIRE GLASS, SCREW DOWN CROWN, M0FP418J0, V194

**SSC605P \$1050**

SOLAR CHRONOGRAPH, THCWR, (10BAR), XL, SAPPHIRE GLASS, SCREW DOWN CROWN, M0FP418J0, V194

## SOLAR ALARM CHRONOGRAPH



Powered by all light sources. 6 month power reserve. Stopwatch measures 60 minutes in 1/5th of a second increments with split time facility. 12-hourly alarm. Dual time capability. Hour, minute, second hand. Calendar.



Case Size  
42mm



Case Size  
44mm



**SSC295P \$660**



SOLAR ALARM CHRONOGRAPH, HCWR, (10BAR), XL, HARDLEX GLASS, ROTATING INNER RING, LODG013N0, V172

**SSC421P \$660**



SOLAR CHRONOGRAPH, SSWR, (10BAR), XL, HARDLEX GLASS, ROTATING INNER RING, LOF8011J0, V176

## SOLAR ANALOGUE


Powered by all light sources. 10 month power reserve. Instant start and low energy warning functions. Hour, minute, second hand. Calendar.



Case Size  
45.6mm



Case Size  
45.6mm



**SNE421P \$699**



SOLAR ANALOGUE, TSSPCDWR, (10BAR), XL, HARDLEX GLASS, ROTATING BEZEL, SCREW DOWN CROWN, M0XL211J0, V157

**SNE423P \$599**



SOLAR ANALOGUE, TSSPCDWR, (10BAR), XL, HARDLEX GLASS, ROTATING BEZEL, SCREW DOWN CROWN, R01W011J0, V157

## AUTOMATIC



Powered by the movement of the wearer or by winding the crown. Approximately 41 hours power reserve. Accuracy +/- 25 seconds per day average.



Case Size  
42mm



Case Size  
42mm



**SRPA77K \$625**



AUTOMATIC, SSWR, (10BAR), XL, HARDLEX GLASS, ROTATING INNER RING, EXHIBITION CASEBACK, LO88015J0, 4R35

**SRPA75K \$625**





AUTOMATIC, SSWR, (10BAR), XL, HARDLEX GLASS, ROTATING INNER RING, EXHIBITION CASEBACK, LO88014J0, 4R35



## PRESAGE ENAMEL

The SEIKO Presage Enamel collection contains special creations whose dials are made, in Japan, of enamel. The Japanese tradition of enamel work has a long history, embracing both white enamelling and the celebrated cloisonné style that has always been so widely admired.

The texture of enamel is pleasing to the eye, the white lustre remains permanently unchanged, and it excels in preventing corrosion. Such qualities make it an ideal material for watch dials, but great skill is required in preparing the enamel to the precise dimensions required. Even the temperature and humidity must be controlled and the material adjusted at every stage to ensure a perfect result. Consequently, every dial is different and has its own specific beauty. The smoothness, the texture and the rich whiteness of the dials do not change with the years, so the beauty of a Presage Enamel dial is forever.



## AUTOMATIC CHRONOGRAPH

Powered by the movement of the wearer or by winding the crown. Stopwatch measures 12 hours in 1/5th of a second increments. Approximately 45 hours power reserve. Accuracy +25/-15 seconds a day. Hour, minute, second hand. Calendar.



**SRQ023J \$4850**



AUTOMATIC CHRONOGRAPH, SSWR, (10BAR), SAPPHIRE GLASS, EXHIBITION CASE BACK, ENAMEL DIAL, **SPECIAL EDITION**, SPECIAL BOX, L0H7011J9, 8R48




Case Size  
42mm



## AUTOMATIC

Powered by the movement of the wearer or by winding the crown. Approximately 45 hours power reserve with power reserve indicator. Accuracy +25/-15 seconds per day. Hour, minute, second hand. Calendar.



**SPB045J \$2500**



AUTOMATIC, SSWR, (10BAR), SAPPHIRE GLASS, EXHIBITION CASE BACK, ENAMEL DIAL, **SPECIAL EDITION**, SPECIAL BOX, L0H7011J9, 6R27



Case Size  
40.5mm



## AUTOMATIC

Powered by the movement of the wearer or by winding the crown. Approximately 50 hours power reserve. Accuracy +25/-15 seconds a day average. Hour, minute, second hand. Calendar.



**SPB047J \$2050**



AUTOMATIC, SSWR, (10BAR), SAPPHIRE GLASS, EXHIBITION CASE BACK, ENAMEL DIAL, **SPECIAL EDITION**, SPECIAL BOX, L0H7011J9, 6R15



Case Size  
40.5mm



**SPB049J \$2500**



AUTOMATIC, SSWR, (5BAR), SAPPHIRE GLASS, EXHIBITION CASE BACK, ENAMEL DIAL, **SPECIAL EDITION**, SPECIAL BOX, L0H7011J9, 6R15



Case Size  
35.9mm


AUTOMATIC

Powered by the movement of the wearer or by winding the crown. Approximately 41 hours power reserve. Accuracy +/- 25 seconds per day average.



Case Size  
40.5mm



**SPB043J \$1750**    
AUTOMATIC, SSWR, (10BAR), SAPPHIRE GLASS,  
EXHIBITION CASEBACK, M0PF221J0, 6R27



Case Size  
40.5mm



**SPB059J \$1750**    
AUTOMATIC, SSWR, (10BAR), SAPPHIRE GLASS,  
EXHIBITION CASEBACK, L0E5028J9, 6R27



Case Size  
40.5mm



**SPB037J \$1450**    
AUTOMATIC, SSWR, (10BAR), SAPPHIRE GLASS,  
EXHIBITION CASEBACK, M0PF221J0, 6R15



Case Size  
40.5mm



**SPB035J \$1450**    
AUTOMATIC, SSWR, (10BAR), SAPPHIRE GLASS,  
EXHIBITION CASEBACK, M0PF221J0, 6R15




Case Size  
40.5mm



**SPB039J \$1450**    
AUTOMATIC, SSWR, (10BAR), SAPPHIRE GLASS,  
EXHIBITION CASEBACK, L0E5028J9, 6R15



Case Size  
42mm



**SSA354J \$1200**    
AUTOMATIC, SSWR, (10BAR), SAPPHIRE GLASS,  
EXHIBITION CASEBACK, SPECIAL EDITION, SPECIAL BOX,  
M0VJ211R0, 4R57



Case Size  
42mm



**SSA303J \$975**    
AUTOMATIC, SSWR, (10BAR), SAPPHIRE GLASS,  
EXHIBITION CASEBACK, M0VJ213J0, 4R57



## AUTOMATIC

Powered by the movement of the wearer or by winding the crown. Approximately 41 hours power reserve. Accuracy +/- 25 seconds per day average.



Case Size  
40.5mm



**SSA346J \$1250**



AUTOMATIC, SGPWR, (5BAR), HARDEX GLASS, EXHIBITION CASE BACK,  
SPECIAL EDITION, SPECIAL BOX, LOHE013P0, 4R57



Case Size  
40.5mm



**SSA343J \$975**



AUTOMATIC, SSWR, (5BAR), HARDEX GLASS, EXHIBITION  
CASE BACK, LOHE011J0, 4R57



Case Size  
40.5mm



**SRPB47J \$799**



AUTOMATIC, SSWR, (5BAR), HARDEX GLASS, EXHIBITION CASE  
BACK, M125211J0, 4R35



Case Size  
40.5mm



**SRPB41J \$775**



AUTOMATIC, SSWR, (5BAR), HARDEX GLASS, EXHIBITION CASE  
BACK, M125211J0, 4R35



Case Size  
40.5mm



**SRPB46J \$975**



AUTOMATIC, SSWR, (5BAR), HARDEX GLASS, EXHIBITION CASE  
BACK, LOHE013P0, 4R35



Case Size  
40.5mm



**SRPB43J \$750**



AUTOMATIC, SSWR, (5BAR), HARDEX GLASS, EXHIBITION CASE  
BACK, LOHE011J0, 4R35


AUTOMATIC

Powered by the movement of the wearer or by winding the crown. Approximately 41 hours power reserve. Accuracy +/- 25 seconds per day average.



Case Size  
39.1mm





**SSA271J \$975**    
AUTOMATIC, SSWR, (10BAR), SAPPHIRE GLASS,  
EXHIBITION CASEBACK, MOXB111J0, 4R39



Case Size  
39.2mm





**SRP766J \$925**    
AUTOMATIC, TSGPWR, (10BAR), SAPPHIRE GLASS,  
EXHIBITION CASEBACK, MOXB111R0, 4R36



Case Size  
39.2mm



**SRP765J \$750**    
AUTOMATIC, SSWR, (10BAR), SAPPHIRE GLASS,  
EXHIBITION CASEBACK, MOXB111J0, 4R36



Case Size  
39.2mm





**SRP761J-2 \$725**    
AUTOMATIC, SSWR, (10BAR), SAPPHIRE GLASS,  
EXHIBITION CASEBACK, LOFR011J0, 4R36



Case Size  
39.2mm





**SRP694J \$950**    
AUTOMATIC, TSGPWR, (10BAR), SAPPHIRE GLASS,  
EXHIBITION CASE BACK, MOXB111C0, 4R36  
MATCHING MODEL No. SRP884J



Case Size  
39.2mm



**SRP691J \$850**    
AUTOMATIC, SSWR, (10BAR), SAPPHIRE GLASS,  
EXHIBITION CASE BACK, MOXB111J0, 4R36  
MATCHING MODEL No. SRP887J

## AUTOMATIC

Powered by the movement of the wearer or by winding the crown. Approximately 41 hours power reserve. Accuracy +/- 25 seconds per day average.



Case Size  
34.2mm



**SSA852J \$1050**



AUTOMATIC, TSGPWR, (10BAR), SAPPHIRE GLASS,  
EXHIBITION CASEBACK, M0XC111R0, 4R38  
MATCHING MODEL No. SSA274J



Case Size  
34.2mm



**SRP887J \$799**



AUTOMATIC, SSWR, (10BAR), SAPPHIRE GLASS, EXHIBITION  
CASE BACK, M0XC117J0, 4R36  
MATCHING MODEL No. SRP691J

KINETIC PERPETUAL

Powered by the movement of the wearer. 4 year power storage. Kinetic Perpetual goes to sleep after 24 hours of inactivity to awake within 4 years and automatically relay to the correct time. Perpetual Calendar adjusts automatically until February 2100, including leap years and short months. 24-hour hand, month and leap year indicator. Hour, minute, second hand.



Case Size  
42.9mm



**SNP146P \$1750**   
KINETIC PERPETUAL, ASGPWR, (10BAR), SAPPHIRE GLASS,  
NOVAK DJOKOVIC SPECIAL EDITION, SPECIAL BOX,  
R037012P0, 7D56



Case Size  
42.9mm



**SNP139P \$1500**   
KINETIC PERPETUAL, SSWR, (10BAR), SAPPHIRE GLASS,  
M124111J0, 7D56

SOLAR CHRONOGRAPH

Powered by all light sources. 6 month power reserve. Stopwatch measures 60 minutes in 1/5th of a second increments with split time facility. Hour, minute, second hand. Calendar. 24-hour hand.



Case Size  
43.4mm



**SSC595P \$899**   
SOLAR CHRONOGRAPH, SSWR, (10BAR), SAPPHIRE GLASS,  
M124111J0, V175



Case Size  
43.4mm



**SSC597P \$899**   
SOLAR CHRONOGRAPH, SSWR, (10BAR), SAPPHIRE GLASS,  
M124111J0, V175



Case Size  
43.4mm



**SSC597P-2 \$899**   
SOLAR CHRONOGRAPH, SSWR, (10BAR), SAPPHIRE GLASS,  
L0HC011J0, V175



## SOLAR ANALOGUE

Powered by all light sources. 10 month power reserve. Instant start and low energy warning functions. Hour, minute, second hand. Calendar.



Case Size  
42.9mm



**SNE453P \$725**



SOLAR ANALOGUE, SSWR, (10BAR), SAPPHIRE GLASS,  
M124111J0, V157  
MATCHING MODEL No. SUT321P



Case Size  
42.9mm



**SNE455P \$725**



SOLAR ANALOGUE, SSWR, (10BAR), SAPPHIRE GLASS,  
M124111J0, V157

## ALARM CHRONOGRAPH

Stopwatch measures 60 minutes in 1/5th of a second increments with split time facility. 12-hourly alarm. Dual time capability. Hour, minute, second hand. Calendar.



Case Size  
41.2mm



**SNAF73P \$950**



ALARM CHRONOGRAPH, SSWR, (10BAR), SAPPHIRE GLASS,  
M025111J0, 7T62



Case Size  
41.2mm



**SNAF75P \$950**



ALARM CHRONOGRAPH, SSWR, (10BAR), SAPPHIRE GLASS,  
M025111J0, 7T62

## AUTOMATIC

Powered by the movement of the wearer or by winding the crown. Approximately 41 hours power reserve. Accuracy +/- 25 seconds per day average.



Case Size  
40.6mm



**SRPA17J \$1100**



AUTOMATIC, SSWR, (10 BAR), SAPPHIRE GLASS,  
EXHIBITION CASEBACK, M025211J0, 4R35  
MATCHING MODEL No. SXB429P



Case Size  
40.6mm



**SRPA17J-2 \$975**



AUTOMATIC, SSWR, (10BAR), SAPPHIRE GLASS,  
EXHIBITION CASEBACK, LOG4011J0, 4R35  
MATCHING MODEL No. SXB431P

## ANALOGUE

Hour, minute hand. Calendar.

Case Size  
40.7mm**SKP400P \$799**ANALOGUE, SSWR, SAPPHIRE GLASS,  
M0Z5111C0, 7N39Case Size  
40.7mm**SKP393P \$750**ANALOGUE, SSWR, SAPPHIRE GLASS,  
M0Z5111J0, 7N39Case Size  
40.7mm**SKP391P \$750**ANALOGUE, SSWR, SAPPHIRE GLASS,  
M0Z5111J0, 7N39  
MATCHING MODEL No. SXB429PCase Size  
40.7mm**SKP399P \$750**ANALOGUE, SSWR, SAPPHIRE GLASS,  
M0Z5111J0, 7N39Case Size  
40.7mm**SKP398P \$750**ANALOGUE, ASGPWR, SAPPHIRE GLASS,  
L0G0012P0, 7N39  
MATCHING MODEL No. SXB436PCase Size  
40.7mm**SKP396P \$725**ANALOGUE, ASGPWR, SAPPHIRE GLASS,  
L0G0011K0, 7N39  
MATCHING MODEL No. SXB432PCase Size  
40.7mm**SKP397P \$699**ANALOGUE, SSWR, SAPPHIRE GLASS,  
L0G0011J0, 7N39



## SOLAR ANALOGUE

Powered by all light sources. 6 month power reserve. Instant start and low energy warning functions. Hour, minute, second hand. Calendar and day of the week.



Case Size  
31.5mm

6



### SUT322P \$840

SOLAR ANALOGUE, SSWR, SAPPHIRE GLASS,  
M129111R0, V137



### ADVERTISED MODEL



Case Size  
31.5mm

6



### SUT321P \$725

SOLAR ANALOGUE, SSWR, SAPPHIRE GLASS,  
M129111J0, V137




## ANALOGUE

Hour, minute hand. Calendar.



Case Size  
23.4mm



### SWR030P \$799

ANALOGUE, ASGPWR, SAPPHIRE GLASS,  
M0Z6211K0, 4N30



Case Size  
23.4mm



### SWR029P \$725

ANALOGUE, SSWR, SAPPHIRE GLASS,  
M0Z6211J0, 4N30



Case Size  
24.5mm



### SWR026P \$750

ANALOGUE, TSGPWR, SAPPHIRE GLASS,  
M130112C0, 4N30



Case Size  
24.5mm



### SWR025P \$699

ANALOGUE, SSWR, SAPPHIRE GLASS,  
M130111J0, 4N30



## ANALOGUE

Hour, minute hand. Calendar.



Case Size  
30.5mm



**SXB434P \$999**



ANALOGUE, ASGPWR, SAPPHIRE GLASS, 12 DIAMONDS,  
MOTHER OF PEARL DIAL, M0Z6111K0, 7N89



Case Size  
30.5mm



**SXB433P \$925**



ANALOGUE, SSWR, SAPPHIRE GLASS, 12 DIAMONDS,  
MOTHER OF PEARL DIAL, M0Z6111J0, 7N89



Case Size  
30.5mm



**SXB433P-2 \$799**



ANALOGUE, SSWR, SAPPHIRE GLASS, 12 DIAMONDS,  
MOTHER OF PEARL DIAL, L0GR011J0, 7N89



Case Size  
30.5mm



**SXB430P \$860**



ANALOGUE, TSGPWR, SAPPHIRE GLASS,  
M0Z6111R0, 7N89



Case Size  
30.5mm



**SXB429P \$750**



ANALOGUE, SSWR, SAPPHIRE GLASS,  
M0Z6111J0, 7N89  
MATCHING MODEL No. SKP391P



Case Size  
30.5mm



**SXB436P \$750**



ANALOGUE, ASGPWR, SAPPHIRE GLASS,  
L0G1012P0, 7N89  
MATCHING MODEL No. SKP398P



Case Size  
30.5mm



**SXB432P \$725**



ANALOGUE, ASGPWR, SAPPHIRE GLASS,  
L0G1011K0, 7N89  
MATCHING MODEL No. SKP369P



Case Size  
30.5mm



**SXB431P \$699**



ANALOGUE, SSWR, SAPPHIRE GLASS,  
L0G1011J0, 7N89  
MATCHING MODEL No. SKP395P


## SOLAR PERPETUAL CHRONOGRAPH

Powered by all light sources. 6 month power storage with power reserve indicator. Stopwatch measures 24 hours in 1/5th of a second increments with split time facility. 24-hour alarm. Dual Time capability. Hour, minute, second hand, perpetual calendar that automatically adjusts for short months and leap years until February 2100.



Case Size  
44mm

6



**SSC573P \$975**



SOLAR PERPETUAL CHRONOGRAPH, TGPHC.MHCWR, (10BAR), XL, SAPPHIRE GLASS, 11 DIAMONDS, MOXS111N0, V198



Case Size  
44mm

6



**SSC572P \$975**



SOLAR PERPETUAL CHRONOGRAPH, TGPHC.MGPWR, (10BAR), XL, SAPPHIRE GLASS, 11 DIAMONDS, MOXS111K0, V198



Case Size  
44mm

6



**SSC561P-9 \$975**



SOLAR PERPETUAL CHRONOGRAPH, SSWR, (10BAR), XL, SAPPHIRE GLASS, 11 DIAMONDS, MOXS111J9, V198



Case Size  
44mm

6



**SSC394P \$860**




SOLAR PERPETUAL CHRONOGRAPH, SGPWR, (10BAR), XL, SAPPHIRE GLASS, CABOCHON CROWN, MOXS111K0, V198



Case Size  
44mm

6



**SSC377P-9 \$899**



SOLAR PERPETUAL CHRONOGRAPH, TSSHC.MHCWR, (10BAR), XL, SAPPHIRE GLASS, CABOCHON CROWN, MOXS111N9, V198



Case Size  
44mm

6



**SSC560P-9 \$860**




SOLAR PERPETUAL CHRONOGRAPH, TSSGPWR, (10BAR), XL, SAPPHIRE GLASS, MOXS111C9, V198



Case Size  
44mm

6



**SSC376P-9 \$860**



SOLAR PERPETUAL CHRONOGRAPH, TSSGPWR, (10BAR), XL, SAPPHIRE GLASS, CABOCHON CROWN, MOXS111C9, V198



## SOLAR CHRONOGRAPH

Powered by all light sources. 6 month power reserve with power reserve indicator. Stopwatch measures 60 minutes in 1/5th of a second increments with split time facility. Hour, minute, second hands. Calendar.



Case Size  
45.5mm

6



**SSC642P \$840**



SOLAR CHRONOGRAPH, TSSGPWR, (10BAR), XL, SAPPHIRE GLASS,  
M133111C0, V194



Case Size  
45.5mm

6



**SSC628P-9 \$799**




SOLAR CHRONOGRAPH, TSSGPWR, (10BAR), XL, SAPPHIRE GLASS,  
M133111J9, V194



Case Size  
45.5mm

6



**SSC641P-9 \$750**



SOLAR CHRONOGRAPH, SSWR, (10BAR), XL, SAPPHIRE GLASS,  
M133111J9, V194



Case Size  
45.5mm

6



**SSC627P-9 \$760**



SOLAR CHRONOGRAPH, SSWR, (10BAR), XL, SAPPHIRE GLASS,  
M133111J9, V194

## KINETIC

Powered by the movement of the wearer. 6 month power storage with power reserve indicator. Hour, minute, second hand. Calendar. Day of the week.



Case Size  
43mm

6



**SRN066P-9 \$860**



KINETIC, TGPHC.MHCWR, (10BAR), XL, SAPPHIRE GLASS,  
CABOCHON CROWN, EXHIBITION CASEBACK,  
MOXS111N9, 5M84

## SOLAR ANALOGUE

Powered by all light sources. 10 month power reserve. Instant start and low energy warning functions. Hour, minute, second hand. Calendar.



Case Size  
42.5mm

10



**SNE444P-9 \$750**



ANALOGUE, TSSGPWR, (10BAR), XL, SAPPHIRE GLASS, 7 DIAMONDS, M0XS111C9, V157



Case Size  
42.5mm

10



**SNE420P \$660**




SOLAR ANALOGUE, SGPWR, (10BAR), XL, SAPPHIRE GLASS, CABOCHON CROWN, M0XS111K0, V157



Case Size  
42.5mm

10



**SNE412P-9 \$599**



SOLAR ANALOGUE, TSSGPWR, (10BAR), XL, SAPPHIRE GLASS, CABOCHON CROWN, M0XS111C9, V157



Case Size  
42.5mm

10



**SNE411P-9 \$550**



SOLAR ANALOGUE, SSWR, (10BAR), XL, SAPPHIRE GLASS, CABOCHON CROWN, M0XS111J9, V157


## SOLAR ANALOGUE

Powered by all light sources. 6 month power reserve. Instant start and low energy warning functions. Hour, minute, second hand. Calendar.



Case Size  
29mm

6



**SUT310P-9 \$725**




SOLAR ANALOGUE, SGPWR, (10BAR), XL, SAPPHIRE GLASS, MOTHER OF PEARL DIAL, 10 DIAMONDS, CABOCHON CROWN, M0XT111K9, V137



Case Size  
29mm

6



**SUT308P-9 \$699**



SOLAR ANALOGUE, TSSGPWR, (10BAR), XL, SAPPHIRE GLASS, MOTHER OF PEARL DIAL, 10 DIAMONDS, CABOCHON CROWN, M0XT111C9, V137



Case Size  
29mm

6



**SUT307P-9 \$625**



SOLAR ANALOGUE, SSWR, (10BAR), XL, SAPPHIRE GLASS, MOTHER OF PEARL DIAL, 10 DIAMONDS, CABOCHON CROWN, M0XT111J9, V137



## SOLAR ALARM CHRONOGRAPH

Powered by all light sources. 6 month power reserve. Stopwatch measures 60 minutes in 1/5th of a second increments with split time facility. 12-hourly alarm. Dual time capability. Hour, minute, second hand. Calendar.



Case Size  
41.5mm

6



**SSC514P \$1325**

100% 100% 100%

SOLAR ALARM CHRONOGRAPH, TGP.MHCWR, (10BAR),  
SAPPHIRE GLASS, 22 DIAMONDS, CABOCHON CROWN,  
MOTA112D0, V172



Case Size  
41.5mm

6



**SSC314P-9 \$1200**

100% 100% 100%

SOLAR ALARM CHRONOGRAPH, SGPWR, (10BAR),  
SAPPHIRE GLASS, 22 DIAMONDS, CABOCHON CROWN,  
MOTA111K9, V172



Case Size  
41.5mm

6



**SSC312P-9 \$1150**

100% 100% 100%

SOLAR ALARM CHRONOGRAPH, TSSGPWR, (10BAR),  
SAPPHIRE GLASS, 22 DIAMONDS, CABOCHON CROWN,  
MOTA111C0, V172



Case Size  
41.5mm

6



**SSC218P \$860**

100% 100% 100%

SOLAR ALARM CHRONOGRAPH, TGP.MHCWR, (10BAR),  
SAPPHIRE GLASS, CABOCHON CROWN,  
MOTA112D0, V172



Case Size  
41.5mm

6



**SSC644P \$860**

100% 100% 100%

SOLAR ALARM CHRONOGRAPH, TPG.MHCWR, (10BAR),  
SAPPHIRE GLASS, MOTA111N0, V172



Case Size  
41.5mm

6



**SSC265P \$860**

100% 100% 100%

SOLAR ALARM CHRONOGRAPH, TSSHC.MHCWR, (10BAR),  
SAPPHIRE GLASS, CABOCHON CROWN,  
MOTA112E0, V172



Case Size  
41.5mm

6



**SSC196P-9 \$799**

100% 100% 100%

SOLAR ALARM CHRONOGRAPH, SGPWR, (10BAR),  
SAPPHIRE GLASS, CABOCHON CROWN,  
MOTA111K9, V172



Case Size  
41.5mm

6



**SSC194P-9 \$799**

100% 100% 100%

SOLAR ALARM CHRONOGRAPH, TSSGPWR, (10BAR),  
SAPPHIRE GLASS, CABOCHON CROWN,  
MOTA111C9, V172



Case Size  
41.5mm

6



**SSC643P \$725**

100% 100% 100%

SOLAR ALARM CHRONOGRAPH, SSWR, (10BAR), SAPPHIRE GLASS,  
MOTA111J9, V172



## SOLAR ALARM CHRONOGRAPH

Powered by all light sources. 6 month power reserve. Stopwatch measures 60 minutes in 1/5th of a second increments with split time facility. 12-hourly alarm. Dual time capability. Hour, minute, second hand. Calendar.



Case Size  
41.5mm



**SSC193P-9 \$725**    
SOLAR ALARM CHRONOGRAPH, SSWR, (10BAR),  
SAPPHIRE GLASS, CABOCHON CROWN,  
M0TA111J9, V172



Case Size  
41.5mm



**SSC396P \$860**    
SOLAR ALARM CHRONOGRAPH, THC.MGPWR, (10BAR),  
SAPPHIRE GLASS, CABOCHON CROWN,  
L0AC014P0, V172

## SOLAR ANALOGUE

Powered by all light sources. 10 month power reserve. Instant start and low energy warning functions. Hour, minute, second hand. Calendar.



Case Size  
41.5mm

10



**SNE434P \$860**

100% SS

SOLAR ANALOGUE, TSSGPWR, (10BAR), SAPPHIRE GLASS,  
9 DIAMONDS, CABOCHON CROWN,  
MOTA112D0, V157



Case Size  
41.5mm

10



**SNE432P \$799**

100% SS

SOLAR ANALOGUE, TSSGPWR, (10BAR), SAPPHIRE GLASS,  
9 DIAMONDS, CABOCHON CROWN,  
MOTA111K0, V157



Case Size  
41.5mm

10



**SNE470P \$775**

100% SS

NEW

SOLAR ANALOGUE, TGP.MHCWR, (10BAR), SAPPHIRE GLASS,  
MOTA111N0, V157



Case Size  
41.5mm

10



**SNE406P \$725**

100% SS

SOLAR ANALOGUE, TGP.MHCWR, (10BAR), SAPPHIRE GLASS,  
CABOCHON CROWN, MOTA112D0, V157



Case Size  
41.5mm

10



**SNE468P \$699**

100% SS


NEW

SOLAR ANALOGUE, TSSGPWR, (10BAR), SAPPHIRE GLASS,  
MOTA111K0, V157



Case Size  
41.5mm

10



**SNE398P-9 \$660**

100% SS

SOLAR ANALOGUE, TSSGPWR, (10BAR), SAPPHIRE GLASS,  
CABOCHON CROWN, MOTA111C9, V157



Case Size  
41.5mm

10



**SNE395P-9 \$599**

100% SS

SOLAR ANALOGUE, SSWR, (10BAR), SAPPHIRE GLASS,  
CABOCHON CROWN, MOTA111J9, V157

## SOLAR ANALOGUE

Powered by all light sources. 6 month power reserve. Instant start and low energy warning functions. Hour, minute, second hand. Calendar and day of the week.



Case Size  
28mm

6



**SUT244P-9 \$660**



SOLAR ANALOGUE, TSSGPWR, (10BAR), SAPPHIRE GLASS,  
5 DIAMONDS, MOTHER OF PEARL DIAL, CABOCHON CROWN,  
M0W5112C9, V137



Case Size  
28mm

6



**SUT268P \$725**



SOLAR ANALOGUE, TGP.MHCWR, (10BAR), SAPPHIRE GLASS,  
CABOCHON CROWN, M0W5112D0, V137



Case Size  
28mm

6



**SUT344P \$699**



SOLAR ANALOGUE, TGP.MHCWR, (10BAR), SAPPHIRE GLASS,  
M0W5112N0, V137



Case Size  
28mm

6



**SUT342P \$625**



SOLAR ANALOGUE, SGPWR, (10BAR), SAPPHIRE GLASS,  
MOTHER OF PEARL DIAL, M0W5112K0, V137

SOLAR PERPETUAL CHRONOGRAPH

Powered by all light sources. 6 month power storage with power reserve indicator. Stopwatch measures 24 hours in 1/5th of a second increments with split time facility. 24-hour alarm. Dual Time capability. Hour, minute, second hand, perpetual calendar that automatically adjusts for short months and leap years until February 2100.

6



Case Size  
45mm

**SSC357P \$999**  
SOLAR PERPETUAL CHRONOGRAPH, SSWR, (10BAR), XL,  
SAPPHIRE GLASS, SCREW DOWN CROWN,  
M0ND111J0, V198



AUTOMATIC

Approximately 41 hours power reserve. Accuracy +/- 25 seconds a day average. Powered by the movement of the wearer or by winding the crown. Hour, minute and second hand.



Case Size  
37.7mm

**SSA884J \$1200**  
AUTOMATIC, TGPCEWR, (10BAR), XL, SAPPHIRE GLASS,  
CABOCHON CROWN, EXHIBITION CASEBACK,  
M0R1217R0, 4R38





**KINETIC**

Powered by the movement of the wearer. 6 month power storage with power reserve indicator. Hour, minute, second hand. Calendar. Day of the week (model dependant).



Case Size  
44.7mm



**SKA745P \$725**



KINETIC, SSWR, (10BAR), XL, HARDEX GLASS,  
EXHIBITION CASEBACK, M0FP528J0, 5M82

# SOLAR ALARM CHRONOGRAPH

Powered by all light sources. 6 month power reserve. Stopwatch measures 60 minutes in 1/5th of a second increments with split time facility. 12-hourly alarm. Dual time capability. Hour, minute, second hand. Calendar.



6



**SSC559P \$925**   
SOLAR ALARM CHRONOGRAPH, HCWR, (10BAR), XL,  
HARDLEX GLASS, ONE WAY ROTATING BEZEL,  
MOEV424N0, V172



6



**SSC557P \$799**   
SOLAR ALARM CHRONOGRAPH, SSWR, (10BAR), XL,  
HARDLEX GLASS, ONE WAY ROTATING BEZEL,  
MOEV424J0, V172



6



**SSC555P \$799**   
SOLAR ALARM CHRONOGRAPH, SSWR, (10BAR), XL,  
HARDLEX GLASS, ONE WAY ROTATING BEZEL,  
MOEV424J0, V172



6



**SSC139P-9 \$860**   
SOLAR ALARM CHRONOGRAPH, SSHCWR, (10BAR), XL,  
HARDLEX GLASS, M0SA112E9, V172



6



**SSC138P-9 \$799**   
SOLAR ALARM CHRONOGRAPH, SSGPWR, (10BAR), XL,  
HARDLEX GLASS, M0SA111C9, V172


## SOLAR ALARM CHRONOGRAPH



Powered by all light sources. 6 month power reserve. Stopwatch measures 60 minutes in 1/5th of a second increments with split time facility. 12-hourly alarm. Dual time capability. Hour, minute, second hand. Calendar.



Case Size  
42.5mm

6




**SSC143P-9 \$799**  


SOLAR ALARM CHRONOGRAPH, SSHCWR, (10BAR), XL,  
HARDLEX GLASS, M0C0225E9, V172



Case Size  
42.5mm

6



**SSC142P \$750**  



SOLAR ALARM CHRONOGRAPH, TSPWR, (10BAR), XL,  
HARDLEX GLASS, M0C0224C0, V172



Case Size  
42.5mm

6




**SSC147P \$725**  

SOLAR ALARM CHRONOGRAPH, THCWR, (10BAR), XL,  
HARDLEX GLASS, M0C0224J0, V172



Case Size  
42.5mm

6



**SSC141P \$699**  

SOLAR ALARM CHRONOGRAPH, SSWR, (10BAR), XL,  
HARDLEX GLASS, M0C0224J0, V172

ALARM CHRONOGRAPH

Stopwatch measures 60 minutes in 1/5th of a second increments with split time facility. 12-hour alarm. Dual time capability. Hour, minute, second hand. Calendar.



Case Size  
41mm



**SNAF07P \$725**



ALARM CHRONOGRAPH, HCWR, (10BAR), XL, HARDEX GLASS,  
MOCC411N0, 7T62



Case Size  
44.6mm



**SNAF72P \$625**



ALARM CHRONOGRAPH, SGPWR, (10BAR), HARDEX GLASS,  
LOBB012K0, 7T62



Case Size  
44.6mm



**SNAF69P \$575**




ALARM CHRONOGRAPH, SSWR, (10BAR), HARDEX GLASS,  
4LD4JB, 7T62



## SOLAR CHRONOGRAPH

Powered by all light sources. 6 month power reserve. Stopwatch measures 60 minutes in 1/5th of a second increments with split time facility. Hour, minute, second hand. Calendar. 24-hour hand.

6




Case Size  
43mm

**SSC635P-9 \$899**



SOLAR CHRONOGRAPH, SSHCWR, (10BAR), XL, HARDEX GLASS, M134111E9, V175

6



Case Size  
43mm

**SSC634P-9 \$799**



SOLAR CHRONOGRAPH, SSGPWR, (10BAR), XL, HARDEX GLASS, M134111C9, V175

6



Case Size  
44.7mm

**SSC497P \$840**



SOLAR CHRONOGRAPH, HCWR, (10BAR), XL, HARDEX GLASS, M0FP628N0, V175

6



Case Size  
44.7mm

**SSC495P \$775**



SOLAR CHRONOGRAPH, THCWR, (10BAR), XL, HARDEX GLASS, M0FP628J0, V175

6




Case Size  
44.7mm

**SSC493P \$750**



SOLAR CHRONOGRAPH, SSWR, (10BAR), XL, HARDEX GLASS, M0FP628J0, V175

6



Case Size  
43.5mm

**SSC567P-9 \$625**



SOLAR CHRONOGRAPH, SSWR, (10BAR), XL, HARDEX GLASS, M0GW327J9, V175

## CHRONOGRAPH

Stopwatch measures 60 minutes in 1/5th of a second increments with split time facility. Hour, minute, second hand. 24 hour hand. Calendar.



Case Size  
44.9mm



**SSB267P \$525**



CHRONOGRAPH, SSWR, (10BAR), XL, HARDLEX GLASS,  
M0HB623J0, 8T67



Case Size  
44.9mm



**SSB269P \$525**



CHRONOGRAPH, SSWR, (10BAR), XL, HARDLEX GLASS,  
M0HB623J0, 8T67



Case Size  
45mm



**SSB199P \$525**



CHRONOGRAPH, SSWR, (10BAR), XL, HARDLEX GLASS,  
M0HB627J0, 8T67



Case Size  
45mm



**SSB243P \$525**



CHRONOGRAPH, SSWR, (10BAR), XL, HARDLEX GLASS,  
M0HC221J0, 8T63



Case Size  
45mm




**SSB241P \$525**



CHRONOGRAPH, SSWR, (10BAR), XL, HARDLEX GLASS,  
M0HC221J0, 8T63



Case Size  
42.2mm



**SSB229P \$575**



CHRONOGRAPH, SSWR, (10BAR), HARDLEX GLASS,  
L01K017J0, 8T63



# SOLAR ANALOGUE

Powered by all light sources. Instant start and low energy warning function. 10 month power reserve. Hour, minute, second hand. Calendar. Day of the week (model dependant).



Case Size  
43mm

10




**SNE368P-9 \$525**

SOLAR ANALOGUE, SGPWR, (10BAR), XL, HARDLEX GLASS,  
M0JA331K9, V158



Case Size  
43mm

10



**SNE366P \$525**

SOLAR ANALOGUE, SGPWR, (10BAR), XL, HARDLEX GLASS,  
M0JA331K0, V158  
MATCHING MODEL No. SUT164P



Case Size  
43mm

10




**SNE363P \$425**

SOLAR ANALOGUE, SSWR, (10BAR), XL, HARDLEX GLASS,  
M0JA311J0, V158



Case Size  
43mm

10




**SNE445P-9 \$525**

SOLAR ANALOGUE, SSWR, (10BAR), XL, HARDLEX GLASS,  
M0JF527J9, V158



Case Size  
39.6mm

10




**SNE098P-9 \$499**

SOLAR ANALOGUE, SSGPWR, (10BAR), XL, HARDLEX GLASS,  
35C4XZ, V158



Case Size  
39.6mm

10



**SNE094P \$499**

SOLAR ANALOGUE, SSGPWR, (10BAR), XL, HARDLEX GLASS,  
M0C1111C0, V158



Case Size  
39.6mm

10




**SNE095P \$399**

SOLAR ANALOGUE, SSWR, (10BAR), XL, HARDLEX GLASS,  
35C4JZ, V158



Case Size  
39.6mm

10




**SNE095P-2 \$399**

SOLAR ANALOGUE, SSWR, (10BAR), XL, HARDLEX GLASS,  
L00Y011J0, V158



Case Size  
39.4mm

10



**SNE291P \$499**

SOLAR ANALOGUE, SSWR, (10BAR), XL, HARDLEX GLASS,  
M0SJ111J0, V157

SOLAR ANALOGUE

Powered by all light sources. Instant start and low energy warning function. 10 month power reserve. Hour, minute, second hand. Calendar. Day of the week.



Case Size  
43.1mm

10



**SNE393P \$499**  
SOLAR ANALOGUE, SSWR, (10BAR), XL, HARDLEX GLASS,  
M0E6428J0, V158



Case Size  
43.1mm

10



**SNE391P \$499**  
SOLAR ANALOGUE, SSWR, (10BAR), XL, HARDLEX GLASS,  
M0E6428J0, V158

SOLAR ANALOGUE

Powered by all light sources. 12 month power reserve. Instant start and low energy warning functions. Hour and minute hand.



Case Size  
34.7mm

10



**SNE462P-9 \$750**  
SOLAR ANALOGUE, SGPWR, HARDLEX GLASS, 9 DIAMONDS,  
M0F2311K9, V157  
MATCHING MODEL No. SUP378P-9



Case Size  
34.7mm

10



**SNE463P-9 \$625**  
SOLAR ANALOGUE, SSWR, HARDLEX GLASS,  
M0F2311C9, V157  
MATCHING MODEL No. SUP379P-9



Case Size  
28.5mm

12



**SUP880P-9 \$350**  
SOLAR ANALOGUE, SGPWR, HARDLEX GLASS, CABOCHON CROWN,  
LOC2011K9, V115  
MATCHING MODEL No. SUP250P-9



Case Size  
37.8mm

12



**SUP872P \$399**  
SOLAR ANALOGUE, SGPWR, HARDLEX GLASS,  
L011024K0, V115  
MATCHING MODEL No. SUP300P



Case Size  
37.8mm

12



**SUP860P \$399**  
SOLAR ANALOGUE, SGPWR, HARDLEX GLASS,  
L011029K0, V115  
MATCHING MODEL No. SUP370P



Case Size  
37.8mm

12



**SUP863P \$375**  
SOLAR ANALOGUE, SSWR, HARDLEX GLASS,  
L011024J0, V115  
MATCHING MODEL No. SUP869P



# ANALOGUE

Hour, minute, second hand. Calendar. Day of week (model dependant).



Case Size  
40.9mm



**SGEH70P \$550**



ANALOGUE, SGPWR, (10BAR), XL, SAPPHIRE GLASS,  
M0E0821K0, 7N42  
MATCHING MODEL No. SXDG92P



Case Size  
41mm



**SGEH41P \$460**



ANALOGUE, SSWR, (10BAR), XL, SAPPHIRE GLASS,  
M0E0821J0, 7N42



Case Size  
41mm



**SGEH39P \$460**



ANALOGUE, SSWR, (10BAR), XL, SAPPHIRE GLASS,  
M0E0821J0, 7N42



Case Size  
40.9mm



**SGEH68P \$525**



ANALOGUE, TSGPWR, (10BAR), XL, SAPPHIRE GLASS,  
M0E0821C0, 7N42  
MATCHING MODEL No. SXDG90P



Case Size  
40.9mm



**SGEH67P \$460**



ANALOGUE, SSWR, (10BAR), XL, SAPPHIRE GLASS,  
M0E0821J0, 7N42  
MATCHING MODEL No. SXDG89P



Case Size  
41mm



**SGEH49P \$460**



ANALOGUE, SSWR, (10BAR), XL, SAPPHIRE GLASS,  
M0BN731J0, 7N42



Case Size  
36.7mm



**SGGA62P \$499**



ANALOGUE, SGPWR, (10BAR), XL, SAPPHIRE GLASS,  
33X9KZ, 7N43



Case Size  
36.7mm



**SGGA61P \$460**



ANALOGUE, SSWR, (10BAR), XL, SAPPHIRE GLASS,  
33X9LZ, 7N43



Case Size  
36.7mm



**SGG717P \$425**



ANALOGUE, SSWR, (10BAR), XL, SAPPHIRE GLASS,  
33X9JZ, 7N43

# AUTOMATIC

Powered by the movement of the wearer or by winding the crown. Approximately 41 hours power reserve. Accuracy +/- 25 seconds a day average. Hour, minute and second hand. Calendar. Day of the week.



Case Size  
45mm



**SRPA58K \$625**



AUTOMATIC, THC.MGPWR, (10BAR), XL, HARDEX GLASS,  
ONE WAY ROTATING BEZEL, EXHIBITION CASEBACK,  
R00C014P0, 4R36



Case Size  
44mm



**SRPB37K \$599**



AUTOMATIC, THCWR, (10BAR), XL, HARDEX GLASS,  
EXHIBITION CASEBACK, M0KW613J0, 4R36



Case Size  
44mm



**SRPB39K \$525**



AUTOMATIC, SSWR, (10BAR), XL, HARDEX GLASS,  
EXHIBITION CASEBACK, 4K32JB, 4R36



Case Size  
44.3mm




**SRP605K-2 \$575**



AUTOMATIC, THCWR, (10BAR), XL, HARDEX GLASS,  
R00C013J0, 4R36



Case Size  
44.3mm



**SRP601K \$550**



AUTOMATIC, SSWR, (10BAR), XL, HARDEX GLASS,  
4K32JB, 4R36



## AUTOMATIC

Powered by the movement of the wearer or by winding the crown. Approximately 41 hours power reserve. Accuracy +/- 25 seconds a day average. Hour, minute and second hand. Calendar. Day of the week.



Case Size  
45.9mm

**SRPA61K \$575**

AUTOMATIC, SSWR, (10BAR), XL, HARDLEX GLASS,  
TWO WAY ROTATING BEZEL, EXHIBITION CASEBACK,  
M0KWH13J0, 4R36



Case Size  
45.9mm

**SRPA67K \$550**

AUTOMATIC, SSWR, (10BAR), XL, HARDLEX GLASS,  
TWO WAY ROTATING BEZEL, EXHIBITION CASEBACK,  
L07F012J0, 4R36



Case Size  
41.7mm

**SRPB29K \$625**

AUTOMATIC, THCW, (10BAR), XL, HARDLEX GLASS,  
INNER ROTATING RING, EXHIBITION CASEBACK,  
M0KWL13J0, 4R36



Case Size  
41.7mm

**SRPB25K \$575**

AUTOMATIC, SSWR, (10BAR), XL, HARDLEX GLASS,  
INNER ROTATING RING, EXHIBITION CASEBACK,  
M0KWL13J0, 4R36



Case Size  
41.7mm

**SRPB31K \$550**

AUTOMATIC, SSWR, (10BAR), XL, HARDLEX GLASS,  
INNER ROTATING RING, EXHIBITION CASEBACK,  
301N1JR, 4R36



Case Size  
44mm

**SSA327K \$599**

AUTOMATIC, SSWR, (10BAR), XL, HARDLEX GLASS,  
EXHIBITION CASEBACK, M0KWJ13J0, 4R38



Case Size  
44mm

**SSA331K \$599**

AUTOMATIC, SSWR, (10BAR), XL, HARDLEX GLASS,  
EXHIBITION CASEBACK, M0KWJ13J0, 4R38

## AUTOMATIC

Powered by the movement of the wearer or by winding the crown. Approximately 41 hours power reserve. Accuracy +/- 25 seconds a day average. Hour, minute and second hand. Calendar. Day of the week.



Case Size  
44mm



**SRPB19K \$550**



AUTOMATIC, SSWR, (10BAR), XL, HARDLEX GLASS,  
EXHIBITION CASEBACK, MOKWK13J0, 4R36



Case Size  
44mm



**SRPB17K \$550**



AUTOMATIC, SSWR, (10BAR), XL, HARDLEX GLASS,  
EXHIBITION CASEBACK, MOKWK13J0, 4R36



Case Size  
44mm



**SRPB15K \$550**



AUTOMATIC, SSWR, (10BAR), XL, HARDLEX GLASS,  
EXHIBITION CASEBACK, MOKWK13J0, 4R36



Case Size  
44.5mm




**SRPA93K \$575**



AUTOMATIC, SSWR, (10BAR), XL, HARDLEX GLASS,  
LIMITED EDITION, EXHIBITION CASEBACK,  
LOFP014J0, 4R35



Case Size  
44.5mm



**SRPA91K \$575**



AUTOMATIC, SSWR, (10BAR), XL, HARDLEX GLASS,  
LIMITED EDITION, EXHIBITION CASEBACK,  
LOFP015J0, 4R35



Case Size  
44.5mm



**SRPA89K \$575**



AUTOMATIC, SSWR, (10BAR), XL, HARDLEX GLASS,  
LIMITED EDITION, EXHIBITION CASEBACK,  
LOFP016J0, 4R35



Case Size  
44.5mm



**SSA283K \$550**



AUTOMATIC, SSWR, (10BAR), XL, HARDLEX GLASS,  
EXHIBITION CASEBACK, MOKWF13J0, 4R37



Case Size  
44.5mm



**SSA287K \$525**



AUTOMATIC, SSWR, (10BAR), XL, HARDLEX GLASS,  
EXHIBITION CASEBACK, LOFP011J0, 4R37



Case Size  
41.7mm



**SNZG13K \$499**



AUTOMATIC, SSWR, (10BAR), XL, HARDLEX GLASS,  
EXHIBITION CASE BACK, 300Z1JM, 7S36



## AUTOMATIC

Powered by the movement of the wearer or by winding the crown. Approximately 41 hours power reserve. Accuracy +/- 25 seconds a day average. Hour, minute and second hand. Calendar. Day of the week.



Case Size  
42mm

**SRPA26K \$725**



AUTOMATIC, TSGPWR, (10BAR), HARDEX GLASS,  
EXHIBITION CASEBACK, M0Z9111C0, 4R35



Case Size  
42mm

**SRPA25K \$625**



AUTOMATIC, SSWR, (10BAR), HARDEX GLASS,  
EXHIBITION CASEBACK, M0Z9111J0, 4R35



Case Size  
42mm

**SRP767K \$625**



AUTOMATIC, SSWR, (10BAR), HARDEX GLASS,  
EXHIBITION CASEBACK, M0WS411J0, 4R35



Case Size  
40.4mm

**SNZE32K \$525**



AUTOMATIC, SGPWR, (5BAR), XL, HARDEX GLASS,  
EXHIBITION CASE BACK, 3368KG, 7S36



Case Size  
39.5mm

**SNKP23P-9 \$525**



AUTOMATIC, SSWR, (5BAR), XL, HARDEX GLASS,  
EXHIBITION CASEBACK, M0H6131J9, 7S26



Case Size  
39.5mm

**SNKP25P-9 \$499**



AUTOMATIC, SSWR, (5BAR), XL, HARDEX GLASS,  
EXHIBITION CASEBACK, L0GA018J9, 7S26



Case Size  
39.5mm

**SNKP27P-9 \$499**



AUTOMATIC, SSWR, (5BAR), XL, HARDEX GLASS,  
EXHIBITION CASEBACK, L0GA017J9, 7S26

## AUTOMATIC

Approximately 36 hours energy storage. Accuracy +/- 25 seconds a day average. Hour, minute, second hand. Calendar and day of the week.



Case Size  
43.4mm



**SNKM92K \$375**



AUTOMATIC, SSGPWR, (5BAR), XL, HARDLEX GLASS,  
EXHIBITION CASEBACK, M0VD111Z0, 7S26



Case Size  
43.4mm



**SNKM87K \$325**



AUTOMATIC, SSWR, (5BAR), XL, HARDLEX GLASS,  
EXHIBITION CASEBACK, M0VD111J0, 7S26

# SOLAR ANALOGUE

Powered by all light sources. 6 month power reserve. Instant start and low energy warning functions. Hour, minute, second hand. Calendar.

6



Case Size  
30.1mm

**SUT128P \$525**



SOLAR ANALOGUE, TGP.MSSGPWR, (10BAR), HARDEX GLASS,  
M0V2111C0, V137

6



Case Size  
28.5mm

**SUT162P \$525**



SOLAR ANALOGUE, TSGPWR, (10BAR), XL, HARDEX GLASS,  
M0SZ411C0, V138  
MATCHING MODEL No. SNE364P

6



Case Size  
27mm

**SUT294P \$575**



SOLAR ANALOGUE, TSSGPWR, (10BAR), HARDEX GLASS,  
MOTHER OF PEARL DIAL, M032318C0, V137

## SOLAR ANALOGUE

Powered by all light sources. 6 month power reserve. Instant start and low energy warning functions. Hour, minute, second hand. Calendar.

6




Case Size  
33mm

**SUT340P-9 \$925**



SOLAR ANALOGUE, TGPCEWR, (5BAR), HARDLEX GLASS,  
8 DIAMONDS, MOTHER OF PEARL DIAL, M0ER317R9, V137

6




Case Size  
33mm

**SUT338P-9 \$860**



SOLAR ANALOGUE, TGPCEWR, (5BAR), HARDLEX GLASS,  
8 DIAMONDS, MOTHER OF PEARL DIAL, M0ER311C9, V137

6




Case Size  
29mm

**SUT320P-9 \$799**



SOLAR ANALOGUE, SGPWR, (5BAR), HARDLEX GLASS, 12 DIAMONDS,  
MOTHER OF PEARL DIAL, M0VA111K9, V137

6



Case Size  
29mm

**SUT318P-9 \$775**



SOLAR ANALOGUE, TSGPWR, (5BAR), HARDLEX GLASS,  
12 DIAMONDS, MOTHER OF PEARL DIAL, M0VA111C9, V137

6




Case Size  
30.7mm

**SUT326P \$699**



SOLAR ANALOGUE, SSGPWR, (5BAR), HARDLEX GLASS,  
MOTHER OF PEARL DIAL, M0BW417J0, V137

6



Case Size  
30.7mm

**SUT324P \$699**



SOLAR ANALOGUE, SSGPWR, (5BAR), HARDLEX GLASS,  
MOTHER OF PEARL DIAL, M0BW417C0, V137

6



Case Size  
30.7mm

**SUT323P \$575**



SOLAR ANALOGUE, SSWR, (5BAR), HARDLEX GLASS,  
M0BW417J0, V137



## SOLAR ANALOGUE

Calibre V115 – Powered by all light sources. 12 month power reserve. Instant start and low energy warning functions. Hour and minute hand.

Calibre V137 – Powered by all light sources. 6 month power reserve. Instant start and low energy warning functions. Hour, minute, second hand. Calendar.



Case Size  
29mm

12




**SUP374P-9 \$1150**

SOLAR ANALOGUE, SSGPWR, HARDEX GLASS, 36 DIAMONDS, MOTHER OF PEARL DIAL, M132112K9, V115



Case Size  
29mm

12




**SUP373P-9 \$1100**

SOLAR ANALOGUE, SSWR, HARDEX GLASS, 36 DIAMONDS, MOTHER OF PEARL DIAL, M132112J9, V115



Case Size  
32.1mm

6



**SUT330P \$775**

SOLAR ANALOGUE, SSGPWR, HARDEX GLASS, 40 CRYSTALS, MOTHER OF PEARL DIAL, M0BW419K0, V137



Case Size  
32.1mm

6



**SUT328P \$775**

SOLAR ANALOGUE, SSGPWR, HARDEX GLASS, 40 CRYSTALS, MOTHER OF PEARL DIAL, M0BW417C0, V137



Case Size  
32.1mm

6



**SUT327P \$699**

SOLAR ANALOGUE, SSWR, HARDEX GLASS, 40 CRYSTALS, MOTHER OF PEARL DIAL, M0BW417J0, V137



Case Size  
24mm

12



**SUP378P-9 \$725**

SOLAR ANALOGUE, SGPWR, HARDEX GLASS, 10 DIAMONDS, MOTHER OF PEARL DIAL, M0F3411K9, V115  
MATCHING MODEL No. SNE462P-9



Case Size  
24mm

12



**SUP379P-9 \$575**

SOLAR ANALOGUE, SSWR, HARDEX GLASS, M0F3411C9, V115



Case Size  
29mm

6



**SUT312P-9 \$625**

SOLAR ANALOGUE, SSWR, HARDEX GLASS, M0R8211C9, V137

## SOLAR ANALOGUE

Calibre V115/V116 – Powered by all light sources. 12 month power reserve. Instant start and low energy warning functions. Hour and minute hand.

Calibre V137 – Powered by all light sources. 6 month power reserve. Instant start and low energy warning functions. Hour, minute, second hand. Calendar.



Case Size  
28mm

12



**SUP364P-9 \$750**

WR SS

SOLAR ANALOGUE, SSGPWR, HARDLEX GLASS, 88 CRYSTALS, MOTHER OF PEARL DIAL, M102112K9, V115



Case Size  
28mm

12



**SUP359P-9 \$625**

WR SS

SOLAR ANALOGUE, SSWR, HARDLEX GLASS, 88 CRYSTALS, MOTHER OF PEARL DIAL, M102112J9, V115



Case Size  
27.9mm

12



**SUP216P \$550**

WR SS

SOLAR ANALOGUE, SSGPWR, HARDLEX GLASS, 32 CRYSTALS, MOTHER OF PEARL DIAL, M0N722K0, V115



Case Size  
32.5mm

6



**SUT158P \$575**

WR SS

SOLAR ANALOGUE, SGPWR, HARDLEX GLASS, CABOCHON CROWN, M0VA211K0, V137



Case Size  
32.5mm

6



**SUT154P \$575**

WR SS

SOLAR ANALOGUE, SSGPWR, HARDLEX GLASS, CABOCHON CROWN, M0VA211C0, V137



Case Size  
15mm

12



**SUP272P-9 \$550**

WR SS

SOLAR ANALOGUE, TSSGPWR, HARDLEX GLASS, M0WY112C9, V116



Case Size  
23.1mm

12



**SUP352P \$550**

WR SS

SOLAR ANALOGUE, SGPWR, HARDLEX GLASS, M05F232K0, V115



Case Size  
23.1mm

12



**SUP349P \$525**

WR SS

SOLAR ANALOGUE, SSWR, HARDLEX GLASS, M05F232C0, V115



Case Size  
23.1mm

12



**SUP347P \$499**

WR SS

SOLAR ANALOGUE, SSWR, HARDLEX GLASS, M05F232J0, V115

# SOLAR ANALOGUE

Powered by all light sources. 12 month power reserve. Instant start and low energy warning functions. Hour and minute hand.

12



Case Size  
26.1mm

**SUP300P \$399**



SOLAR ANALOGUE, SGPWR, HARDLEX GLASS,  
LOF7011K0, V115  
MATCHING MODEL No. SUP872P

12



Case Size  
26.1mm

**SUP304P \$350**



SOLAR ANALOGUE, SGPWR, HARDLEX GLASS,  
LOF7011K0, V115  
MATCHING MODEL No. SUP878P-9

12



Case Size  
26.1mm

**SUP370P \$399**



SOLAR ANALOGUE, SGPWR, HARDLEX GLASS,  
LOF7012K0, V115  
MATCHING MODEL No. SUP860P

12



Case Size  
26.1mm

**SUP369P \$375**



SOLAR ANALOGUE, SSWR, HARDLEX GLASS,  
LOF7011J0, V115  
MATCHING MODEL No. SUP863P



# ANALOGUE

Hour, minute, second hand. Calendar (model dependant).



Case Size  
29.2mm



**SXDG92P \$550** 100m SS

ANALOGUE, SGPWR, (10BAR), XL, SAPPHIRE GLASS,  
M0SZ511K0, 7N82  
MATCHING MODEL No. SGEH70P



Case Size  
29.2mm



**SXDG90P \$525** 100m SS

ANALOGUE, TSGPWR, (10BAR), XL, SAPPHIRE GLASS,  
M0SZ511C0, 7N82  
MATCHING MODEL No. SGEH68P



Case Size  
29.2mm



**SXDG89P \$460** 100m SS

ANALOGUE, SSWR, (10BAR), XL, SAPPHIRE GLASS,  
M0SZ511J0, 7N82  
MATCHING MODEL No. SGEH67P



Case Size  
31.4mm



**SXDG80P \$840** 50m SS

ANALOGUE, SGPWR, (5BAR), SAPPHIRE GLASS, 10 DIAMONDS,  
M0ZE112K0, 7N82



Case Size  
31.4mm



**SXDG84P \$860** 50m SS

ANALOGUE, TSGPWR, (5BAR), SAPPHIRE GLASS, 10 DIAMONDS,  
MOTHER OF PEARL DIAL, M0ZE112C0, 7N82



Case Size  
31.4mm



**SXDG79P \$750** 50m SS

ANALOGUE, SSWR, (5BAR), SAPPHIRE GLASS, 10 DIAMONDS,  
M0ZE112J0, 7N82



Case Size  
31.4mm



**SXDG88P \$775** 50m SS

ANALOGUE, SGPWR, (5BAR), SAPPHIRE GLASS, 10 DIAMONDS,  
MOTHER OF PEARL DIAL, L0GN011P0, 7N82



Case Size  
29.4mm



**SFQ806P \$699** 50m SS

ANALOGUE, TSGPWR, (5BAR), HARDEX GLASS,  
MOTHER OF PEARL DIAL, 12 CRYSTALS, CABOCHON CROWN,  
M0ZC112R0, 7N00



Case Size  
29.4mm



**SFQ807P \$575** 50m SS

ANALOGUE, SSWR, (5BAR), HARDEX GLASS,  
MOTHER OF PEARL DIAL, 12 CRYSTALS, CABOCHON CROWN,  
M0ZC112J0, 7N00



## ANALOGUE

Hour, minute and second hand (model dependant).

Case Size  
29.4mm**SFQ804P \$625**ANALOGUE, SGPWR, (5BAR), HARDLEX GLASS, 4 CRYSTALS,  
CABOCHON CROWN, M0ZC112K0, 7N00Case Size  
29.4mm**SFQ805P \$575**ANALOGUE, SSWR, (5BAR), HARDLEX GLASS, 4 CRYSTALS,  
CABOCHON CROWN, M0ZC112J0, 7N00Case Size  
28.7mm**SFQ814P \$575**ANALOGUE, SGPWR, (5BAR), HARDLEX GLASS,  
CABOCHON CROWN, M0T4422K0, 7N00Case Size  
29.8mm**SRZ482P \$599**ANALOGUE, SGPWR, (5BAR), HARDLEX GLASS,  
CABOCHON CROWN, M0XJ112K0, 7N01Case Size  
28mm**SRZ498P \$625**ANALOGUE, SGPWR, (5BAR), HARDLEX GLASS,  
CABOCHON CROWN, M0AD322K0, 7N01Case Size  
28mm**SRZ496P \$599**ANALOGUE, TSGPWR, (5BAR), HARDLEX GLASS,  
CABOCHON CROWN, M0AD322C0, 7N01Case Size  
28mm**SRZ495P \$550**ANALOGUE, SSWR, (5BAR), HARDLEX GLASS,  
CABOCHON CROWN, M0AD322J0, 7N01Case Size  
28mm**SRZ500P \$550**ANALOGUE, SGPWR, (5BAR), HARDLEX GLASS,  
CABOCHON CROWN, L05W022P0, 7N01

## ANALOGUE

Hour, minute and second hand.



Case Size  
30.1mm



**SRZ494P \$599**



ANALOGUE, SGPWR, (5BAR), HARDEX GLASS, CABOCHON CROWN, M0R8312K0, 7N01



Case Size  
30.1mm



**SRZ492P \$660**



ANALOGUE, TSSGPWR, (5BAR), HARDEX GLASS, CABOCHON CROWN, M0R8312R0, 7N01



Case Size  
30.1mm




**SRZ491P \$525**



ANALOGUE, SSWR, (5BAR), HARDEX GLASS, CABOCHON CROWN, M0R8312J0, 7N01



Case Size  
27.5mm




**SRZ402P \$599**



ANALOGUE, SGPWR, (5BAR), HARDEX GLASS, 11 CRYSTALS, CABOCHON CROWN, M0T3112K0, 7N01



Case Size  
27.5mm



**SRZ399P \$550**



ANALOGUE, SSWR, (5BAR), HARDEX GLASS, 11 CRYSTALS, CABOCHON CROWN, M0T3112J0, 7N01



Case Size  
22.3mm



**SXGP65P \$575**



ANALOGUE, SSWR, (5BAR), HARDEX GLASS, 12 CRYSTALS, CABOCHON CROWN, M0WX112J0, 1N01



Case Size  
22.3mm



**SXGP68P \$550**



ANALOGUE, SGPWR, (5BAR), HARDEX GLASS, 12 CRYSTALS, MOTHER OF PEARL DIAL, CABOCHON CROWN, L0GL011P0, 1N01



Case Size  
22.3mm



**SXGP67P \$425**



ANALOGUE, SSWR, (5BAR), HARDEX GLASS, 12 CRYSTALS, CABOCHON CROWN, L0GL011J0, 1N01

## ANALOGUE

Hour, minute and second hand (model dependant).

Case Size  
24.2mm**SRZ464P \$460**ANALOGUE, SGPWR, (5BAR), HARDLEX GLASS,  
M0A1212K0, 7N01Case Size  
24.2mm**SRZ462P \$425**ANALOGUE, SSGPWR, (5BAR), HARDLEX GLASS,  
M0A1212C0, 7N01Case Size  
26.5mm**SUR698P \$575**ANALOGUE, SGPWR, (5BAR), HARDLEX GLASS, 11 CRYSTALS,  
M131112P0, 6N01Case Size  
26.5mm**SUR697P \$460**ANALOGUE, SSWR, (5BAR), HARDLEX GLASS, 11 CRYSTALS,  
M131112J0, 6N01Case Size  
38.4mm**SUR234P \$460**ANALOGUE, SGPWR, (5BAR), HARDLEX GLASS,  
LOHG012P0, 6N01Case Size  
35mm**SUR238P \$460**ANALOGUE, SGPWR, (5BAR), HARDLEX GLASS,  
LOHG013P0, 6N01Case Size  
26.5mm**SUR698P-2 \$499**ANALOGUE, SGPWR, (5BAR), HARDLEX GLASS, 11 CRYSTALS,  
LOHJ012P0, 6N01Case Size  
26.5mm**SUR699P \$425**ANALOGUE, SSWR, (5BAR), HARDLEX GLASS, 11 CRYSTALS,  
LOHJ011J0, 6N01

## ANALOGUE

Hour, minute and second hand.



Case Size  
30.1mm




**SRZ486P \$775**



ANALOGUE, TSSGPWR, HARDLEX GLASS, 53 CRYSTALS,  
CABOCHON CROWN, M0VA312R0, 7N01



Case Size  
30.1mm



**SRZ488P \$750**



ANALOGUE, TSSGP.MGPWR, HARDLEX GLASS, 53 CRYSTALS,  
CABOCHON CROWN, M0VA312K0, 7N01



Case Size  
30.1mm



**SRZ485P \$625**



ANALOGUE, SSWR, HARDLEX GLASS, 53 CRYSTALS,  
CABOCHON CROWN, M0VA312J0, 7N01



Case Size  
30.1mm



**SRZ490P \$660**



ANALOGUE, TSSGP.MGPWR, HARDLEX GLASS, 53 CRYSTALS,  
CABOCHON CROWN, L0FA011P0, 7N01



Case Size  
27.5mm



**SRZ466P \$750**



ANALOGUE, TSSGPWR, HARDLEX GLASS, 44 CRYSTALS,  
CABOCHON CROWN, M0T3212R0, 7N01



Case Size  
27.5mm



**SRZ468P \$725**



ANALOGUE, TSSGP.MGPWR, HARDLEX GLASS, 44 CRYSTALS,  
CABOCHON CROWN, M0T3212K0, 7N01



Case Size  
27.5mm



**SRZ465P \$625**



ANALOGUE, SSWR, HARDLEX GLASS, 44 CRYSTALS,  
CABOCHON CROWN, M0T3212J0, 7N01



## ANALOGUE

Hour, minute and second hand.



Case Size  
29.6mm



**SFQ810P \$725**



ANALOGUE, TSSGPWR, HARDLEX GLASS, 56 CRYSTALS,  
CABOCHON CROWN, M0T4422R0, 7N00



Case Size  
29.6mm



**SFQ808P \$660**



ANALOGUE, TSSGP.MGPWR, HARDLEX GLASS, 56 CRYSTALS,  
CABOCHON CROWN, M0T4422K0, 7N00

## STOPWATCHES

**S23571J \$1150**PC, HARDEX GLASS,  
BZA08N, S149**S23569J \$725**PCWR, HARDEX GLASS,  
BZA02N, S143**S23535P \$625**PC, HARDEX GLASS,  
BZA04N, S351**S23605P \$399**APCWR (5BAR), ACRYLIC GLASS,  
DFY6JB, S058**S23593J \$625**APCWR (10BAR), HARDEX GLASS,  
BZA04N, S141**S23603P \$350**APCWR, ACRYLIC GLASS,  
DD83AD, S057**S23601P \$299**APCWR, ACRYLIC GLASS,  
DD83AD, S056**S23589J \$150**PCWR, ACRYLIC GLASS,  
4E22MB, W073**S23547J \$125**

PC, GRIPSWITCH FOR S23571J





## PRODUCT INFORMATION MATRIX

Model Number	Collection	Calibre Type	Calibre Function	Power Reserve/Battery Life	Battery Type	Calibre Number	Display	Water Resistance	Band Reference	Glass Type	Crown	Rotating Bezel	Hand Indicators	Calendar Indicators	Lumibrite
SFQ804P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 2 Hands	3 Years	SR616SW	7N00	Analogue	50 Metres	M0ZC112K0	Hardlex	Cabochon - Pull Out		Hour, Minutes		
SFQ805P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 2 Hands	3 Years	SR616SW	7N00	Analogue	50 Metres	M0ZC112J0	Hardlex	Cabochon - Pull Out		Hour, Minutes		
SFQ806P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 2 Hands	3 Years	SR616SW	7N00	Analogue	50 Metres	M0ZC112R0	Hardlex	Cabochon - Pull Out		Hour, Minutes		
SFQ807P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 2 Hands	3 Years	SR616SW	7N00	Analogue	50 Metres	M0ZC112J0	Hardlex	Cabochon - Pull Out		Hour, Minutes		
SFQ808P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 2 Hands	3 Years	SR616SW	7N00	Analogue	Water Resistant	M0T4422K0	Hardlex	Cabochon - Pull Out		Hour, Minutes		
SFQ810P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 2 Hands	3 Years	SR616SW	7N00	Analogue	Water Resistant	M0T4422R0	Hardlex	Cabochon - Pull Out		Hour, Minutes		
SFQ814P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 2 Hands	3 Years	SR616SW	7N00	Analogue	50 Metres	M0T4422K0	Hardlex	Cabochon - Pull Out		Hour, Minutes		
SGEH39P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	5 Years	SR920SW	7N42	Analogue	100 Metres	M0E0821J0	Sapphire	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers
SGEH41P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	5 Years	SR920SW	7N42	Analogue	100 Metres	M0E0821J0	Sapphire	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers
SGEH49P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	5 Years	SR920SW	7N42	Analogue	100 Metres	M0BN731J0	Sapphire	Pull Out		Hour, Minutes, Seconds	Date	Hands & Markers
SGEH67P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	5 Years	SR920SW	7N42	Analogue	100 Metres	M0E0821J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers
SGEH68P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	5 Years	SR920SW	7N42	Analogue	100 Metres	M0E0821C0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers
SGEH70P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	5 Years	SR920SW	7N42	Analogue	100 Metres	M0E0821K0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers
SGG717P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	5 Years	SR920SW	7N43	Analogue	100 Metres	33X9JZ	Sapphire	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers
SGGA61P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	5 Years	SR920SW	7N43	Analogue	100 Metres	33X9LZ	Sapphire	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers
SGGA62P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	5 Years	SR920SW	7N43	Analogue	100 Metres	33X9KZ	Sapphire	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers
SKA745P	Conceptual & Regular	Kinetic - Powered By The Movement Of the Wearer	Analogue - 3 Hands	6 Month Power Reserve	N/A	5M82	Analogue	100 Metres	M0FP526J0	Hardlex	Pull Out	One-Way	Hour, Minute, Seconds	Date	Hands & Markers
SKP391P	Premier	Quartz - Powered By A Battery	Analogue - 2 Hands	5 Years	SR920SW	7N39	Analogue	Water Resistant	M0Z5111J0	Sapphire	Pull Out		Hour, Minutes	Date	
SKP393P	Premier	Quartz - Powered By A Battery	Analogue - 2 Hands	5 Years	SR920SW	7N39	Analogue	Water Resistant	M0Z5111J0	Sapphire	Pull Out		Hour, Minutes	Date	
SKP396P	Premier	Quartz - Powered By A Battery	Analogue - 2 Hands	5 Years	SR920SW	7N39	Analogue	Water Resistant	L0G0011K0	Sapphire	Pull Out		Hour, Minutes	Date	
SKP397P	Premier	Quartz - Powered By A Battery	Analogue - 2 Hands	5 Years	SR920SW	7N39	Analogue	Water Resistant	L0G0011J0	Sapphire	Pull Out		Hour, Minutes	Date	
SKP398P	Premier	Quartz - Powered By A Battery	Analogue - 2 Hands	5 Years	SR920SW	7N39	Analogue	Water Resistant	L0G0012P0	Sapphire	Pull Out		Hour, Minutes	Date	
SKP399P	Premier	Quartz - Powered By A Battery	Analogue - 2 Hands	5 Years	SR920SW	7N39	Analogue	Water Resistant	M0Z5111J0	Sapphire	Pull Out		Hours, Minutes	Date	
SKP400P	Premier	Quartz - Powered By A Battery	Analogue - 2 Hands	5 Years	SR920SW	7N39	Analogue	Water Resistant	M0Z5111C0	Sapphire	Pull Out		Hours, Minutes	Date	
SNAF07P	Conceptual & Regular	Quartz - Powered By A Battery	Alarm Chronograph	3 Years	SR927W	7T62	Analogue	100 Metres	M0CC411N0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers
SNAF69P	Conceptual & Regular	Quartz - Powered By A Battery	Alarm Chronograph	3 Years	SR927W	7T62	Analogue	100 Metres	4LD4JB	Hardlex	Pull Out		Hour, Minute, Seconds	Date	
SNAF72P	Conceptual & Regular	Quartz - Powered By A Battery	Alarm Chronograph	3 Years	SR927W	7T62	Analogue	100 Metres	L0BB012K0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	
SNAF73P	Premier	Quartz - Powered By A Battery	Alarm Chronograph	3 Years	SR927W	7T62	Analogue	100 Metres	M0Z5111J0	Sapphire	Pull Out		Hour, Minutes, Seconds	Date	
SNAF75P	Premier	Quartz - Powered By A Battery	Alarm Chronograph	3 Years	SR927W	7T62	Analogue	100 Metres	M0Z5111J0	Sapphire	Pull Out		Hour, Minutes, Seconds	Date	
SNE094P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 3 Hands	10 Month Power Reserve	N/A	V158	Analogue	100 Metres	M0C1111C0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers
SNE095P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 3 Hands	10 Month Power Reserve	N/A	V158	Analogue	100 Metres	35C4JZ	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers
SNE095P-2	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 3 Hands	10 Month Power Reserve	N/A	V158	Analogue	100 Metres	L00Y011J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers
SNE098P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 3 Hands	10 Month Power Reserve	N/A	V158	Analogue	100 Metres	34C4XZ	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers
SNE291P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 3 Hands	10 Month Power Reserve	N/A	V157	Analogue	100 Metres	M0SJ111J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers
SNE363P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 3 Hands	10 Month Power Reserve	N/A	V158	Analogue	100 Metres	M0JA331J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers
SNE366P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 3 Hands	10 Month Power Reserve	N/A	V158	Analogue	100 Metres	M0JA331K0	Hardlex	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers
SNE368P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 3 Hands	10 Month Power Reserve	N/A	V158	Analogue	100 Metres	M0JA331K0	Hardlex	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers
SNE391P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 3 Hands	10 Month Power Reserve	N/A	V158	Analogue	100 Metres	M0E6428J0	Hardlex	Pull Out		Hour, Minutes, Seconds	Date, Day Of The Week	Hands & Markers

# PRODUCT INFORMATION MATRIX

Model Number	Stone Set Type	Stone Set Qty	Alarm	Stopwatch	Dual Time Capability	Timer	Perpetual Calendar	Compass	Tachymetre	Telemeter	Slide Rule	World Time	Hand Winding Capability	Power Reserve Indicator	Exhibition Case Back
SFQ804P	Crystals	4													
SFQ805P	Crystals	4													
SFQ806P	Crystals	12													
SFQ807P	Crystals	12													
SFQ808P	Crystals	56													
SFQ810P	Crystals	56													
SFQ814P															
SGEH39P															
SGEH41P															
SGEH49P															
SGEH67P															
SGEH68P															
SGEH70P															
SGG717P															
SGGA61P															
SGGA62P															
SKA745P															
SKP391P															
SKP393P															
SKP396P															
SKP397P															
SKP398P															
SKP399P															
SKP400P															
SNAF07P			1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone										
SNAF69P			1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone										
SNAF72P			1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone										
SNAF73P			1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone										
SNAF75P			1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone										
SNE094P															
SNE095P															
SNE095P-2															
SNE098P-9															
SNE291P															
SNE363P															
SNE366P															
SNE368P-9															
SNE391P															

## PRODUCT INFORMATION MATRIX

Model Number	Collection	Calibre Type	Calibre Function	Power Reserve/Battery Life	Battery Type	Calibre Number	Display	Water Resistance	Band Reference	Glass Type	Crown	Rotating Bezel	Hand Indicators	Calendar Indicators	Lumbrite
SNE393P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 3 Hands	10 Month Power Reserve	N/A	V158	Analogue	100 Metres	M0E6428J0	Hardlex	Pull Out		Hour, Minutes, Seconds	Date, Day Of The Week	Hands & Markers
SNE395P-9	Le Grand Sport	Solar - Powered By Any Light Source	Analogue - 3 Hands	10 Month Power Reserve	N/A	V157	Analogue	100 Metres	M0TA111J9	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date	
SNE398P-9	Le Grand Sport	Solar - Powered By Any Light Source	Analogue - 3 Hands	10 Month Power Reserve	N/A	V157	Analogue	100 Metres	M0TA111C9	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date	
SNE406P	Le Grand Sport	Solar - Powered By Any Light Source	Analogue - 3 Hands	10 Month Power Reserve	N/A	V157	Analogue	100 Metres	M0TA112D0	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date	
SNE411P-9	Coutura	Solar - Powered By Any Light Source	Analogue - 3 Hands	10 Month Power Reserve	N/A	V157	Analogue	100 Metres	M0XS111J9	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date	Hands & Markers
SNE412P-9	Coutura	Solar - Powered By Any Light Source	Analogue - 3 Hands	10 Month Power Reserve	N/A	V157	Analogue	100 Metres	M0XS111C9	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date	Hands & Markers
SNE420P	Coutura	Solar - Powered By Any Light Source	Analogue - 3 Hands	10 Month Power Reserve	N/A	V157	Analogue	100 Metres	M0XS111K0	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date	Hands & Markers
SNE421P	Prospex	Solar - Powered By Any Light Source	Analogue - 3 Hands	10 Month Power Reserve	N/A	V157	Analogue	100 Metres	M0XL211J0	Hardlex	Screw-Down	Two-Way	Hour, Minute, Seconds	Date	Hands & Markers
SNE423P	Prospex	Solar - Powered By Any Light Source	Analogue - 3 Hands	10 Month Power Reserve	N/A	V157	Analogue	100 Metres	R01W011J0	Hardlex	Screw-Down	Two-Way	Hour, Minute, Seconds	Date	Hands & Markers
SNE432P	Le Grand Sport	Solar - Powered By Any Light Source	Analogue - 3 Hands	10 Month Power Reserve	N/A	V157	Analogue	100 Metres	M0TA111K0	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date	
SNE434P	Le Grand Sport	Solar - Powered By Any Light Source	Analogue - 3 Hands	10 Month Power Reserve	N/A	V157	Analogue	100 Metres	M0TA112D0	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date	
SNE435P	Prospex	Solar - Powered By Any Light Source	Analogue - 3 Hands	10 Month Power Reserve	N/A	V157	Analogue	Diver's 200 Metres	M0FP93CJ0	Hardlex	Screw Down	One Way	Hour, Minute, Seconds	Date	Hands & Markers
SNE437P	Prospex	Solar - Powered By Any Light Source	Analogue - 3 Hands	10 Month Power Reserve	N/A	V157	Analogue	Diver's 200 Metres	M0FP93CJ0	Hardlex	Screw Down	One Way	Hour, Minute, Seconds	Date	Hands & Markers
SNE439P	Prospex	Solar - Powered By Any Light Source	Analogue - 3 Hands	10 Month Power Reserve	N/A	V157	Analogue	Diver's 200 Metres	R035011J0	Hardlex	Screw Down	One Way	Hour, Minute, Seconds	Date	Hands & Markers
SNE441P	Prospex	Solar - Powered By Any Light Source	Analogue - 3 Hands	10 Month Power Reserve	N/A	V157	Analogue	Diver's 200 Metres	R035011N0	Hardlex	Screw Down	One Way	Hour, Minute, Seconds	Date	Hands & Markers
SNE444P-9	Coutura	Solar - Powered By Any Light Source	Analogue - 3 Hands	10 Month Power Reserve	N/A	V157	Analogue	100 Metres	M0XS111C9	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date	Hands & Markers
SNE445P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 3 Hands	10 Month Power Reserve	N/A	V158	Analogue	100 Metres	M0JF527J9	Hardlex	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week, Month, Leap Year	Hands & Markers
SNE453P	Premier	Solar - Powered By Any Light Source	Analogue - 3 Hands	10 Month Power Reserve	N/A	V157	Analogue	100 Metres	M124111J0	Sapphire	Pull Out		Hour, Minutes, Seconds	Date	
SNE455P	Premier	Solar - Powered By Any Light Source	Analogue - 3 Hands	10 Month Power Reserve	N/A	V157	Analogue	100 Metres	M124111J0	Sapphire	Pull Out		Hour, Minutes, Seconds	Date	
SNE462P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 3 Hands	10 Month Power Reserve	N/A	V157	Analogue	Water Resistant	M0F2311K9	Hardlex	Pull Out		Hour, Minute, Seconds	Date	
SNE463P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 3 Hands	10 Month Power Reserve	N/A	V157	Analogue	Water Resistant	M0F2311C9	Hardlex	Pull Out		Hour, Minute, Seconds	Date	
SNE468P	Le Grand Sport	Solar - Powered By Any Light Source	Analogue - 3 Hands	10 Month Power Reserve	N/A	V157	Analogue	100 Metres	M0TA111K0	Sapphire	Cabochon - Pull Out		Hour, Minutes, Seconds	Date	
SNE470P	Le Grand Sport	Solar - Powered By Any Light Source	Analogue - 3 Hands	10 Month Power Reserve	N/A	V157	Analogue	100 Metres	M0TA111N0	Sapphire	Cabochon - Pull Out		Hour, Minutes, Seconds	Date	
SNKM87K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	7526	Analogue	100 Metres	M0VD111J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers
SNKM92K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	7526	Analogue	100 Metres	M0VD111Z0	Hardlex	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers
SNKP23P-9	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	7526	Analogue	50 Metres	M0H6131J9	Hardlex	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers
SNKP25P-9	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	7526	Analogue	50 Metres	L0GA018J9	Hardlex	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers
SNKP27P-9	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	7526	Analogue	50 Metres	L0GA017J9	Hardlex	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers
SNP139P	Premier	Kinetic - Powered By The Movement Of The Wearer	Kinetic Perpetual	4 Years Power Reserve	N/A	7D56	Analogue	100 Metres	M124111J0	Sapphire	Pull Out		Hour, Minute, Seconds, 24-Hour	Date, Month, Leap Year	
SNP146P	Premier	Kinetic - Powered By The Movement Of The Wearer	Kinetic Perpetual	4 Years Power Reserve	N/A	7D56	Analogue	100 Metres	R037012P0	Sapphire	Pull Out		Hour, Minute, Seconds, 24-Hour	Date, Month, Leap Year	
SNZE32K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	7536	Analogue	50 Metres	3368KG	Hardlex	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers
SNZG13K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	7536	Analogue	100 Metres	300Z1JM	Hardlex	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers
SPB035J	Presage	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	50 Hours Power Reserve	N/A	6R15	Analogue	100 Metres	M0PF221J0	Sapphire	Pull Out		Hour, Minute, Seconds	Date	
SPB037J	Presage	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	50 Hours Power Reserve	N/A	6R15	Analogue	100 Metres	M0PF221J0	Sapphire	Pull Out		Hour, Minute, Seconds	Date	
SPB039J	Presage	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	50 Hours Power Reserve	N/A	6R15	Analogue	100 Metres	L0E5028J9	Sapphire	Pull Out		Hour, Minute, Seconds	Date	
SPB043J	Presage	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	45 Hours Power Reserve	N/A	6R27	Analogue	100 Metres	M0PF221J0	Sapphire	Pull Out		Hour, Minute, Seconds	Date	
SPB045J	Presage	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	45 Hours Power Reserve	N/A	6R27	Analogue	100 Metres	L0H7011J0	Sapphire	Pull Out		Hour, Minutes, Seconds	Date	



# PRODUCT INFORMATION MATRIX

Model Number	Stone Set Type	Stone Set Qty	Alarm	Stopwatch	Dual Time Capability	Timer	Perpetual Calendar	Compass	Tachymetre	Telemeter	Slide Rule	World Time	Hand Winding Capability	Power Reserve Indicator	Exhibition Case Back
SNE393P															
SNE395P-9															
SNE398P-9															
SNE406P															
SNE411P-9															
SNE412P-9															
SNE420P															
SNE421P								Yes							
SNE423P								Yes							
SNE432P	Diamonds	9													
SNE434P	Diamonds	9													
SNE435P															
SNE437P															
SNE439P															
SNE441P															
SNE444P-9	Diamonds	7													
SNE445P-9															
SNE453P															
SNE455P															
SNE462P-9	Diamond	9													
SNE463P-9															
SNE468P															
SNE470P															
SNKM87K															Yes
SNKM92K															Yes
SNKP23P-9															Yes
SNKP25P-9															Yes
SNKP27P-9															Yes
SNP139P							Calendar Automatically Adjusts For Short Months and Leap Years Until February, 2100								
SNP146P							Calendar Automatically Adjusts For Short Months and Leap Years Until February, 2100								
SNZE32K								Yes							Yes
SNZG13K															Yes
SPB035J													Yes		Yes
SPB037J													Yes		Yes
SPB039J													Yes		Yes
SPB043J													Yes	Yes	Yes
SPB045J													Yes	Yes	Yes

## PRODUCT INFORMATION MATRIX

Model Number	Collection	Calibre Type	Calibre Function	Power Reserve/Battery Life	Battery Type	Calibre Number	Display	Water Resistance	Band Reference	Glass Type	Crown	Rotating Bezel	Hand Indicators	Calendar Indicators	Lumibrite
SPB047J	Presage	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	50 Hours Power Reserve	N/A	6R15	Analogue	100 Metres	L0H7011J0	Sapphire	Pull Out		Hour, Minutes, Seconds	Date	
SPB049J	Presage	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	50 Hours Power Reserve	N/A	6R15	Analogue	50 Metres	L0H7011J0	Sapphire	Pull Out		Hour, Minutes, Seconds	Date	
SPB051J	Prospex	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	50 Hours Power Reserve	N/A	6R15	Analogue	200 Metre Divers	M01X331H0	Sapphire	Screw Down Crown	One Way	Hour, Minutes, Seconds	Date	Hands & Hour Markers
SPB053J	Prospex	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	50 Hours Power Reserve	N/A	6R15	Analogue	200 Metre Divers	R02C011J0	Sapphire	Screw Down Crown	One Way	Hour, Minutes, Seconds	Date	Hands & Hour Markers
SPB059J	Presage	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	45 Hours Power Reserve	N/A	6R27	Analogue	100 Metres	L0E5028J9	Sapphire	Pull Out		Hour, Minute, Seconds	Date	
SRN066P-9	Coutura	Kinetic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	6 Month Power Reserve	N/A	5M54	Analogue	100 Metres	M0XS111N9	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date, Day Of The Week, Month	Hands & Markers
SRP601K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R36	Analogue	100 Metres	4K32JB	Sapphire	Pull Out	One Way	Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers
SRP605K-2	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R36	Analogue	100 Metres	R00C013J0	Sapphire	Pull Out	One Way	Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers
SRP639K	Prospex	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R36	Analogue	Diver's 200 Metres	R002031J0	Hardlex	Screw Down	One Way	Hour, Minutes, Seconds	Date, Day Of The Week	Hands & Markers
SRP691J	Presage	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R36	Analogue	100 Metres	M0XB111J0	Sapphire	Pull Out		Hour, Minutes, Seconds	Date, Day Of The Week	
SRP694J	Presage	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R36	Analogue	100 Metres	M0XB111C0	Sapphire	Pull Out		Hour, Minutes, Seconds	Date, Day Of The Week	
SRP761J-2	Presage	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R36	Analogue	100 Metres	L0FR011J0	Sapphire	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	
SRP765J	Presage	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R36	Analogue	100 Metres	M0XB111J0	Sapphire	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	
SRP766J	Presage	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R36	Analogue	100 Metres	M0XB111R0	Sapphire	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	
SRP767K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R35	Analogue	100 Metres	M0WS411J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	
SRP773K	Prospex	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R36	Analogue	Diver's 200 Metres	M0EV634J0	Hardlex	Screw Down	One Way	Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers
SRP775K	Prospex	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R36	Analogue	Diver's 200 Metres	M0EV634J0	Hardlex	Screw Down	One Way	Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers
SRP777K	Prospex	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R36	Analogue	Diver's 200 Metres	R02F011J0	Hardlex	Screw Down	One Way	Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers
SRP887J	Presage	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R36	Analogue	100 Metres	M0XC117J0	Sapphire	Pull Out		Hour, Minutes, Seconds	Date, Day Of The Week	
SRPA17J	Premier	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R35	Analogue	100 Metres	M0Z5211J0	Sapphire	Pull Out		Hour, Minute, Seconds	Date	
SRPA17J-2	Premier	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R35	Analogue	100 Metres	L0G4011J0	Sapphire	Pull Out		Hour, Minute, Seconds	Date	
SRPA21K	Prospex	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R36	Analogue	Diver's 200 Metres	M0EV631J0	Hardlex	Screw Down	One-Way	Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers
SRPA25K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R35	Analogue	100 Metres	M0Z9111J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	
SRPA26K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R35	Analogue	100 Metres	M0Z9111C0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	
SRPA58K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R36	Analogue	100 Metres	R00C014P0	Hardlex	Pull Out	One Way	Hour, Minute, Seconds	Date, Day Of The Week, Month, Leap Year	Hands & Markers
SRPA61K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R36	Analogue	100 Metres	M0KWH13J0	Hardlex	Pull Out	Two Way	Hour, Minute, Seconds	Date, Day Of The Week, Month, Leap Year	Hands & Markers
SRPA67K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R36	Analogue	100 Metres	L07F012J0	Hardlex	Pull Out	Two Way	Hour, Minute, Seconds	Date, Day Of The Week, Month, Leap Year	Hands & Markers
SRPA75K	Prospex	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R35	Analogue	100 Metres	L088014J0	Hardlex	Pull Out	Inner Ring	Hour, Minute, Seconds	Date	Hands & Markers
SRPA77K	Prospex	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R35	Analogue	100 Metres	L088015J0	Hardlex	Pull Out	Inner Ring	Hour, Minute, Seconds	Date	Hands & Markers
SRPA81K	Prospex	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R36	Analogue	Diver's 200 Metres	R02Y011M0	Hardlex	Screw Down	One Way	Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers
SRPA82K	Prospex	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R36	Analogue	Diver's 200 Metres	R02Y011K0	Hardlex	Screw Down	One Way	Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers
SRPA83K	Prospex	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R36	Analogue	Diver's 200 Metres	R02Y012J0	Hardlex	Screw Down	One Way	Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers
SRPA89K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R35	Analogue	100 Metres	L0FP016J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers
SRPA91K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R35	Analogue	100 Metres	L0FP015J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers
SRPA93K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R35	Analogue	100 Metres	L0FP014J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers
SRPB15K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R36	Analogue	100 Metres	M0KWK13J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers
SRPB17K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R36	Analogue	100 Metres	M0KWK13J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers

# PRODUCT INFORMATION MATRIX

Model Number	Stone Set Type	Stone Set Qty	Alarm	Stopwatch	Dual Time Capability	Timer	Perpetual Calendar	Compass	Tachymetre	Telemeter	Slide Rule	World Time	Hand Winding Capability	Power Reserve Indicator	Exhibition Case Back
SPB047J													Yes		Yes
SPB049J													Yes		Yes
SPB051J															
SPB053J															
SPB059J													Yes	Yes	Yes
SRN066P-9														Yes	Yes
SRP601K													Yes		Yes
SRP605K-2													Yes		Yes
SRP639K						On Bezel							Yes		
SRP691J													Yes		Yes
SRP694J													Yes		Yes
SRP761J-2													Yes		Yes
SRP765J													Yes		Yes
SRP766J													Yes		Yes
SRP767K													Yes		Yes
SRP773K													Yes		
SRP775K													Yes		
SRP777K													Yes		
SRP887J													Yes		Yes
SRPA17J													Yes		Yes
SRPA17J-2													Yes		Yes
SRPA21K						On Bezel							Yes		
SRPA25K													Yes		Yes
SRPA26K													Yes		Yes
SRPA58K															
SRPA61K								Yes							
SRPA67K								Yes							
SRPA75K								Yes					Yes		Yes
SRPA77K								Yes					Yes		Yes
SRPA81K													Yes		
SRPA82K													Yes		
SRPA83K													Yes		
SRPA89K															
SRPA91K															
SRPA93K															
SRPB15K													Yes		Yes
SRPB17K													Yes		Yes

## PRODUCT INFORMATION MATRIX

Model Number	Collection	Calibre Type	Calibre Function	Power Reserve/Battery Life	Battery Type	Calibre Number	Display	Water Resistance	Band Reference	Glass Type	Crown	Rotating Bezel	Hand Indicators	Calendar Indicators	Lumbrite
SRPB19K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R36	Analogue	100 Metres	M0KWK13J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers
SRPB25K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R36	Analogue	100 Metres	M0KWL13J0	Hardlex	Pull Out	Rotating Inner Ring	Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers
SRPB29K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R36	Analogue	100 Metres	M0KWL13J0	Hardlex	Pull Out	Rotating Inner Ring	Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers
SRPB31K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R36	Analogue	100 Metres	301N1JR	Hardlex	Pull Out	Rotating Inner Ring	Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers
SRPB37K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R36	Analogue	100 Metres	M0KW613J0	Hardlex	Pull Out	One Way	Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers
SRPB39K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R36	Analogue	100 Metres	4K32JB	Hardlex	Pull Out	One Way	Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers
SRPB41J	Presage	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R35	Analogue	50 Metres	M125211J0	Hardlex	Pull Out		Hour, Minutes, Seconds	Date	
SRPB43J	Presage	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R35	Analogue	50 Metres	L0HE011J0	Hardlex	Pull Out		Hour, Minutes, Seconds	Date	
SRPB46J	Presage	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R35	Analogue	50 Metres	L0HE013P0	Hardlex	Pull Out		Hour, Minutes, Seconds	Date	
SRPB47J	Presage	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R35	Analogue	50 Metres	M125211J0	Hardlex	Pull Out		Hour, Minutes, Seconds	Date	
SRPB49K	Prospex	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R35	Analogue	200 Metre Divers	M0FPA37J0	Hardlex	Screw Down Crown	One Way	Hour, Minutes, Seconds	Date	Hands & Hour Markers
SRPB51K	Prospex	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R35	Analogue	200 Metre Divers	M0FPA37J0	Hardlex	Screw Down Crown	One Way	Hour, Minutes, Seconds	Date	Hands & Hour Markers
SRPB53K	Prospex	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R35	Analogue	200 Metre Divers	R02F011J0	Hardlex	Screw Down Crown	One Way	Hour, Minutes, Seconds	Date	Hands & Hour Markers
SRPB55K	Prospex	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R35	Analogue	200 Metre Divers	R02F011N0	Hardlex	Screw Down Crown	One Way	Hour, Minutes, Seconds	Date	Hands & Hour Markers
SRPB99K	Prospex	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R35	Analogue	200 Metre Divers	M0FPA37J0	Hardlex	Screw Down Crown	One Way	Hour, Minutes, Seconds	Date	Hands & Hour Markers
SRQ023J	Presage	Automatic - Powered By The Movement Of The Wearer	Chronograph	45 Hours Power Reserve	N/A	8R48	Analogue	100 Metres	L0H7011J0	Sapphire	Pull Out		Hour, Minutes, Seconds	Date	
SRZ399P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	2 Years	SR621SW	7N01	Analogue	50 Metres	M0T3112J0	Hardlex	Cabochon - Pull Out		Hour, Minute, Seconds		
SRZ402P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	2 Years	SR621SW	7N01	Analogue	50 Metres	M0T3112K0	Hardlex	Cabochon - Pull Out		Hour, Minute, Seconds		
SRZ462P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	2 Years	SR621SW	7N01	Analogue	50 Metres	M0A1212C0	Hardlex	Pull Out		Hour, Minute, Seconds		
SRZ464P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	2 Years	SR621SW	7N01	Analogue	50 Metres	M0A1212K0	Hardlex	Pull Out		Hour, Minute, Seconds		
SRZ465P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	2 Years	SR621SW	7N01	Analogue	Water Resistant	M0T3212J0	Hardlex	Cabochon - Pull Out		Hour, Minute, Seconds		
SRZ466P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	2 Years	SR621SW	7N01	Analogue	Water Resistant	M0T3212R0	Hardlex	Cabochon - Pull Out		Hour, Minute, Seconds		
SRZ468P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	2 Years	SR621SW	7N01	Analogue	Water Resistant	M0T3212K0	Hardlex	Cabochon - Pull Out		Hour, Minute, Seconds		
SRZ482P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	2 Years	SR621SW	7N01	Analogue	50 Metres	M0XJ112K0	Hardlex	Pull Out		Hour, Minute, Seconds		
SRZ485P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	2 Years	SR621SW	7N01	Analogue	Water Resistant	M0VA312J0	Hardlex	Pull Out		Hour, Minute, Seconds		
SRZ486P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	2 Years	SR621SW	7N01	Analogue	Water Resistant	M0VA312R0	Hardlex	Pull Out		Hour, Minute, Seconds		
SRZ488P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	2 Years	SR621SW	7N01	Analogue	Water Resistant	M0VA312K0	Hardlex	Pull Out		Hour, Minute, Seconds		
SRZ490P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	2 Years	SR621SW	7N01	Analogue	Water Resistant	L0FA011P0	Hardlex	Pull Out		Hour, Minute, Seconds		
SRZ491P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	2 Years	SR621SW	7N01	Analogue	50 Metres	M0R8312J0	Hardlex	Cabochon - Pull Out		Hour, Minute, Seconds		
SRZ492P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	2 Years	SR621SW	7N01	Analogue	50 Metres	M0R8312R0	Hardlex	Cabochon - Pull Out		Hour, Minute, Seconds		
SRZ494P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	2 Years	SR621SW	7N01	Analogue	50 Metres	M0R8312K0	Hardlex	Cabochon - Pull Out		Hour, Minute, Seconds		
SRZ495P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	2 Years	SR621SW	7N01	Analogue	50 Metres	M0AD322J0	Hardlex	Cabochon - Pull Out		Hour, Minute, Seconds		
SRZ496P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	2 Years	SR621SW	7N01	Analogue	50 Metres	M0AD322C0	Hardlex	Cabochon - Pull Out		Hour, Minute, Seconds		
SRZ498P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	2 Years	SR621SW	7N01	Analogue	50 Metres	M0AD322K0	Hardlex	Cabochon - Pull Out		Hour, Minute, Seconds		
SRZ500P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	2 Years	SR621SW	7N01	Analogue	50 Metres	L05W022P0	Hardlex	Cabochon - Pull Out		Hour, Minute, Seconds		



# PRODUCT INFORMATION MATRIX

Model Number	Stone Set Type	Stone Set Qty	Alarm	Stopwatch	Dual Time Capability	Timer	Perpetual Calendar	Compass	Tachymetre	Telemeter	Slide Rule	World Time	Hand Winding Capability	Power Reserve Indicator	Exhibition Case Back
SRPB19K													Yes		Yes
SRPB25K													Yes		Yes
SRPB29K													Yes		Yes
SRPB31K													Yes		Yes
SRPB37K													Yes		Yes
SRPB39K													Yes		Yes
SRPB41J													Yes		Yes
SRPB43J													Yes		Yes
SRPB46J													Yes		Yes
SRPB47J													Yes		Yes
SRPB49K															
SRPB51K															
SRPB53K															
SRPB55K															
SRPB99K															
SRQ023J				Stopwatch measures 12 hours in 1/5th of a second increments									Yes		Yes
SRZ399P	Crystals	11													
SRZ402P	Crystals	11													
SRZ462P															
SRZ464P															
SRZ465P	Crystals	44													
SRZ466P	Crystals	44													
SRZ468P	Crystals	44													
SRZ482P															
SRZ485P	Crystals	53													
SRZ486P	Crystals	53													
SRZ488P	Crystals	53													
SRZ490P	Crystals	53													
SRZ491P															
SRZ492P															
SRZ494P															
SRZ495P															
SRZ496P															
SRZ498P															
SRZ500P															

## PRODUCT INFORMATION MATRIX

Model Number	Collection	Calibre Type	Calibre Function	Power Reserve/Battery Life	Battery Type	Calibre Number	Display	Water Resistance	Band Reference	Glass Type	Crown	Rotating Bezel	Hand Indicators	Calendar Indicators	Lumibrite
SSA271J	Presage	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R39	Analogue	100 Metres	M0XB111J0	Sapphire	Pull Out		Hour, Minute, Seconds, 24-Hour		
SSA283K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R37	Analogue	100 Metres	M0KWF13J0	Hardlex	Pull Out		Hour, Minute, Seconds, 24-Hour		Hands & Markers
SSA287K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R37	Analogue	100 Metres	L0FP011J0	Hardlex	Pull Out		Hour, Minute, Seconds, 24-Hour		Hands & Markers
SSA303J	Presage	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R57	Analogue	100 Metres	M0VJ213J0	Sapphire	Pull Out		Hour, Minute, Seconds	Date	
SSA327K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R38	Analogue	100 Metres	M0KWJ13J0	Hardlex	Pull Out		Hour, Minute, Seconds		Hands & Markers
SSA331K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R38	Analogue	100 Metres	M0KWJ13J0	Hardlex	Pull Out		Hour, Minute, Seconds		Hands & Markers
SSA343J	Presage	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R57	Analogue	50 Metres	L0HE011J0	Hardlex	Pull Out		Hour, Minutes, Seconds	Date	
SSA346J	Presage	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R57	Analogue	50 Metres	L0HE013P0	Hardlex	Pull Out		Hour, Minutes, Seconds	Date	
SSA354J	Presage	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R57	Analogue	100 Metres	M0VJ211R0	Sapphire	Pull Out		Hour, Minute, Seconds	Date	
SSA852J	Presage	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R38	Analogue	100 Metres	M0XC111R0	Sapphire	Pull Out		Hour, Minute, Seconds		
SSA884J	Sportura	Automatic - Powered By The Movement Of The Wearer	Analogue - 3 Hands	41 Hours Power Reserve	N/A	4R38	Analogue	100 Metres	M0R1217R0	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds		Hands & Markers
SSB199P	Conceptual & Regular	Quartz - Powered By A Battery	Chronograph	3 Years	SR936SW	8T67	Analogue	100 Metres	M0HB627J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers
SSB229P	Conceptual & Regular	Quartz - Powered By A Battery	Chronograph	3 Years	SR936SW	8T63	Analogue	100 Metres	L01K017J0	Hardlex	Pull Out		Hour, Minute, Seconds, 24-Hour	Date	
SSB241P	Conceptual & Regular	Quartz - Powered By A Battery	Chronograph	3 Years	SR936SW	8T63	Analogue	100 Metres	M0HC221J0	Hardlex	Pull Out		Hour, Minute, Seconds, 24-Hour	Date	
SSB243P	Conceptual & Regular	Quartz - Powered By A Battery	Chronograph	3 Years	SR936SW	8T63	Analogue	100 Metres	M0HC221J0	Hardlex	Pull Out		Hour, Minute, Seconds, 24-Hour	Date	
SSB267P	Conceptual & Regular	Quartz - Powered By A Battery	Chronograph	3 Years	SR936SW	8T67	Analogue	100 Metres	M0HB623J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers
SSB269P	Conceptual & Regular	Quartz - Powered By A Battery	Chronograph	3 Years	SR936SW	8T67	Analogue	100 Metres	M0HB623J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers
SSC138P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	M0SA111C9	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers
SSC139P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	M0SA112E9	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers
SSC141P	Conceptual & Regular	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	M0C0224J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers
SSC142P	Conceptual & Regular	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	M0C0224C0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers
SSC143P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	M0C0225E9	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers
SSC147P	Conceptual & Regular	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	M0C0224J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers
SSC193P-9	Le Grand Sport	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	M0TA111J9	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date	
SSC194P-9	Le Grand Sport	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	M0TA111C9	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date	
SSC196P-9	Le Grand Sport	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	M0TA111K9	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date	
SSC218P	Le Grand Sport	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	M0TA112D0	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date	
SSC265P	Le Grand Sport	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	M0TA112E0	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date	
SSC295P	Prospex	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	L0DG013N0	Hardlex	Pull Out	Inner Ring	Hour, Minutes, Seconds	Date	Hands & Markers
SSC312P-9	Le Grand Sport	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	M0TA111C0	Sapphire	Cabochon - Pull Out		Hour, Minutes, Seconds	Date	
SSC314P-9	Le Grand Sport	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	M0TA111K9	Sapphire	Cabochon - Pull Out		Hour, Minutes, Seconds	Date	
SSC357P	Sportura	Solar - Powered By Any Light Source	Chronograph Perpetual	6 Month Power Reserve	N/A	V198	Analogue	100 Metres	M0ND111J0	Sapphire	Screw Down		Hour, Minute, Seconds	Date, Day Of The Week, Month, Leap Year	Hands & Markers
SSC376P-9	Coutura	Solar - Powered By Any Light Source	Chronograph Perpetual	6 Month Power Reserve	N/A	V198	Analogue	100 Metres	M0XS111C9	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date, Day Of The Week, Month, Leap Year	Hands & Markers
SSC377P-9	Coutura	Solar - Powered By Any Light Source	Chronograph Perpetual	6 Month Power Reserve	N/A	V198	Analogue	100 Metres	M0XS111N9	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date, Day Of The Week, Month, Leap Year	Hands & Markers
SSC394P	Coutura	Solar - Powered By Any Light Source	Chronograph Perpetual	6 Month Power Reserve	N/A	V198	Analogue	100 Metres	M0XS111K0	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date, Day Of The Week, Month, Leap Year	Hands & Markers

# PRODUCT INFORMATION MATRIX

Model Number	Stone Set Type	Stone Set Qty	Alarm	Stopwatch	Dual Time Capability	Timer	Perpetual Calendar	Compass	Tachymetre	Telemeter	Slide Rule	World Time	Hand Winding Capability	Power Reserve Indicator	Exhibition Case Back
SSA271J													Yes		Yes
SSA283K													Yes		Yes
SSA287K													Yes		Yes
SSA303J													Yes	Yes	Yes
SSA327K															
SSA331K															
SSA343J													Yes	Yes	Yes
SSA346J													Yes	Yes	Yes
SSA354J													Yes	Yes	Yes
SSA852J													Yes		Yes
SSA884J													Yes		Yes
SSB199P				Stopwatch measures 12 Hours in 1/5th of a second with split time capability					Yes						
SSB229P				Stopwatch measures 60 minutes in 1/5th of a second with split time capability											
SSB241P				Stopwatch measures 60 minutes in 1/5th of a second with split time capability											
SSB243P				Stopwatch measures 60 minutes in 1/5th of a second with split time capability											
SSB267P				Stopwatch measures 12 Hours in 1/5th of a second with split time capability											
SSB269P				Stopwatch measures 12 Hours in 1/5th of a second with split time capability											
SSC138P-9			1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone										
SSC139P-9			1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone										
SSC141P			1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone				Yes						
SSC142P			1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone				Yes						
SSC143P-9			1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone				Yes						
SSC147P			1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone				Yes						
SSC193P-9			1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone										
SSC194P-9			1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone										
SSC196P-9			1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone										
SSC218P			1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone										
SSC265P			1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone										
SSC295P			1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone			Yes							
SSC312P-9	Diamonds	22	1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone										
SSC314P-9	Diamonds	22	1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone										
SSC357P			1 x 24 Hour Alarm	Stopwatch Measures 24 hours in 1/5th of a second increments with Split Time	Yes - Alarm Dial Can Be Set On Different Time Zone		Calendar Automatically Adjusts For Short Months and Leap Years Until February, 2100		Yes					Yes	
SSC376P-9			1 x 24 Hour Alarm	Stopwatch Measures 24 hours in 1/5th of a second increments with Split Time	Yes - Alarm Dial Can Be Set On Different Time Zone		Calendar Automatically Adjusts For Short Months and Leap Years Until February, 2100							Yes	
SSC377P-9			1 x 24 Hour Alarm	Stopwatch Measures 24 hours in 1/5th of a second increments with Split Time	Yes - Alarm Dial Can Be Set On Different Time Zone		Calendar Automatically Adjusts For Short Months and Leap Years Until February, 2100							Yes	
SSC394P			1 x 24 Hour Alarm	Stopwatch Measures 24 hours in 1/5th of a second increments with Split Time	Yes - Alarm Dial Can Be Set On Different Time Zone		Calendar Automatically Adjusts For Short Months and Leap Years Until February, 2100							Yes	

## PRODUCT INFORMATION MATRIX

Model Number	Collection	Calibre Type	Calibre Function	Power Reserve/Battery Life	Battery Type	Calibre Number	Display	Water Resistance	Band Reference	Glass Type	Crown	Rotating Bezel	Hand Indicators	Calendar Indicators	Lumibrite
SSC396P	Le Grand Sport	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	L0AC014P0	Sapphire	Cabochon - Pull Out		Hour, Minutes, Seconds	Date	
SSC421P	Prospex	Solar - Powered By Any Light Source	Chronograph	6 Month Power Reserve	N/A	V176	Analogue	100 Metres	L0F8011J0	Hardlex	Pull Out	Inner Ring	Hour, Minute, Seconds	Date	Hands & Markers
SSC487P	Prospex	Solar - Powered By Any Light Source	World Time Alarm Chronograph	6 Month Power Reserve	N/A	V195	Analogue	100 Metres	M0FP418J0	Sapphire	Screw-Down		Hour, Minute, Seconds	Date	Hands & Markers
SSC493P	Conceptual & Regular	Solar - Powered By Any Light Source	Solar Chronograph	6 Month Power Reserve	N/A	V175	Analogue	100 Metres	M0FP628J0	Hardlex	Pull Out		Hour, Minute, Seconds, 24-Hour	Date	Hands & Markers
SSC495P	Conceptual & Regular	Solar - Powered By Any Light Source	Solar Chronograph	6 Month Power Reserve	N/A	V175	Analogue	100 Metres	M0FP628J0	Hardlex	Pull Out		Hour, Minute, Seconds, 24-Hour	Date	Hands & Markers
SSC497P	Conceptual & Regular	Solar - Powered By Any Light Source	Solar Chronograph	6 Month Power Reserve	N/A	V175	Analogue	100 Metres	M0FP628N0	Hardlex	Pull Out		Hour, Minute, Seconds, 24-Hour	Date	Hands & Markers
SSC514P	Le Grand Sport	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	M0TA112D0	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date	
SSC549P	Prospex	Solar - Powered By Any Light Source	World Time Alarm Chronograph	6 Month Power Reserve	N/A	V195	Analogue	100 Metres	M0FP418J0	Sapphire	Screw Down		Hour, Minute, Seconds	Date	Hands & Markers
SSC551P	Prospex	Solar - Powered By Any Light Source	World Time Alarm Chronograph	6 Month Power Reserve	N/A	V195	Analogue	100 Metres	R034012M0	Sapphire	Screw Down		Hour, Minute, Seconds	Date	Hands & Markers
SSC555P	Conceptual & Regular	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	M0EV424J0	Hardlex	Pull Out	One Way	Hour, Minutes, Seconds	Date	Hands & Markers
SSC557P	Conceptual & Regular	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	M0EV424J0	Hardlex	Pull Out	One Way	Hour, Minutes, Seconds	Date	Hands & Markers
SSC559P	Conceptual & Regular	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	M0EV424N0	Hardlex	Pull Out	One Way	Hour, Minutes, Seconds	Date	Hands & Markers
SSC560P-9	Coutura	Solar - Powered By Any Light Source	Chronograph Perpetual	6 Month Power Reserve	N/A	V198	Analogue	100 Metres	M0XS111C9	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date, Day Of The Week, Month, Leap Year	Hands & Markers
SSC561P-9	Coutura	Solar - Powered By Any Light Source	Chronograph Perpetual	6 Month Power Reserve	N/A	V198	Analogue	100 Metres	M0XS111J9	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date, Day Of The Week, Month, Leap Year	Hands & Markers
SSC567P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Chronograph	6 Month Power Reserve	N/A	V175	Analogue	100 Metres	M0GW327J9	Hardlex	Pull Out		Hour, Minute, Seconds, 24-Hour	Date	Hands & Markers
SSC572P	Coutura	Solar - Powered By Any Light Source	Chronograph Perpetual	6 Month Power Reserve	N/A	V198	Analogue	100 Metres	M0XS111K0	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date, Day Of The Week, Month, Leap Year	Hands & Markers
SSC573P	Coutura	Solar - Powered By Any Light Source	Chronograph Perpetual	6 Month Power Reserve	N/A	V198	Analogue	100 Metres	M0XS111N0	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date, Day Of The Week, Month, Leap Year	Hands & Markers
SSC595P	Premier	Solar - Powered By Any Light Source	Chronograph	6 Month Power Reserve	N/A	V175	Analogue	100 Metres	M124111J0	Sapphire	Pull Out		Hour, Minute, Seconds, 24-Hour	Date	
SSC597P	Premier	Solar - Powered By Any Light Source	Chronograph	6 Month Power Reserve	N/A	V175	Analogue	100 Metres	M124111J0	Sapphire	Pull Out		Hour, Minute, Seconds, 24-Hour	Date	
SSC597P-2	Premier	Solar - Powered By Any Light Source	Chronograph	6 Month Power Reserve	N/A	V175	Analogue	100 Metres	L0HC011J0	Sapphire	Pull Out		Hour, Minute, Seconds, 24-Hour	Date	
SSC603P	Prospex	Solar - Powered By Any Light Source	Chronograph	6 Month Power Reserve	N/A	V194	Analogue	100 Metres	M0FP418J0	Sapphire	Screw Down Crown		Hour, Minute, Seconds, 24-Hour	Date	Hands & Hour Markers
SSC605P	Prospex	Solar - Powered By Any Light Source	Chronograph	6 Month Power Reserve	N/A	V194	Analogue	100 Metres	M0FP418J0	Sapphire	Screw Down Crown		Hour, Minute, Seconds, 24-Hour	Date	Hands & Hour Markers
SSC607P	Prospex	Solar - Powered By Any Light Source	Chronograph	6 Month Power Reserve	N/A	V192	Analogue	100 Metres	M0FPB19J0	Sapphire	Pull Out	Two Way	Hour, Minute, Seconds, 24-Hour	Date	Hands & Hour Markers
SSC611P	Prospex	Solar - Powered By Any Light Source	Chronograph	6 Month Power Reserve	N/A	V192	Analogue	100 Metres	L0HL012J0	Sapphire	Pull Out	Two Way	Hour, Minute, Seconds, 24-Hour	Date	Hands & Hour Markers
SSC613P	Prospex	Solar - Powered By Any Light Source	Chronograph	6 Month Power Reserve	N/A	V175	Analogue	200 Metre Divers	M0ES327J0	Hardlex	Screw Down Crown	One Way	Hour, Minute, Seconds, 24-Hour	Date	Hands & Hour Markers
SSC617P	Prospex	Solar - Powered By Any Light Source	Chronograph	6 Month Power Reserve	N/A	V175	Analogue	200 Metre Divers	R035011J0	Hardlex	Screw Down Crown	One Way	Hour, Minute, Seconds, 24-Hour	Date	Hands & Hour Markers
SSC618P	Prospex	Solar - Powered By Any Light Source	Chronograph	6 Month Power Reserve	N/A	V175	Analogue	200 Metre Divers	R035011P0	Hardlex	Screw Down Crown	One Way	Hour, Minute, Seconds, 24-Hour	Date	Hands & Hour Markers
SSC627P-9	Coutura	Solar - Powered By Any Light Source	Chronograph	6 Month Power Reserve	N/A	V194	Analogue	100 Metres	M133111J9	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds, 24-Hour	Date	Hands & Hour Markers
SSC628P-9	Coutura	Solar - Powered By Any Light Source	Chronograph	6 Month Power Reserve	N/A	V194	Analogue	100 Metres	M133111J9	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds, 24-Hour	Date	Hands & Hour Markers
SSC634P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Chronograph	6 Month Power Reserve	N/A	V175	Analogue	100 Metres	M134111C9	Hardlex	Pull Out		Hour, Minute, Seconds, 24-Hour	Date	



# PRODUCT INFORMATION MATRIX

Model Number	Stone Set Type	Stone Set Qty	Alarm	Stopwatch	Dual Time Capability	Timer	Perpetual Calendar	Compass	Tachymetre	Telemeter	Slide Rule	World Time	Hand Winding Capability	Power Reserve Indicator	Exhibition Case Back
SSC396P			1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone										
SSC421P				Stopwatch Measures 60 Minutes In 1/20th Of A Second Increments With Split Time							Yes				
SSC487P			24-Hour Alarm	Stopwatch Measures 24 hours in 1/5th of a second increments with Split Time	Bottom Dial Can Be Adjusted To Second Time Zone. World Time Function.							Yes		Yes	
SSC493P				Stopwatch measures 60 minutes in 1/5th of a second with split time capability					Yes						
SSC495P				Stopwatch measures 60 minutes in 1/5th of a second with split time capability					Yes						
SSC497P				Stopwatch measures 60 minutes in 1/5th of a second with split time capability					Yes						
SSC514P	Diamonds			Stopwatch measures 60 minutes in 1/5th of a second with split time capability	Yes - Alarm Dial can be set on second time-zone										
SSC549P			24-Hour Alarm	Stopwatch Measures 24 hours in 1/5th of a second increments with Split Time	Bottom Dial Can Be Adjusted To Second Time Zone. World Time Function.							Yes		Yes	
SSC551P			24-Hour Alarm	Stopwatch Measures 24 hours in 1/5th of a second increments with Split Time	Bottom Dial Can Be Adjusted To Second Time Zone. World Time Function.							Yes		Yes	
SSC555P			1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone										
SSC557P			1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone										
SSC559P			1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone										
SSC560P-9			1 x 24 Hour Alarm	Stopwatch Measures 24 hours in 1/5th of a second increments with Split Time	Yes - Alarm dial can be set on different time zone		Calendar Automatically Adjusts For Short Months and Leap Years Until February, 2100		Yes					Yes	
SSC561P-9	Diamonds	11	1 x 24 Hour Alarm	Stopwatch Measures 24 hours in 1/5th of a second increments with Split Time	Yes - Alarm dial can be set on different time zone		Calendar Automatically Adjusts For Short Months and Leap Years Until February, 2100		Yes					Yes	
SSC567P-9				Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time											
SSC572P	Diamonds	11	1 x 24 Hour Alarm	Stopwatch Measures 24 hours in 1/5th of a second increments with Split Time	Yes - Alarm dial can be set on different time zone		Calendar Automatically Adjusts For Short Months and Leap Years Until February, 2100		Yes					Yes	
SSC573P	Diamonds	11	1 x 24 Hour Alarm	Stopwatch Measures 24 hours in 1/5th of a second increments with Split Time	Yes - Alarm dial can be set on different time zone		Calendar Automatically Adjusts For Short Months and Leap Years Until February, 2100		Yes					Yes	
SSC595P				Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time											
SSC597P				Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time											
SSC597P-2				Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time											
SSC603P				Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time						YES				Yes	
SSC605P				Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time						YES				Yes	
SSC607P				Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time							Yes			Yes	
SSC611P				Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time							Yes			Yes	
SSC613P				Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time											
SSC617P				Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time											
SSC618P				Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time											
SSC627P-9				Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time										Yes	
SSC628P-9				Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time										Yes	
SSC634P-9				Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time											

## PRODUCT INFORMATION MATRIX

Model Number	Collection	Calibre Type	Calibre Function	Power Reserve/Battery Life	Battery Type	Calibre Number	Display	Water Resistance	Band Reference	Glass Type	Crown	Rotating Bezel	Hand Indicators	Calendar Indicators	Lumibrite
SSC635P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Chronograph	6 Month Power Reserve	N/A	V175	Analogue	100 Metres	M134111E9	Hardlex	Pull Out		Hour, Minute, Seconds, 24-Hour	Date	
SSC641P-9	Coutura	Solar - Powered By Any Light Source	Chronograph	6 Month Power Reserve	N/A	V194	Analogue	100 Metres	M133111J9	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds, 24-Hour	Date	Hands & Hour Markers
SSC642P	Coutura	Solar - Powered By Any Light Source	Chronograph	6 Month Power Reserve	N/A	V194	Analogue	100 Metres	M133111C0	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds, 24-Hour	Date	Hands & Hour Markers
SSC643P	Le Grand Sport	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	M0TA111J9	Sapphire	Cabochon - Pull Out		Hour, Minutes, Seconds	Date	
SSC644P	Le Grand Sport	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	M0TA111N0	Sapphire	Cabochon - Pull Out		Hour, Minutes, Seconds	Date	
SUN019P	Prospex	Kinetic - Powered By The Movement Of the Wearer	Analogue - G.M.T	6 Month Power Reserve	N/A	5M85	Analogue	Diver's 200 Metres	M0VY111J0	Sapphire	Screw Down & Screw Button	One Way	Hour, Minute, Seconds, 24-Hour	Date	Hands & Markers
SUN065P	Prospex	Kinetic - Powered By The Movement Of the Wearer	Analogue - G.M.T	6 Month Power Reserve	N/A	5M85	Analogue	Diver's 200 Metres	R01Y011J0	Sapphire	Screw-Down	One-Way	Hour, Minute, Seconds, 24-Hour	Date	Hands & Markers
SUP216P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 2 Hands	12 Month Power Reserve	N/A	V115	Analogue	Water Resistant	M0N7222K0	Hardlex	Pull Out		Hour, Minute		
SUP272P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 2 Hands	12 Month Power Reserve	N/A	V116	Analogue	Water Resistant	M0WY112C9	Hardlex	Pull Out		Hour, Minutes		
SUP300P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 2 Hands	12 Month Power Reserve	N/A	V115	Analogue	Water Resistant	L0F7011K0	Hardlex	Pull Out		Hour, Minutes		
SUP304P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 2 Hands	12 Month Power Reserve	N/A	V115	Analogue	Water Resistant	L0F7011K0	Hardlex	Pull Out		Hour, Minutes		
SUP347P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 2 Hands	12 Month Power Reserve	N/A	V115	Analogue	Water Resistant	M05F232J0	Hardlex	Pull Out		Hour, Minutes		
SUP349P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 2 Hands	12 Month Power Reserve	N/A	V115	Analogue	Water Resistant	M05F232C0	Hardlex	Pull Out		Hour, Minutes		
SUP352P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 2 Hands	12 Month Power Reserve	N/A	V115	Analogue	Water Resistant	M05F232K0	Hardlex	Pull Out		Hour, Minutes		
SUP359P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 2 Hands	12 Month Power Reserve	N/A	V115	Analogue	50 Metres	M102112J9	Hardlex	Pull Out		Hour, Minutes		
SUP364P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 2 Hands	12 Month Power Reserve	N/A	V115	Analogue	50 Metres	M102112K0	Hardlex	Pull Out		Hour, Minutes		
SUP369P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 2 Hands	12 Month Power Reserve	N/A	V115	Analogue	Water Resistant	L0F7011J0	Hardlex	Pull Out		Hours, Minutes		
SUP370P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 2 Hands	12 Month Power Reserve	N/A	V115	Analogue	Water Resistant	L0F7012K0	Hardlex	Pull Out		Hours, Minutes		
SUP373P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 2 Hands	12 Month Power Reserve	N/A	V115	Analogue	Water Resistant	M132112J9	Hardlex	Pull Out		Hours, Minutes		
SUP374P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 2 Hands	12 Month Power Reserve	N/A	V115	Analogue	Water Resistant	M132112K9	Hardlex	Pull Out		Hours, Minutes		
SUP378P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 2 Hands	12 Month Power Reserve	N/A	V115	Analogue	Water Resistant	M0F3411K9	Hardlex	Pull Out		Hours, Minutes		
SUP379P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 2 Hands	12 Month Power Reserve	N/A	V115	Analogue	Water Resistant	M0F3411C9	Hardlex	Pull Out		Hours, Minutes		
SUP860P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 2 Hands	12 Month Power Reserve	N/A	V115	Analogue	Water Resistant	L011029K0	Hardlex	Pull Out		Hours, Minutes		
SUP863P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 2 Hands	12 Month Power Reserve	N/A	V115	Analogue	Water Resistant	L011024J0	Hardlex	Pull Out		Hours, Minutes		
SUP872P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 2 Hands	12 Month Power Reserve	N/A	V115	Analogue	Water Resistant	L011024K0	Hardlex	Pull Out		Hour, Minutes		
SUP880P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 2 Hands	12 Month Power Reserve	N/A	V115	Analogue	Water Resistant	L0CZ011K9	Hardlex	Cabochon - Pull Out		Hour, Minute		
SUR234P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	3 Years	SR621SW	6N01	Analogue	50 Metres	L0HG012P0	Hardlex	Pull Out		Hour, Minute, Seconds		
SUR238P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	3 Years	SR621SW	6N01	Analogue	50 Metres	L0HG013P0	Hardlex	Pull Out		Hour, Minute, Seconds		
SUR697P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	3 Years	SR621SW	6N01	Analogue	50 Metres	M131112J0	Hardlex	Pull Out		Hour, Minute, Seconds		
SUR698P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	3 Years	SR621SW	6N01	Analogue	50 Metres	M131112P0	Hardlex	Pull Out		Hour, Minute, Seconds		
SUR698P-2	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	3 Years	SR621SW	6N01	Analogue	50 Metres	L0HJ012P0	Hardlex	Pull Out		Hour, Minute, Seconds		
SUR699P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	3 Years	SR621SW	6N01	Analogue	50 Metres	L0HJ011J0	Hardlex	Pull Out		Hour, Minute, Seconds		
SUT128P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 3 Hands	6 Month Power Reserve	N/A	V137	Analogue	100 Metres	M0V2111C0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	
SUT154P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 3 Hands	6 Month Power Reserve	N/A	V137	Analogue	Water Resistant	M0VA211C0	Hardlex	Cabochon - Pull Out		Hour, Minute, Seconds	Date	
SUT158P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 3 Hands	6 Month Power Reserve	N/A	V137	Analogue	Water Resistant	M0VA211K0	Hardlex	Cabochon - Pull Out		Hour, Minute, Seconds	Date	

# PRODUCT INFORMATION MATRIX

Model Number	Stone Set Type	Stone Set Qty	Alarm	Stopwatch	Dual Time Capability	Timer	Perpetual Calendar	Compass	Tachymetre	Telemeter	Slide Rule	World Time	Hand Winding Capability	Power Reserve Indicator	Exhibition Case Back
SSC635P-9				Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time											
SSC641P-9				Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time										Yes	
SSC642P				Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time										Yes	
SSC643P			1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone										
SSC644P			1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone										
SUN019P					Yes - 24 Hour Hand Can Be Adjusted To A Second Time Zone	On Bezel								Yes	
SUN065P					Yes - 24 Hour Hand Can Be Adjusted To A Second Time Zone	On Bezel								Yes	
SUP216P	Crystals	32													
SUP272P-9															
SUP300P															
SUP304P															
SUP347P															
SUP349P															
SUP352P															
SUP359P-9	Crystals	88													
SUP364P-9	Crystals	88													
SUP369P															
SUP370P															
SUP373P-9	Diamond	36													
SUP374P-9	Diamond	36													
SUP378P-9	Diamond	10													
SUP379P-9															
SUP860P															
SUP863P															
SUP872P															
SUP880P-9															
SUR234P															
SUR238P															
SUR697P	Crystals	11													
SUR698P	Crystals	11													
SUR698P-2	Crystals	11													
SUR699P	Crystals	11													
SUT128P															
SUT154P															
SUT158P															

## PRODUCT INFORMATION MATRIX

Model Number	Collection	Calibre Type	Calibre Function	Power Reserve/Battery Life	Battery Type	Calibre Number	Display	Water Resistance	Band Reference	Glass Type	Crown	Rotating Bezel	Hand Indicators	Calendar Indicators	Lumibrite
SUT162P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 3 Hands	6 Month Power Reserve	N/A	V138	Analogue	100 Metres	M0S2411C0	Hardlex	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers
SUT244P-9	Le Grand Sport	Solar - Powered By Any Light Source	Analogue - 3 Hands	6 Month Power Reserve	N/A	V137	Analogue	100 Metres	M0W5112C9	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date	
SUT268P	Le Grand Sport	Solar - Powered By Any Light Source	Analogue - 3 Hands	6 Month Power Reserve	N/A	V137	Analogue	100 Metres	M0W5112D0	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date	
SUT294P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 3 Hands	6 Month Power Reserve	N/A	V137	Analogue	100 Metres	M032318C0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	
SUT307P-9	Coutura	Solar - Powered By Any Light Source	Analogue - 3 Hands	6 Month Power Reserve	N/A	V137	Analogue	100 Metres	M0XT111J9	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date	
SUT308P-9	Coutura	Solar - Powered By Any Light Source	Analogue - 3 Hands	6 Month Power Reserve	N/A	V137	Analogue	100 Metres	M0XT111C9	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date	
SUT310P-9	Coutura	Solar - Powered By Any Light Source	Analogue - 3 Hands	6 Month Power Reserve	N/A	V137	Analogue	100 Metres	M0XT111K9	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date	
SUT312P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 3 Hands	6 Month Power Reserve	N/A	V137	Analogue	Water Resistant	M0R8211C9	Hardlex	Pull Out		Hour, Minute, Seconds	Date	
SUT318P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 3 Hands	6 Month Power Reserve	N/A	V137	Analogue	50 Metres	M0VA111C9	Hardlex	Pull Out		Hour, Minute, Seconds	Date	
SUT320P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 3 Hands	6 Month Power Reserve	N/A	V137	Analogue	50 Metres	M0VA111K9	Hardlex	Pull Out		Hour, Minute, Seconds	Date	
SUT321P	Premier	Solar - Powered By Any Light Source	Analogue - 3 Hands	6 Month Power Reserve	N/A	V137	Analogue	100 Metres	M129111J0	Sapphire	Pull Out		Hour, Minutes, Seconds	Date	
SUT322P	Premier	Solar - Powered By Any Light Source	Analogue - 3 Hands	6 Month Power Reserve	N/A	V137	Analogue	100 Metres	M129111R0	Sapphire	Pull Out		Hour, Minutes, Seconds	Date	
SUT323P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 3 Hands	6 Month Power Reserve	N/A	V137	Analogue	50 Metres	M0BW417J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	
SUT324P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 3 Hands	6 Month Power Reserve	N/A	V137	Analogue	50 Metres	M0BW417C0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	
SUT326P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 3 Hands	6 Month Power Reserve	N/A	V137	Analogue	50 Metres	M0BW417J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	
SUT327P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 3 Hands	6 Month Power Reserve	N/A	V137	Analogue	Water Resistant	M0BW417J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	
SUT328P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 3 Hands	6 Month Power Reserve	N/A	V137	Analogue	Water Resistant	M0BW417C0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	
SUT330P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 3 Hands	6 Month Power Reserve	N/A	V137	Analogue	Water Resistant	M0BW419K0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	
SUT338P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 3 Hands	6 Month Power Reserve	N/A	V137	Analogue	50 Metres	M0ER311C9	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands
SUT340P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue - 3 Hands	6 Month Power Reserve	N/A	V137	Analogue	50 Metres	M0ER317R9	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands
SUT342P	Le Grand Sport	Solar - Powered By Any Light Source	Analogue - 3 Hands	6 Month Power Reserve	N/A	V137	Analogue	100 Metres	M0W5112K0	Sapphire	Cabochon - Pull Out		Hour, Minutes, Seconds	Date	
SUT344P	Le Grand Sport	Solar - Powered By Any Light Source	Analogue - 3 Hands	6 Month Power Reserve	N/A	V137	Analogue	100 Metres	M0W5112N0	Sapphire	Cabochon - Pull Out		Hour, Minutes, Seconds	Date	
SWR025P	Premier	Quartz - Powered By A Battery	Analogue - 2 Hands	3 Years	SR521SW	4N30	Analogue	Water Resistant	M130111J0	Sapphire	Pull Out		Hours, Minutes		
SWR026P	Premier	Quartz - Powered By A Battery	Analogue - 2 Hands	3 Years	SR521SW	4N30	Analogue	Water Resistant	M130112C0	Sapphire	Pull Out		Hours, Minutes		
SWR029P	Premier	Quartz - Powered By A Battery	Analogue - 2 Hands	3 Years	SR521SW	4N30	Analogue	Water Resistant	M026211J0	Sapphire	Pull Out		Hours, Minutes		
SWR030P	Premier	Quartz - Powered By A Battery	Analogue - 2 Hands	3 Years	SR521SW	4N30	Analogue	Water Resistant	M026211K0	Sapphire	Pull Out		Hours, Minutes		
SXB429P	Premier	Quartz - Powered By A Battery	Analogue - 2 Hands	2 Years	SR621SW	7N89	Analogue	Water Resistant	M026111J0	Sapphire	Pull Out		Hour, Minutes	Date	
SXB430P	Premier	Quartz - Powered By A Battery	Analogue - 2 Hands	2 Years	SR621SW	7N89	Analogue	Water Resistant	M026111R0	Sapphire	Pull Out		Hour, Minutes	Date	
SXB431P	Premier	Quartz - Powered By A Battery	Analogue - 2 Hands	2 Years	SR621SW	7N89	Analogue	Water Resistant	LOG1011J0	Sapphire	Pull Out		Hour, Minutes	Date	
SXB432P	Premier	Quartz - Powered By A Battery	Analogue - 2 Hands	2 Years	SR621SW	7N89	Analogue	Water Resistant	LOG1011K0	Sapphire	Pull Out		Hour, Minutes	Date	
SXB433P	Premier	Quartz - Powered By A Battery	Analogue - 2 Hands	2 Years	SR621SW	7N89	Analogue	Water Resistant	M026111J0	Sapphire	Pull Out		Hour, Minutes	Date	
SXB433P-2	Premier	Quartz - Powered By A Battery	Analogue - 2 Hands	2 Years	SR621SW	7N89	Analogue	Water Resistant	LOGR011J0	Sapphire	Pull Out		Hour, Minutes	Date	
SXB434P	Premier	Quartz - Powered By A Battery	Analogue - 2 Hands	2 Years	SR621SW	7N89	Analogue	Water Resistant	M026111K0	Sapphire	Pull Out		Hour, Minutes	Date	
SXB436P	Premier	Quartz - Powered By A Battery	Analogue - 2 Hands	2 Years	SR621SW	7N89	Analogue	Water Resistant	LOG1012P0	Sapphire	Pull Out		Hour, Minutes	Date	
SXDG79P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	2 Years	SR621SW	7N82	Analogue	50 Metres	M0ZE112J0	Sapphire	Pull Out		Hour, Minute, Seconds	Date	
SXDG80P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	2 Years	SR621SW	7N82	Analogue	50 Metres	M0ZE112K0	Sapphire	Pull Out		Hour, Minute, Seconds	Date	
SXDG84P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	2 Years	SR621SW	7N82	Analogue	50 Metres	M0ZE112C0	Sapphire	Pull Out		Hour, Minute, Seconds	Date	
SXDG88P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	2 Years	SR621SW	7N82	Analogue	50 Metres	LOGN011P0	Sapphire	Pull Out		Hour, Minute, Seconds	Date	



# PRODUCT INFORMATION MATRIX

Model Number	Stone Set Type	Stone Set Qty	Alarm	Stopwatch	Dual Time Capability	Timer	Perpetual Calendar	Compass	Tachymetre	Telemeter	Slide Rule	World Time	Hand Winding Capability	Power Reserve Indicator	Exhibition Case Back
SUT162P															
SUT244P-9	Diamonds	5													
SUT268P															
SUT294P															
SUT307P-9	Diamonds	10													
SUT308P-9	Diamonds	10													
SUT310P-9	Diamonds	10													
SUT312P-9	Crystals	40													
SUT318P-9	Diamonds	12													
SUT320P-9	Diamonds	12													
SUT321P															
SUT322P															
SUT323P															
SUT324P															
SUT326P															
SUT327P	Crystals	40													
SUT328P	Crystals	40													
SUT330P	Crystals	40													
SUT338P-9	Diamond	8													
SUT340P-9	Diamond	8													
SUT342P															
SUT344P															
SWR025P															
SWR026P															
SWR029P															
SWR030P															
SXB429P															
SXB430P															
SXB431P															
SXB432P															
SXB433P	Diamonds	12													
SXB433P-2	Diamonds	12													
SXB434P	Diamonds	12													
SXB436P															
SXDG79P	Diamonds	10													
SXDG80P	Diamonds	10													
SXDG84P	Diamonds	10													
SXDG88P	Diamonds	10													

## PRODUCT INFORMATION MATRIX

Model Number	Collection	Calibre Type	Calibre Function	Power Reserve/Battery Life	Battery Type	Calibre Number	Display	Water Resistance	Band Reference	Glass Type	Crown	Rotating Bezel	Hand Indicators	Calendar Indicators	Lumibrite
SXDG89P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	2 Years	SR621SW	7N82	Analogue	100 Metres	M0SZ511J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	
SXDG90P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	2 Years	SR621SW	7N82	Analogue	100 Metres	M0SZ511C0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	
SXDG92P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	2 Years	SR621SW	7N82	Analogue	100 Metres	M0SZ511K0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	
SXGP65P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	2 Years	SR521SW	1N01	Analogue	50 Metres	M0WX112J0	Hardlex	Pull Out		Hour, Minute, Seconds		
SXGP67P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	2 Years	SR521SW	1N01	Analogue	50 Metres	L0GL011J0	Hardlex	Pull Out		Hour, Minute, Seconds		
SXGP68P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue - 3 Hands	2 Years	SR521SW	1N01	Analogue	50 Metres	L0GL011P0	Hardlex	Pull Out		Hour, Minute, Seconds		

PRODUCT INFORMATION MATRIX

Model Number	Stone Set Type	Stone Set Qty	Alarm	Stopwatch	Dual Time Capability	Timer	Perpetual Calendar	Compass	Tachymetre	Telemeter	Slide Rule	World Time	Hand Winding Capability	Power Reserve Indicator	Exhibition Case Back
SXDG89P															
SXDG90P															
SXDG92P															
SXGP65P	Crystals	12													
SXGP67P	Crystals	12													
SXGP68P	Crystals	12													


## PRODUCT INFORMATION MATRIX – STOPWATCH

Model Number	Page	Case Material	Band/Neck Strap Ref No.	Glass Type	Water Resistance (Metres)	Calibre	Battery Type	Battery Life/Power Reserve (Approx)	Time/Calendar Function	Stopwatch Count	Lap
S23535P	62	PC	BZA04N	HARDLEX		S351	CR2032	3 YEARS	•	100 HOURS IN 1 SECOND INCREMENTS	999
S23547J	62	PC	N/A	N/A		N/A	N/A	N/A	N/A	N/A	N/A
S23569J	62	PC	BZA02N	HARDLEX	WR	S143	CR2431	4 YEARS	•	10 HOURS IN 1/100TH SECOND INCREMENTS	999
S23571J	62	PC	BZA08N	HARDLEX		S149	CR2430	3 YEARS	•	1 HOUR IN 1/100TH SECOND INCREMENTS	999
S23589J	62	PC	4E22MB	ACRYLIC	WR	W073	CR2025	2 YEARS	•	100 HOURS IN 1/100TH SECOND INCREMENTS	99
S23593J	62	APC	BZA04N	HARDLEX	100	S141	CR2430	3 YEARS	•	10 HOURS IN 1/100TH SECOND INCREMENTS	300
S23601P	62	APC	DD83AD	ACRYLIC	50	S056	CR2032	3 YEARS	•	100 HOURS IN 1/100TH SECOND INCREMENTS	999
S23603P	62	APC	DD83AD	ACRYLIC	50	S057	CR2033	4 YEARS	•	100 HOURS IN 1/100TH SECOND INCREMENTS	999
S23605P	62	APC	DFY6JB	ACRYLIC	50	S058	CR2032	3 YEARS	•	100 HOURS IN 1/100TH SECOND INCREMENTS	999



## PRODUCT INFORMATION MATRIX – STOPWATCH

Model Number	Split	Memory	Countdown Timer	Other Functions
S23535P	999		100 HOURS IN 1 SECOND INCREMENTS	TIME CALCULATION, SPECIALTY TIMER FUNCTIONS FOR AUDIO AND VIDEO PRODUCTION ENVIRONMENTS
S23547J	N/A	N/A	N/A	REMOTE GRIPSWITCH FOR S23571J
S23569J	999	300 LAP/SPLIT		PRINTER CONNECTIVITY, MEMORY CAPACITY INDICATOR
S23571J	999	300 LAP/SPLIT		BUILT IN PRINTER, MEMORY CAPACITY INDICATOR, AUTO START FUNCTION, GRIP SWITCH CONNECTABILITY
S23589J	99	10 LAP/SPLIT	N/A	
S23593J	300	100 LAP/SPLIT	N/A	STROKES PER MINUTE 9 PLACE MEMORY, MEMORY CAPACITY INDICATOR
S23601P	999	100 LAP/SPLIT	N/A	AUTOMATIC BATTERY SAVE SHUT OFF
S23603P	999	100 LAP/SPLIT	TWO-CHANNEL COUNTDOWN TIMERS IN DECIMAL SYSTEM WITH AUTO REPEAT FUNCTION ACCOMPANIED WITH DIFFERENT ALARM SOUND TONES EACH CHANNEL CAN BE SET FROM 10 SECONDS UP TO 99 HOURS 59 MINUTES AND 59 SECONDS THE NUMBER OF TIMES THAT THE TIMERS REPEAT THEIR COUNTDOWN CYCLES CAN BE SET FROM 1 TO 100 TIMES.	AUTOMATIC BATTERY SAVE SHUT OFF
S23605P	999	100 LAP/SPLIT	2 X EACH CHANNEL CAN BE SET FOR FROM 10 SECONDS UP TO 99 HOURS 59 MINUTES AND 59 SECONDS (DOUBLE REPEAT)	LIGHT, AUTOMATIC BATTERY SAVE SHUT OFF



**Oscillating Weight**

Movement of the wearer rotates the oscillating weight.

**Rotor**

Transforms every movement of the oscillating weight into a magnetic charge.

**Rechargeable Long-Life Battery**

Stores the generated electrical energy.

**Generating Electricity**

The natural movement of your body is sensitively transformed into electrical energy.

**Storing Electricity**

A high performance long-life **rechargeable** battery stores the energy to power the watch.

**Utilising Electricity**


Advanced electronic circuitry ensures that the energy is converted with optimum efficiency into a quartz signal.

**Circuit Block**

Controls voltage and amperage. And by quartz oscillation, it produces a precise watch signal.

# SEIKO SOLAR

## No Battery Change Required




**SEIKO. Solar watch experts since 1977**



# TRIMATIC

Trimatic symbolises three Seiko inventions that ensure the highest levels of reliability and durability in its mechanical watches.



## Diashock

A shock resistant system that was developed by Seiko in 1958, to preserve precision when the movement is subject to impact. It protects the balance wheel, the component most likely to be damaged from shock and vibration. Even compared to other movement parts, the balance staff is extremely thin, being only between 0.07 to 0.08 mm in diameter, or about the same as a human hair.



## Magic Lever

In 1959, Seiko invented the Magic Lever spring winding mechanism, which greatly increases the winding efficiency of a watch and shortens the time needed for the main spring to become fully wound.

This ingenious V-shaped lever allows all the energy generated by the oscillating weight's motion, whether clockwise or anti-clockwise, to be transferred to the mainspring. It is effective, simple and durable and contributes significantly to the longevity of the watch.



## Spron


In 1964, Seiko started producing balance springs in-house, utilising its own specially developed alloy, Spron.

Utilised in all our mechanical watches, Spron mainspring and hair spring alloys are exclusive to Seiko watches. Spron features superior elasticity, strength, and corrosion and heat resistance.



## AUTOMATIC ANALOGUE (4R36/4R38/4R39)

- Hour, Minute, Seconds (24 hour hand for 4R39)
- Calendar, Day Of the Week (4R36)
- Powered by movement or winding the crown



### HOW TO USE

This watch is an automatic watch equipped with a manual winding mechanism.

- When the watch is worn on the wrist, the motion of the wearer's arm winds the mainspring of the watch.
- If your watch is completely stopped, it is recommended that you manually wind the mainspring by turning the crown.

#### How to manually wind the mainspring by turning the crown

1. Slowly turn the crown clockwise (in the 12 o'clock direction) to wind the mainspring.
2. Continue to turn the crown until the mainspring is sufficiently wound. The second hand will start moving.
3. Set the time and date before putting the watch on your wrist.

### HOW TO SET THE TIME, DAY AND DATE (FOR CAL. 4R36)

- Check that the watch is operating, and then set the time, day and date.
  - The watch is provided with a day and date function and is so designed that the day and date changes once every 24 hours. The date changes around 12 o'clock midnight, and the day around 4:00 a.m. If AM/PM is not properly set, the date will change around 12 o'clock noon, and the day around 4:00 p.m.
1. Pull out the crown to the first click. (The second hand continues moving and the accuracy of the watch is unimpaired.)
  2. The day can be set by turning the crown clockwise.
  3. The date can be set by turning the crown counterclockwise. Turn it until the previous day's date appears.  
 Ex.) If today is the 5th of the month, first set the date to "4" by turning the crown counterclockwise.
  4. Pull out the crown to the second click when the second hand is at the 12 o'clock position. (The second hand stops on the spot.) Turn the crown to advance the hands until the date changes to the next. The time is now set for the a.m. period. Advance the hands to set the correct time.
  5. Push the crown back in to the normal position in accordance with a time signal.

### HOW TO SET THE TIME (FOR CAL. 4R38 AND CAL. 4R39)



1. Pull out the crown to the first click when the second hand is at the 12 o'clock position. (The second hand stops on the spot.)
  2. Turn the crown to set the hour and minute hands to the correct time.
  3. Push the crown back in to the normal position in accordance with a time signal.
- Cal. 4R39 has a 24-hour hand, which moves correspondingly with the hour hand. When setting the time, check that the 24-hour hand is correctly set.

### ACCURACY OF MECHANICAL WATCHES

- The accuracy of mechanical watches is indicated by the daily rates of one week or so. (Around 25 seconds per day +/-)
- The accuracy of mechanical watches may not fall within the specified range of time accuracy because of loss/gain changes due to the conditions of use, such as the length of time during which the watch is worn on the wrist, arm movement, whether the mainspring is wound up fully or not, etc.
- The key components in mechanical watches are made of metals which expand or contract depending on temperatures due to metal properties. This exerts an effect on the accuracy of the watches. Mechanical watches tend to lose time at high temperatures while they tend to gain time at low temperatures.
- In order to improve accuracy, it is important to regularly supply energy to the balance that controls the speed of the gears. The driving force of the mainspring that powers mechanical watches varies between when it is fully wound and immediately before it is unwound. As the mainspring unwinds, the force weakens.  
 Relatively steady accuracy can be obtained by wearing the watch on the wrist frequently for the self-winding type and winding up the mainspring fully everyday at a fixed time to move it regularly for the wind-up mechanical type.
- When affected by external strong magnetism, a mechanical watch may lose/gain time temporarily. The parts of the watch may become magnetized depending on the extent of the effect. In such a case, consult the retailer from whom the watch was purchased since the watch requires repair, including demagnetizing.

### KINETIC (5M54/62/84)

- Hour, minute and second hands.
- Calendar (Date).
- Day indicator (5M54).
- Automatic Power Generator.
- Energy Depletion Forewarning.
- Overcharge Prevention Function.
- 6 Month Power Storage.



#### HOW TO START THE WATCH

When using the watch for the first time be sure to charge the Rechargeable Battery sufficiently by swinging the watch from side to side before setting the time and other functions.

1. Swing the watch side to side at a rate of twice per second.
2. After the watch is swung for approx. 2 to 3 minutes, and the second hand begins to move in one-second intervals there is about six hours of power available. It is not necessary to charge the rechargeable battery fully before you wear the watch. While the watch is on your arm, the Automatic Power Generator will ensure constant operation.

**Notes:** 1. To charge the rechargeable battery efficiently, swing the watch from side to side, making an arc of about 20cm. 2. No additional benefit is obtained by swinging the watch more quickly or with greater vigor. 3. When the watch is swung, the oscillating weight in the generating system rotates to drive the mechanism. As it rotates, it creates a sound: this is not a malfunction.

#### HOW TO SET TIME

The Seiko Kinetic series of watches are basic analogue and can be set the same as any 2 or 3 hand watch.

1. Pull out the crown to the second click.
2. Turn the crown to set hour and minute hands.
3. Push crown back to normal position.

**Notes:** 1. When setting the hour hand, check that AM/PM is correctly set. The watch is so designed that the calendar/day changes once in 24 hours. Turn the hands past the 12 o'clock marker to determine whether the watch is set for the AM or PM period. If the calendar/day changes, the time is set for the AM period. If the calendar/day does not change, the time is set for the PM period. 2. When setting the minute hand, advance it 4 to 5 minutes ahead of the desired time and then turn it back to the exact time.

#### POWER RESERVE INDICATOR


By pressing Button A once when the second hand is in 12 position the watch can indicate how much power is stored in the rechargeable battery.

If the second hand advances to the;

- 1 position the watch has between approximately 1 and 7 days.
- 2 position the watch has between 7 days and 1 month.
- 4 position the watch has between 1 and 4 months.
- 6 position the watch has between 4 and 6 months.

## KINETIC GMT (5M85)

- Hour, minute, second, 24-hour hand.
- Calendar (Date).
- Automatic Power Generator.
- Energy Depletion Forewarning.
- Overcharge Prevention Function.
- 6 Month Power Storage.



### HOW TO START THE WATCH

1. Swing the watch from side to side.  
\* Swing rhythmically at a rate of twice a second.
2. Charge the KINETIC E.S.U. sufficiently.
3. Set the time/calendar and put on the watch.

### POWER RESERVE INDICATOR

1. Press the button at the 2 o'clock position.

To allow easy reading of the second hand, press the button when the second hand is at the 12 o'clock position.

★ QUICK MOVEMENT OF SECOND HAND	5 seconds	10 seconds	20 seconds	30 seconds
POWER RESERVE	Between 1 and 7 days	Between 7 days and 1 month	Approx. 1 month	Approx. between 4 and 6 months

★ The second hand will resume normal movement after the indicated 5, 10, 20 or 30 seconds have elapsed.

### HOW TO SET TIME

When setting the time, ensure that the watch is working: the second hand is moving at one-second intervals.

- In a case that the watch is completely stopped due to a shortage of stored electrical energy, recharge the watch until the second hand resumes the normal one-second interval movement, and then reset the time and calendar.
- The 24-hour hand can be used in two ways. Since the time setting procedure differs according to the usage, please choose the method before setting the time.

#### Method 1

Simply using the 24-hour hand to show the 24-hour time as an AM/PM indicator.

- This is the standard usage for the 24-hour hand.

#### Method 2

Using the 24-hour hand to indicate the time in a different time zone.

- For instance, by setting the 24-hour hand to GMT while setting the hour and minute hands to indicate the time in your area, you can easily check GMT with the 24-hour hand at any time.

### HOW TO SET THE 24-HOUR HAND AS A REGULAR 24-HOUR INDICATOR

<When method 1 usage is selected>

1. Pull out the crown to the second click.
2. Turn the crown to set the 24-hour and minute hands to the current time.
3. Push the crown back in simultaneously with a time signal.
4. Pull out the crown to the first click.
5. Turn the crown to set the hour hand to the current hour.
6. Push the crown back in upon completion of time setting.

### HOW TO SET THE 24-HOUR HAND AS A REGULAR 24-HOUR INDICATOR

<When method 2 usage is selected>

1. Pull out the crown to the second click.
2. Turn the crown to set the 24-hour and minute hands to the time in the "different time zone area" you wish to set.
3. Push the crown back in simultaneously with a time signal.
4. Pull out the crown to the first click.
5. Turn the crown to set the hour hand to the current hour.
6. Push the crown back in upon completion of time setting.

### HOW TO SET THE DATE

- This watch is designed so that the date changes one day by turning the hour hand two full rotations in the same way as in "the time difference adjustment function."
- The date advances one day by turning the hour hand two full rotations clockwise, while the date is set back one day by turning the hour hand two full rotations counterclockwise.
- After setting the time, it is necessary to set the date. Manual date adjustment is required on the first day after a month that has less than 31 days.

1. Pull out the crown to the first click.
2. Each time the hour hand makes two full rotations by turning the crown, the date is adjusted one day.
3. After completing the date setting, check the position of the hour hand once again and push the crown back in.

### HOW TO ADJUST THE TIME DIFFERENCE


- While staying in a place in a different time zone area from where you live, you can conveniently set the watch to indicate the local time in the place where you are staying without stopping the watch.
  - The time difference adjustment function is interrelated with the date display. If the time difference is correctly adjusted, the watch displays the correct date of the place where you are staying.
1. Pull out the crown to the first click.
  2. Turn the crown to set the hour hand to indicate the time of the place where you are staying. The hour hand is independently set to the current hour.
  3. After completing the time difference adjustment, check the position of the hour hand once again and push the crown back in.

## OPERATING INSTRUCTIONS

---

### CHRONOGRAPH (6T63)

- Hour, Minute, seconds hand
- 24 hour hand
- Calendar
- Stopwatch measures 60 minutes in 1/5th of a second increments.



#### HOW TO START THE WATCH

- Pull crown out to the first click position (unscrew crown if your watch is fitted with this feature).
- Turn crown counter clockwise until the previous day's date appears.
- Pull crown out to second click position.
- Turn crown counter clockwise to advance the hour and minute hands past 12am. Doing so will advance the date to the current date.
- Set hour and minute hands to desired time. Ensure you consider AM/PM period.
- Push crown back in completely. (Ensure you screw crown back in if fitted with this feature).

#### HOW TO USE STOPWATCH


- The stopwatch can measure up to 60 minutes in 1/5th of a second increments.
- Press Button 'A' to start/stop/restart the stopwatch.
- Press Button 'B' to split/split release/reset the stopwatch.
- Do not press Buttons 'A' and 'B' at the same time, or press one of the two buttons while keeping the other pressed.




## AUTOMATIC ANALOGUE (7S26/7S36)

- Hour, Minute, Seconds (24 hour hand for 4R39)
- Calendar, Day Of the Week (4R36)
- Powered by movement or winding the crown

### 4R16/4R36/7S26/7S36



### 4R15/4R35/7S35



a: Screwed-in position b: Normal position c: First click d: Second click

## HOW TO START THE WATCH

To initially start your watch:

Swing it from side to side in a horizontal arc for about 30 seconds. This is an automatic mechanical watch.

*\* If the watch is worn on the wrist, the mainspring will be wound automatically through normal wrist movement.*

*\* If the watch is used without being wound up sufficiently, gain or loss of the watch may result. To avoid this, wear the watch for more than 8 hours a day.*

## HOW TO SET THE TIME, DAY AND DATE

- Check that the watch is operating, and then set the time, day and date.
  - The watch is provided with a day and date function and is so designed that the day and date changes once every 24 hours. The date changes around 12 o'clock midnight, and the day around 4:00 a.m. If AM/PM is not properly set, the date will change around 12 o'clock noon, and the day around 4:00 p.m.
1. Pull out the crown to the first click. (The second hand continues moving and the accuracy of the watch is unimpaired.)
  2. The day can be set by turning the crown clockwise.
  3. The date can be set by turning the crown counterclockwise. Turn it until the previous day's date appears.  
Ex.) If today is the 5th of the month, first set the date to "4" by turning the crown counterclockwise.
  4. Pull out the crown to the second click when the second hand is at the 12 o'clock position. (The second hand stops on the spot.)  
Turn the crown to advance the hands until the date changes to the next. The time is now set for the a.m. period. Advance the hands to set the correct time.
  5. Push the crown back in to the normal position in accordance with a time signal.

## ACCURACY OF MECHANICAL WATCHES


- The accuracy of mechanical watches is indicated by the daily rates of one week or so. (Around 25 seconds per day +/-)
- The accuracy of mechanical watches may not fall within the specified range of time accuracy because of loss/gain changes due to the conditions of use, such as the length of time during which the watch is worn on the wrist, arm movement, whether the mainspring is wound up fully or not, etc.
- The key components in mechanical watches are made of metals which expand or contract depending on temperatures due to metal properties. This exerts an effect on the accuracy of the watches. Mechanical watches

tend to lose time at high temperatures while they tend to gain time at low temperatures.

- In order to improve accuracy, it is important to regularly supply energy to the balance that controls the speed of the gears. The driving force of the mainspring that powers mechanical watches varies between when it is fully wound and immediately before it is unwound. As the mainspring unwinds, the force weakens.  
Relatively steady accuracy can be obtained by wearing the watch on the wrist frequently for the self-winding type and winding up the mainspring fully everyday at a fixed time to move it regularly for the wind-up mechanical type.
- When affected by external strong magnetism, a mechanical watch may loss/gain time temporarily. The parts of the watch may become magnetized depending on the extent of the effect. In such a case, consult the retailer from whom the watch was purchased since the watch requires repair, including demagnetizing.

### CHRONOGRAPH (7T04)

- Hour, minute and small second hands.
- Calendar (Date).
- Stopwatch minute, and 1/5th second hands.
- Stopwatch measures up to 60 minutes in 1/5th of a second increments.
- 24 hour hand



#### HOW TO SET TIME AND DATE


- Pull crown out to the first click position (unscrew crown if your watch is fitted with this feature).
- Turn crown counter clockwise until the previous day's date appears.
- Pull crown out to second click position.
- Turn counter clockwise to advance the hour and minute hands past 12am. Doing so will advance the date to the current date.
- Set hour and minute hands to desired time. Ensure you consider AM/PM period.
- Push crown back in completely. (Ensure you screw crown back in if fitted with this feature).

#### HOW TO USE STOPWATCH

- The stopwatch can measure up to 60 minutes in 1/5th of a second increments.
- Press Button 'A' to start/stop/restart the stopwatch.
- Press Button 'B' to split/split release/reset the stopwatch.
- Do not press Buttons 'A' and 'B' at the same time, or press one of the two buttons while keeping the other pressed.

## CHRONOGRAPH (7T12)

- Hour, minute, seconds hand
- 24 hour hand
- Calendar
- Stopwatch measures 60 minutes in 1/5th of a second increments



### HOW TO SET TIME AND DATE


- Pull crown out to the first click position (unscrew crown if your watch is fitted with this feature).
- Turn crown counter clockwise until the previous day's date appears.
- Pull crown out to second click position.
- Turn counter clockwise to advance the hour and minute hands past 12am. Doing so will advance the date to the current date.
- Set hour and minute hands to desired time. Ensure you consider AM/PM period.
- Push crown back in completely. (Ensure you screw crown back in if fitted with this feature).

### HOW TO USE STOPWATCH

- The stopwatch can measure up to 60 minutes in 1/5th of a second increments.
- Press Button 'A' to start/stop/restart the stopwatch.
- Press Button 'B' to split/split release/reset the stopwatch.
- Do not press Buttons 'A' and 'B' at the same time, or press one of the two buttons while keeping the other pressed.

### ALARM CHRONOGRAPH (7T62)

- Hour, minute and small second hands.
- Calendar (Date).
- Stopwatch minute and 1/5th second hands.
- Stopwatch measures up to 60 minutes in 1/5th of a second increments.
- Alarm can be set on a 12 hour basis, or, can be used as a second time zone.



#### HOW TO SET TIME AND DATE

1. Pull crown out to the first click position (unscrew crown if your watch is fitted with this feature).
2. Turn crown counter clockwise until the previous day's date appears.
3. Pull crown out to second click position.
4. Turn counter clockwise to advance the hour and minute hands past 12am. Doing so will advance the date to the current date.
5. Set hour and minute hands to desired time. Ensure you consider AM/PM period.
6. Push crown back in completely. (Ensure you screw crown back in if fitted with this feature.)

#### HOW TO SET ALARM TIME

1. Pull the crown out to the second click position.
2. Press 'B' to set the alarm hour and minute hands to the correct time.
3. Push the crown back to the normal position. Once the time is set, you do not have to adjust again unless there is a change in time (e.g. daylight savings).
4. For a dual time zone adjust hands on any desired time.

#### HOW TO SET ALARM

1. Pull the crown to the first click position.
2. Press button 'B' to set the alarm hour and minute hands to desired alarm time.
3. Push the crown back to the normal position.

**Note:** Alarm setting on a 12 hour basis only. Alarm will ring at the designated time for 20 seconds; one time only alarm. The alarm needs to be reset in order to re-engage the alarm function.

#### HOW TO USE STOPWATCH

The stopwatch can measure up to 60 minutes in 1/5th of a second increments.

Press Button 'A' to start, stop and restart the stopwatch.

- Press Button 'A' to start/stop/restart the stopwatch.
- Press Button 'B' to split/split release/reset the stopwatch.
- \* Do not press Buttons 'A' and 'B' at the same time, or press one of the two buttons while keeping the other pressed.

#### HOW TO ADJUST HAND POSITION

1. If chronograph hands will not return the 12 o'clock position when the chronograph is reset or when the battery is replaced with a new one, follow the procedure below to reset the hands to the correct position.
2. Pull crown out to the second click.
- Press and hold button 'A'. The stopwatch minute hand will sweep around dial. Press button 'B' to adjust minute hand.
- Press and hold button 'A'. The stopwatch 1/5th of a second hand will sweep around dial. Press button 'B' to adjust 1/5th of a second hand.
3. Push crown back into normal position.

**Note:** Holding in button 'B' when adjusting the hand position, hands will move faster.


#### HOW TO USE ALARM DIAL AS DUAL TIME DISPLAY

1. Pull the crown out to the second click position.
2. Press the button "B" to set the hour and minute hands to time of a different time zone.
3. Push the crown back to normal position.



## CHRONOGRAPH PERPETUAL (7T86)

- Time.
- Day/Date indicator.
- Month/Year check on demand.
- Stopwatch measures 24 hours in 1/5th of a second increments.
- Alarm – 24 hour.
- Perpetual Calendar automatically adjusts until Feb 2100.



### HOW TO CHANGE MODE

Press Button B to change mode from 'Calendar/Alarm Mode' to 'Stopwatch Mode'.

### HOW TO SET TIME AND ALARM DIAL TIME

- 1) Pull crown out to 2nd click when the small second hand is at the 60 second mark. The small second hand will stop immediately.
- 2) Turn the crown to set the main dial time.
- 3) Press button B to set the alarm sub-dial time in 24 hour format. E.g 6pm is 18:00.

### HOW TO ADJUST PERPETUAL CALENDAR

- 1) Pull crown out to 1st Click.
- 2) Press button A for 5 seconds – the calendar hand will sweep around the dial.
- 3) Press B to set the date (hand will move quickly if kept pressed).
- 4) Press A once and the day indicator will point to CHR.
- 5) Press B to adjust the day of the week.
- 6) Press A and the calendar hand will point to the month.
- 7) Press B to adjust the month.
- 8) Press A and the calendar hand will point to the leap year indicators.
- 9) Press B to set the year (you must know the number of years elapsed since last leap year).
- 10) Press A to return to Date setting mode.
- 11) Press the crown back to the normal position.

### HOW TO USE THE STOPWATCH

- 1) In the normal crown model Press B, and the Day/Mode hand will point to CHR.
- 2) Press Button A to start and stop the stopwatch.
- 3) Press Button B to reset the stopwatch.
- 4) To perform split/lap times Press button B while the stopwatch is running, then B to release the hands to continue with timing.


### HOW TO USE THE ALARM

Ensure you have set the time of the alarm dial under the 'HOW TO SET TIME & ALARM DIAL'.

- 1) Pull crown out to first click.
- 2) Press Button B set desired alarm time (keeping button B pressed will make the hands move faster) This dial is a 24 hour dial, so 6pm is 18:00.
- 3) After desired time has been set press the crown back to the normal position. Alarm will sound for 20 seconds at desired time. To turn off alarm press Button A or B. To cancel an alarm set, pull crown out to first click and then press crown back to normal position.

### CHRONOGRAPH (7T92)

- Hour, minute and small second hands. Calendar (Date).
- Stopwatch hour, minute, second and 1/20th second hands.
- Stopwatch measures up to 12 hours in 1/20th of a second increments.



#### HOW TO SET TIME AND DATE

1. Pull crown out to the first click position (unscrew crown if your watch is fitted with this feature).
2. Turn crown counter clockwise until the previous day's date appears.
3. Pull crown out to second click position.
4. Turn counter clockwise to advance the hour and minute hands past 12am. Doing so will advance the date to the current date.
5. Set hour and minute hands to desired time. Ensure you consider AM/PM period.
6. Push crown back in completely. (Ensure you screw crown back in if fitted with this feature.)

#### HOW TO USE STOPWATCH


The stopwatch can measure up to 12 hours in 1/20th of a second increments.

- Press Button 'A' to start/stop/restart the stopwatch.
- Press Button 'B' to split/split release/reset the stopwatch.

\* Do not press Buttons 'A' and 'B' at the same time, or press one of the two buttons while keeping the other pressed.

## CHRONOGRAPH (8T63)

- Hour, minute, seconds hand
- 24 hour hand
- Calendar
- Stopwatch measures 60 minutes in 1/5th of a second increments



### HOW TO SET TIME AND DATE


- Pull crown out to the first click position (unscrew crown if your watch is fitted with this feature).
- Turn crown counter clockwise until the previous day's date appears.
- Pull crown out to second click position.
- Turn counter clockwise to advance the hour and minute hands past 12am. Doing so will advance the date to the current date.
- Set hour and minute hands to desired time. Ensure you consider AM/PM period.
- Push crown back in completely. (Ensure you screw crown back in if fitted with this feature).

### HOW TO USE STOPWATCH

- The stopwatch can measure up to 60 minutes in 1/5th of a second increments.
- Press Button 'A' to start/stop/restart the stopwatch.
- Press Button 'B' to split/split release/reset the stopwatch.
- Do not press Buttons 'A' and 'B' at the same time, or press one of the two buttons while keeping the other pressed.

### CHRONOGRAPH (8T67)

- Hour, minute and small second hands. Calendar (Date).
- Stopwatch hour, minute, second and 1/20th second hands.
- Stopwatch measures up to 12 hours in 1/20th of a second increments.



#### HOW TO SET TIME AND DATE

1. Pull crown out to the first click position (unscrew crown if your watch is fitted with this feature).
2. Turn crown counter clockwise until the previous day's date appears.
3. Pull crown out to second click position.
4. Turn counter clockwise to advance the hour and minute hands past 12am. Doing so will advance the date to the current date.
5. Set hour and minute hands to desired time. Ensure you consider AM/PM period.
6. Push crown back in completely. (Ensure you screw crown back in if fitted with this feature.)

#### HOW TO USE STOPWATCH


The stopwatch can measure up to 12 hours in 1/20th of a second increments.

- Press Button 'A' to start/stop/restart the stopwatch.
- Press Button 'B' to split/split release/reset the stopwatch.

\* Do not press Buttons 'A' and 'B' at the same time, or press one of the two buttons while keeping the other pressed.

## SOLAR ALARM CHRONOGRAPH (V172)

- Time/calendar.
- 60-Minute stopwatch in 1/5-second increments with split time measurement function.
- Single-time alarm within 12 hours.
- Powered by light energy.
- No battery change required.
- Lasts for 6 months after full charge.
- Energy depletion forewarning function.
- Overcharging prevention function.



### MAKING ADJUSTMENTS TO THE WATCH

This watch is designed so that the following adjustments are made with the crown at the second click position:

1. main time setting
2. alarm hand adjustment
3. stopwatch hand position adjustment

Once the crown is pulled out to the second click, be sure to check and adjust 1. and 2. at the same time. If needed, 3. should also be adjusted then.

### HOW TO SET TIME

1. Pull out crown to the second click when the second hand is at the 12 o'clock position.
2. Turn the crown to set the hour and minute hands.

### HOW TO ADJUST THE ALARM HANDS

1. Press 'B' repeatedly to set the ALARM hands to the time indicated by the main time hands.

### HOW TO ADJUST STOPWATCH HAND POSITION

If the STOPWATCH hands are not in the "0" position, follow the procedure below to set them to the "0" position.

1. Press 'A' for 2 seconds.
2. Press 'B' repeatedly to set the STOPWATCH minute hand to the "0" position.
3. Press 'A' for 2 seconds.
4. Press 'B' repeatedly to set the STOPWATCH 1/5-second hand to the "0" position.

### HOW TO SET DATE

Before setting the date, be sure to set the main time.

1. Pull the crown out to the first click.
2. Turn the crown clockwise until the desired date appears.
3. Push the crown back into the normal position.

### HOW TO USE STOPWATCH

The stopwatch can measure up to 60 minutes in 1/5-second increments. When the measurement reaches 60 minutes, the stopwatch automatically stops.

Split time measurement is available.

Before using the stopwatch, be sure to check that the crown is set at the normal position and that the STOPWATCH hands are reset to the "0" position.

### HOW TO RESET STOPWATCH

While the stopwatch hands are moving:

1. Press Button 'A' to stop the stopwatch.
2. Press Button 'B' to reset the stopwatch.

When the stopwatch is stopped:

1. Press Button 'B' to reset the stopwatch.

When the split time measurement is displayed while the stopwatch is measuring:

1. Press Button 'B' to release the split time display. The stopwatch hands move quickly, and then indicate the measurement in progress.

2. Press Button 'A' to stop the stopwatch.
3. Press Button 'B' to reset the stopwatch.

When the split time measurement is displayed and the stopwatch is stopped:

1. Press Button 'B' to release the split time display. The stopwatch hands move quickly, and then stop.
2. Press Button 'B' to reset the stopwatch.

### HOW TO SET ALARM

The alarm can be set to ring only once at a designated time within the coming 12 hours.

- The alarm time can be set in one minute increments.
- You can preview the alarm sound by using the sound demonstration function.

Before using the alarm, check that the ALARM hands are adjusted to the current time.

1. Pull the crown out to the first click.
2. Press 'B' repeatedly to set the desired alarm time.
3. Push the crown back into the normal position.

At the designated time the alarm rings for 20 seconds, and it is automatically disengaged as it stops. To stop it manually, press Button A or B.

### HOW TO CHARGE AND START THE WATCH

When you start the watch or when the energy in the rechargeable battery is reduced to an extremely low level, charge it sufficiently by exposing the watch to light.

1. Expose the watch to sunlight or strong artificial light.
2. Keep the watch exposed to the light until the second hand moves at 1-second intervals.
3. When the watch is charged after it has completely stopped, set the date and time before wearing the watch.

### GUIDELINE OF CHARGING TIME/ACCURACY

Environment/Lightsource (lux)	V172		
	A (minutes)	B (hours)	C (hours)
General offices/ Fluorescent light (700)	150	60	-
30W20cm/ Fluorescent light (3000)	33	13	110
Cloudy weather/Sunlight (10000)	9	3.5	30
Fair weather/Sunlight (100000)	2	0.6	5
Expected life per charge from full charge to stoppage	6 months		
Loss/gain (monthly rate)	Less than 15 seconds when the watch is worn on your wrist at a normal temperature range (5 °C to 35 °C)		
Operational temperature range	-10 °C to 60 °C		

A: Time to charge 1 day of power  
B: Time required for steady operation  
C: Time required for full charge


The above table provides only a general guideline.



## OPERATING INSTRUCTIONS

### SOLAR CHRONOGRAPH (V175)

- Time/calendar
- 60-Minute stopwatch in 1/5-second increments with split time
- Measurement function
- Powered by light energy
- No battery change required
- Lasts for 6 months after full charge
- Energy depletion forewarning function
- Overcharging prevention function



#### HOW TO SET TIME AND DATE

- Pull crown out to the first click position (unscrew crown if your watch is fitted with this feature).
- Turn crown counter clockwise until the previous day's date appears.
- Pull crown out to second click position.
- Turn crown counter clockwise to advance the hour and minute hands past 12am. Doing so will advance the date to the current date.
- Set hour and minute hands to desired time. Ensure you consider AM/PM period.
- Push crown back in completely. (Ensure you screw crown back in if fitted with this feature).

#### HOW TO USE STOPWATCH

- The stopwatch can measure up to 60 minutes in 1/5th of a second increments.
- Press Button 'A' to start/stop/restart the stopwatch.
- Press Button 'B' to split/split release/reset the stopwatch.
- Do not press Buttons 'A' and 'B' at the same time, or press one of the two buttons while keeping the other pressed.

Environment/Lightsource (lux)	V175		
	A (minutes)	B (hours)	C (hours)
General offices/ Fluorescent light (700)	150	60	-
30W20cm/ Fluorescent light (3000)	33	13	110
Cloudy weather/Sunlight (10000)	9	3.5	30
Fair weather/Sunlight (100000)	2	0.6	5
Expected life per charge from full charge to stoppage	6 months		
Loss/gain (monthly rate)	Less than 15 seconds when the watch is worn on your wrist at a normal temperature range (5 °C to 35 °C)		
Operational temperature range	-10 °C to 60 °C		

A: Time to charge 1 day of power  
B: Time required for steady operation  
C: Time required for full charge

❖ The above table provides only a general guideline.

#### GUIDELINE OF CHARGING TIME/ACCURACY

The watch operates while charging electricity by converting light received on the dial to electrical energy. It cannot properly operate unless the remaining energy is sufficient. Place or store the watch in a location receiving light etc., to sufficiently charge electricity.

- When the watch is stopped or the second hand starts moving at 2-second intervals, charge the watch by exposing it to light.
- The time required for charging the watch varies depending on the calibres.  
Check the calibre of your watch engraved on the back cover.

- It is recommended that the watch be charged for as long as the charging time "B" to assure the stable movement of the watch.

#### ENERGY DEPLETION FOREWARNING FUNCTION

- When the energy stored in the rechargeable battery is reduced to an extremely low level, the second hand starts moving at 2-second intervals instead of the normal 1-second intervals. The watch remains accurate even while the second hand is moving at 2-second intervals.
- While the second hand is moving at 2-second intervals, the stopwatch cannot be activated.
- If the second hand starts to move at 2-second intervals while the stopwatch is operating, the stopwatch will be automatically stopped and the stopwatch hands will return to the "0" position.
- When this occurs, recharge the watch as soon as possible by exposing it to light. Otherwise, the watch may stop operating in a few days.

#### TO PREVENT THE ENERGY DEPLETION

- When wearing the watch, make sure that the watch is not covered by clothing.
- When the watch is not in use, leave it in a bright place as long as possible.

#### NOTE ON POWER SUPPLY


- The battery used in this watch is a rechargeable battery, which is different from ordinary silver oxide batteries. Unlike other disposable batteries such as dry-cell batteries or button cells, this rechargeable battery can be used over and over again by repeating the cycles of discharging and recharging.
- The capacity or recharging efficiency of the rechargeable battery may gradually deteriorate for various reasons such as long-term use or usage conditions. Worn or contaminated mechanical parts or degraded oils may also shorten recharging cycles. If the efficiency of the rechargeable battery decreases, it will be necessary to have the watch repaired.

#### CAUTION

- Do not remove the rechargeable battery yourself. Replacement of the rechargeable battery requires professional knowledge and skill. Please ask a watch retailer for replacement of the rechargeable battery.
- Installation of an ordinary silver oxide battery can generate heat that can cause bursting and ignition.

## SOLAR CHRONOGRAPH (V176)

- Time/calendar
- 60-Minute stopwatch in 1/20th second increments with split time
- Powered by light energy
- No battery change required
- Lasts for 6 months after full charge
- Energy depletion forewarning function
- Overcharging prevention function



### HOW TO SET TIME AND DATE

- Pull crown out to the first click position (unscrew crown if your watch is fitted with this feature).
- Turn crown counter clockwise until the previous day's date appears.
- Pull crown out to second click position.
- Turn counter clockwise to advance the hour and minute hands past 12am. Doing so will advance the date to the current date.
- Set hour and minute hands to desired time. Ensure you consider AM/PM period.
- Push crown back in completely. (Ensure you screw crown back in if fitted with this feature).

### HOW TO USE STOPWATCH

- The stopwatch can measure up to 60 minutes in 1/20th of a second increments.
- Press Button 'A' to start/stop/restart the stopwatch.
- Press Button 'B' to split/split release/reset the stopwatch.
- Do not press Buttons 'A' and 'B' at the same time, or press one of the two buttons while keeping the other pressed.

Environment/Lightsource (lux)	V176		
	A (minutes)	B (hours)	C (hours)
General offices/ Fluorescent light (700)	150	60	-
30W20cm/ Fluorescent light (3000)	33	13	110
Cloudy weather/Sunlight (10000)	9	3.5	30
Fair weather/Sunlight (100000)	2	0.6	5
Expected life per charge from full charge to stoppage	6 months		
Loss/gain (monthly rate)	Less than 15 seconds when the watch is worn on your wrist at a normal temperature range (5 °C to 35 °C)		
Operational temperature range	-10 °C to 60 °C		

**A:** Time to charge 1 day of power  
**B:** Time required for steady operation  
**C:** Time required for full charge

❖ The above table provides only a general guideline.

### GUIDELINE OF CHARGING TIME/ACCURACY

The watch operates while charging electricity by converting light received on the dial to electrical energy. It cannot properly operate unless the remaining energy is sufficient. Place or store the watch in a location receiving light etc., to sufficiently charge electricity.

- When the watch is stopped or the second hand starts moving at 2-second intervals, charge the watch by exposing it to light.
- The time required for charging the watch varies depending on the calibres. Check the calibre of your watch engraved on the back cover.

- It is recommended that the watch be charged for as long as the charging time "B" to assure the stable movement of the watch.

### ENERGY DEPLETION FOREWARNING FUNCTION

- When the energy stored in the rechargeable battery is reduced to an extremely low level, the second hand starts moving at 2-second intervals instead of the normal 1-second intervals. The watch remains accurate even while the second hand is moving at 2-second intervals.
- While the second hand is moving at 2-second intervals, the stopwatch cannot be activated.
- If the second hand starts to move at 2-second intervals while the stopwatch is operating, the stopwatch will be automatically stopped and the stopwatch hands will return to the "0" position.
- When this occurs, recharge the watch as soon as possible by exposing it to light. Otherwise, the watch may stop operating in a few days.

### TO PREVENT THE ENERGY DEPLETION

- When wearing the watch, make sure that the watch is not covered by clothing.
- When the watch is not in use, leave it in a bright place as long as possible.

### NOTE ON POWER SUPPLY


- The battery used in this watch is a rechargeable battery, which is different from ordinary silver oxide batteries. Unlike other disposable batteries such as dry-cell batteries or button cells, this rechargeable battery can be used over and over again by repeating the cycles of discharging and recharging.
- The capacity or recharging efficiency of the rechargeable battery may gradually deteriorate for various reasons such as long-term use or usage conditions. Worn or contaminated mechanical parts or degraded oils may also shorten recharging cycles. If the efficiency of the rechargeable battery decreases, it will be necessary to have the watch repaired.

### CAUTION

- Do not remove the rechargeable battery yourself. Replacement of the rechargeable battery requires professional knowledge and skill. Please ask a watch retailer for replacement of the rechargeable battery.
- Installation of an ordinary silver oxide battery can generate heat that can cause bursting and ignition.

## SOLAR CHRONOGRAPH (V192/V194)

- Time/calendar
- 60-Minute stopwatch in 1/5-second increments with split time
- Measurement function
- Powered by light energy
- No battery change required
- Lasts for 6 months after full charge
- Energy depletion forewarning function
- Overcharging prevention function



### HOW TO SET TIME AND DATE

- Pull crown out to the first click position (unscrew crown if your watch is fitted with this feature).
- Turn crown counter clockwise until the previous day's date appears.
- Pull crown out to second click position.
- Turn counter clockwise to advance the hour and minute hands past 12am. Doing so will advance the date to the current date.
- Set hour and minute hands to desired time. Ensure you consider AM/PM period.
- Push crown back in completely. (Ensure you screw crown back in if fitted with this feature).

### HOW TO USE STOPWATCH

- The stopwatch can measure up to 60 minutes in 1/5th of a second increments.
- Press Button 'A' to start/stop/restart the stopwatch.
- Press Button 'B' to split/split release/reset the stopwatch.
- Do not press Buttons 'A' and 'B' at the same time, or press one of the two buttons while keeping the other pressed.

When you reset the stopwatch the minute hand will return to indicate the power reserve.

### GUIDELINE OF CHARGING TIME/ACCURACY

The watch operates while charging electricity by converting light received on the dial to electrical energy. It cannot properly operate unless the remaining energy is sufficient. Place or store the watch in a location receiving light etc., to sufficiently charge electricity.

- When the watch is stopped or the second hand starts moving at 2-second intervals, charge the watch by exposing it to light.
- The time required for charging the watch varies depending on the calibres. Check the calibre of your watch engraved on the back cover.
- It is recommended that the watch be charged for as long as the charging time "B" to assure the stable movement of the watch.

When the stopwatch is not operating the stopwatch minute hand will indicate the power reserve in the gradation next to the stopwatch minute dial.

### ENERGY DEPLETION FOREWARNING FUNCTION

- When the energy stored in the rechargeable battery is reduced to an extremely low level, the second hand starts moving at 2-second intervals instead of the normal 1-second intervals. The watch remains accurate even while the second hand is moving at 2-second intervals.
- While the second hand is moving at 2-second intervals, the stopwatch cannot be activated.
- If the second hand starts to move at 2-second intervals while the stopwatch

is operating, the stopwatch will be automatically stopped and the stopwatch hands will return to the "0" position.

- When this occurs, recharge the watch as soon as possible by exposing it to light. Otherwise, the watch may stop operating in a few days.

### TO PREVENT THE ENERGY DEPLETION

- When wearing the watch, make sure that the watch is not covered by clothing.
- When the watch is not in use, leave it in a bright place as long as possible.

### NOTE ON POWER SUPPLY

- The battery used in this watch is a rechargeable battery, which is different from ordinary silver oxide batteries. Unlike other disposable batteries such as drycell batteries or button cells, this rechargeable battery can be used over and over again by repeating the cycles of discharging and recharging.
- The capacity or recharging efficiency of the rechargeable battery may gradually deteriorate for various reasons such as long-term use or usage conditions. Worn or contaminated mechanical parts or degraded oils may also shorten recharging cycles. If the efficiency of the rechargeable battery decreases, it will be necessary to have the watch repaired.

### CAUTION

- Do not remove the rechargeable battery yourself. Replacement of the rechargeable battery requires professional knowledge and skill. Please ask a watch retailer for replacement of the rechargeable battery.
- Installation of an ordinary silver oxide battery can generate heat that can cause bursting and ignition.

Environment/Lightsource (lux)	V192/V194		
	A (minutes)	B (hours)	C (hours)
General offices/ Fluorescent light (700)	150	60	-
30W20cm/ Fluorescent light (3000)	33	13	110
Cloudy weather/Sunlight (10000)	9	3.5	30
Fair weather/Sunlight (100000)	2	0.6	5
Expected life per charge from full charge to stoppage	6 months		
Loss/gain (monthly rate)	Less than 15 seconds when the watch is worn on your wrist at a normal temperature range (5 °C to 35 °C)		
Operational temperature range	-10 °C to 60 °C		

A: Time to charge 1 day of power


B: Time required for steady operation

C: Time required for full charge

◆ The above table provides only a general guideline.

## SOLAR WORLD TIME CHRONOGRAPH (V195)

- Solar – Powered by any light.
- Time
- Calendar
- Stopwatch measures 24 hours in 1/5th of a second increments with split time.
- Alarm - 24-hour with quick on/off function
- World Time – 25 cities pre-programmed.



### HOW TO CHANGE MODE

When the watch is pointing at the 'POWER RESERVE INDICATOR' Press Button A to move to stopwatch mode. The stopwatch will start counting immediately.

When the watch is in 'STOPWATCH' mode, and the watch is not counting, Press Button B to return to 'POWER RESERVE INDICATOR' mode. If the stopwatch is counting, pressing Button B will operate the Split time instead of returning to 'POWER RESERVE INDICATOR' mode. Stopwatch operation is detailed below.

### HOW TO SET TIME, DATE AND ALARM/WORLD TIME DIAL

- 1) Pull crown out to 1st click and turn the crown to adjust the date to the previous day. Pull the crown out to the 2nd click when the small second hand is at the 60 second mark. The small second hand will stop immediately.
- 2) Turn the crown to set the main hands dial time.
- 3) Press Button A so the large hand lines up with your current time zone. With each Press of Button A the second hand will move to the next city detailed on the bezel or inner ring.
- 4) Press button B to set the Alarm/World Time sub-dial time in 24 hour format to your current timezone. Eg. 6pm is 18:00.

### HOW TO USE THE STOPWATCH

- 1) In the normal crown mode Press Button A, and the Stopwatch will start
- 2) Press Button A to stop the stopwatch.
- 3) Press Button B to reset the stopwatch.
- 4) To perform split/lap times Press button B while the stopwatch is running, then B to release the hands to continue with timing.

### HOW TO USE THE ALARM

Ensure you have set the time of the alarm dial under the 'HOW TO SET TIME, DATE & ALARM/WORLD TIME DIAL'.

- 1) Pull crown out to first click. The top dial indicator will point to AL
- 2) Press B to set desired alarm time (keeping button pressed will make the hands move faster). This dial is a 24 hour dial, so 6pm is 18:00.
- 3) After desired time has been set Press Button A to turn the alarm on. The large hand will move to the 9 second mark to indicate the Alarm is ON. To turn the alarm off, Press Button A again and the large hand will move to the 51 second mark to indicate OFF. Push the crown back to the normal position.

Alarm will sound for 20 seconds at desired time every day until it is turned off. To silence the alarm press Button A or B while the alarm is sounding.

### HOW TO USE WORLD TIME

The local time throughout the world can be displayed in the bottom dial.


How to select world timezones

- 1) Press and hold Button B for 3 seconds. The top dial indicator moves to WT. The large hand will move to the current city on the bezel or inner ring that the bottom dial is set on.
- 2) Press Button A to advance one city. Press Button B to decrease by one city detailed on the bezel or inner ring.
- 3) The hands in the bottom dial will automatically move to indicate the time of the city the large hand is pointing at.

Refer to the chart below for world timezones.


Each indication may differ depending on the model (design) of the watch.

Indication	City hand positions	Names of representative cities (Time Zone)	Time difference from GMT/UTC
LON	0-second position	London	±0 hours
PAR/ROM	3-second position	Paris/Rome	+1 hour
CAI	6-second position	Cairo	+2 hours
JED	8-second position	Jeddah	+3 hours
DXB	11-second position	Dubai	+4 hours
KHI	13-second position	Karachi	+5 hours
DAC	15-second position	Dhaka	+6 hours
BKK	18-second position	Bangkok	+7 hours
HKG/BJS	21-second position	Hong Kong/Beijing	+8 hours
TYO	23-second position	Tokyo	+9 hours
SYD	25-second position	Sydney	+10 hours
NOU	28-second position	Nouméa	+11 hours




(As of March 2016)

Indication	City hand positions	Names of representative cities (Time Zone)	Time difference from GMT/UTC
WLG	30-second position	Wellington	+12 hours
TBU	32-second position	Nuku'alofa	+13 hours
MDY	34-second position	Midway Islands	-11 hours
HNL	36-second position	Honolulu	-10 hours
ANC	38-second position	Anchorage	-9 hours
LAX	41-second position	Los Angeles	-8 hours
DEN	43-second position	Denver	-7 hours
CHI	45-second position	Chicago	-6 hours
NYC	48-second position	New York	-5 hours
SDQ	50-second position	Santo Domingo	-4 hours
RIO	53-second position	Rio de Janeiro	-3 hours
FEN	55-second position	Fernando de Noronha	-2 hours
PDL	57-second position	Azores	-1 hour



## SOLAR CHRONOGRAPH PERPETUAL (V198)

- Solar – Powered by any light.
- Time.
- Day/Date indicator.
- Month/Year check on demand.
- Stopwatch measures 24 hours in 1/5th of a second increments.
- Alarm – 24 hour.
- Perpetual Calendar automatically adjusts until Feb 2100.



### HOW TO CHANGE MODE

Press Button B to change mode from 'Calendar/Alarm Mode' to 'Stopwatch Mode'.

### HOW TO SET TIME AND ALARM DIAL TIME

- 1) Pull crown out to 2nd click when the small second hand is at the 60 second mark. The small second hand will stop immediately.
- 2) Turn the crown to set the main dial time.
- 3) Press button B to set the alarm sub-dial time in 24 hour format. E.g 6pm is 18:00.

### HOW TO ADJUST PERPETUAL CALENDAR

- 1) Pull crown out to 2nd Click.
- 2) Press button A and the day of week hand will sweep around the dial.
- 3) Press B to set the day of week.
- 4) Press A once and the day indicator will point to date.
- 5) Press B to adjust the date.
- 6) Press A and the calendar hand will point to the month.
- 7) Press B to adjust the month.
- 8) Press A and the calendar hand will point to the leap year indicators.
- 9) Press B to set the year (you must know the number of years elapsed since last leap year).
- 10) Press A to return to Date setting mode.
- 11) Press the crown back to the normal position.

### HOW TO USE THE STOPWATCH

- 1) In the normal crown mode Press B, and the Day/Mode hand will point to CHR.
- 2) Press Button A to start and stop the stopwatch.
- 3) Press Button B to reset the stopwatch.
- 4) To perform split/lap times Press button B while the stopwatch is running, then B to release the hands to continue with timing.

### HOW TO USE THE ALARM


Ensure you have set the time of the alarm dial under the 'HOW TO SET TIME & ALARM DIAL'.

- 1) Pull crown out to first click.
- 2) Press A to advance or B to decrease to desired alarm time (keeping button pressed will make the hands move faster). This dial is a 24 hour dial, so 6pm is 18:00.
- 3) After desired time has been set press the crown back to the normal position. Alarm will sound for 20 seconds at desired time. To turn off alarm press Button A or B. To cancel an alarm set, pull crown out to first click and then press crown back to normal position.



## SOLAR ANALOGUE

- Powered by light energy.
- No battery change required.
- Lasts for 2 to 12 months after full charge (depends on the calibre).
- Energy depletion forewarning function (for cal. V111, V117, V145, V147, V157, V158, V181, V182, V187 only).
- Instant-start function (for cal. V145, V147, V157, V158, V181, V182, V187 only).
- Overcharging prevention function.



### HOW TO CHARGE AND START THE WATCH

When you start the watch or when the energy in the rechargeable battery is reduced to an extremely low level, charge it sufficiently by exposing the watch to light.

1. Expose the watch to sunlight or strong artificial light.
2. Keep the watch exposed to the light until the second hand moves at 1-second intervals.
3. When the watch is charged after it has completely stopped, set the date and time before wearing the watch.

### HOW TO SET TIME AND DATE

Models with two/three hands:

1. Pull out the crown to the first click.
2. Turn the crown to set the desired time.
3. Push back the crown completely (in accordance with a time signal for a three-hand model.)

Models with date:

1. Pull out the crown to the first click and set the previous date.
2. Pull out the crown to the second click when the second hand is at the 12 o'clock position.
3. Turn the crown until the desired date appears.
4. Turn the crown to set the hour and minute hands to the desired time.
5. Push back the crown completely in accordance with a time signal.

Models with day and date:

1. Pull out the crown to the first click and set the previous day and date.
2. Pull out the crown to the second click when the second hand is at the 12 o'clock position.
3. Turn the crown until the desired day and date appears.
4. Turn the crown to set the hour and minute hands to the desired time.
5. Push back the crown completely in accordance with a time signal.

### GUIDELINE OF CHARGING TIME/ACCURACY

Environment/Lightsource (lux)	V110			V111/V117		
	A (minutes)	B (hours)	C (hours)	A (minutes)	B (hours)	C (hours)
General offices/ Fluorescent light (700)	50	16	140	180	60	-
30W/20cm/ Fluorescent light (3000)	11	3.5	30	35	10	180
Cloudy weather/Sunlight (10000)	3	0.9	8	12	4	60
Fair weather/Sunlight (100000)	1	0.3	2	2	0.5	10
Expected life per charge from full charge to stoppage	5 months			6 months		
Loss/gain (monthly rate)	Less than 20 seconds when the watch is worn on your wrist at a normal temperature range (5 °C to 35 °C)			Less than 15 seconds when the watch is worn on your wrist at a normal temperature range (5 °C to 35 °C)		
Operational temperature range	-5 °C to 50 °C			-10 °C to 60 °C		

V114/V115/V116			V147/V157/V158			V187		
A (minutes)	B (hours)	C (hours)	A (minutes)	B (hours)	C (hours)	A (minutes)	B (hours)	C (hours)
180	60	-	110	25	-	95	8	100
35	10	180	30	6	120	23	1.6	25
12	4	60	10	2	35	6	0.4	7
2	0.5	10	2	0.4	9	3	0.1	3
12 months			10 months			2 months		
Less than 15 seconds when the watch is worn on your wrist at a normal temperature range (5 °C to 35 °C)								
-10 °C to 60 °C								

V145			V181/V182		
A (minutes)	B (hours)	C (hours)	A (minutes)	B (hours)	C (hours)
50	11	175	75	6	82
10	2	40	18	1.3	20
3	0.5	10	5	0.3	5
1	0.1	3	2	0.1	2.1
6 months			2 months		
Less than 20 seconds when the watch is worn on your wrist at a normal temperature range (5 °C to 35 °C)					
-5 °C to 50 °C					

A: Time to charge 1 day of power  
B: Time required for steady operation  
C: Time required for full charge

The above table provides only a general guideline.

### ENERGY DEPLETION FOREWARNING FUNCTION

- If your watch has a second hand, when the energy stored in the rechargeable battery is reduced to an extremely low level, the second hand starts moving at 2-second intervals instead of the normal 1-second intervals. (Some calibres have no such function.) The watch remains accurate even while the second hand is moving at 2-second intervals.
- In that case, recharge the watch as soon as possible by exposing it to light. Otherwise, the watch may stop operating in about 3 days. (For recharging the watch, see "HOW TO CHARGE AND START THE WATCH")

To prevent the energy depletion:

- When wearing the watch, make sure that the watch is not covered by clothing.
- When the watch is not in use, leave it in a bright place as long as possible.

### SERVICE NETWORK FOR WARRANTY REPAIRS

#### **New Zealand**

Service Agent for Seiko, Pulsar, Lorus

SEIKO Australia Pty Ltd

226A Bush Road, Albany,

Auckland NZ 0632

PO Box 100037, North Shore,

New Zealand 0745


Phone: +(649) 415 5668

Fax: +(649) 415 5662

Email: [admin@watchworld.co.nz](mailto:admin@watchworld.co.nz)

## 3 YEAR GUARANTEE

All SEIKO watches and clocks are covered by a 3 year guarantee. The guarantee covers defects in the material and workmanship from the date of purchase. As a SEIKO authorised dealer it is your responsibility to correctly fill in the guarantee with all the information required. The diagram on the right shows where to find the relevant information on the watch caseback.



In the case of incorrectly used guarantees, return them to SEIKO Australia or hand them to your SEIKO Australia Representative for free replacement, otherwise a charge for new guarantees will be applicable.

## GLOBAL SERVICE NETWORK

SEIKO's dedication to quality extends throughout its service network in all corners of the world, extending the same dedication to excellence and the highest quality service to SEIKO customers everywhere.

For over 100 years SEIKO has stood for quality – in manufacture, design and service. Today, our SEIKO service centres strive to offer the highest standard of after-sales service and ensure lasting consumer satisfaction. In the Oceania Region, SEIKO Australia Pty Ltd has a network of branch offices, service centres and authorised service agents throughout Australia, New Zealand, Papua New Guinea, and the Pacific Islands.

For service, repairs and spare parts enquiries,  
please phone 0800 734 561 or  
email [service@seiko.com.au](mailto:service@seiko.com.au)



### SERVICE

Replacement guarantee costs:

- Seiko, Pulsar & Lorus = \$5.50
- Astron & Grand Seiko = \$25.00
- Guarantee Exchange (One for one)
  - for incorrectly completed and/or damaged guarantees are replaced at no cost if returned

#### All brands replacement policies: (Varied based on situation)

- Under warranty Lorus – replaced or credited
- Manufacturing fault – not wear and tear

#### Seiko Quote Policy for repairs

	TRADE	RETAIL
• Seiko & Michel Herbelin	\$41.00	\$70.00
• Pulsar	\$37.00	\$63.00
• Lorus	\$28.00	\$48.00

Quote not proceeded with will incur an administration fee of \$16.00 (Including GST)  
+ Postage & handling of \$11.00

#### Warranty Claims:

- **SERVICE WARRANTY CLAIM:** an original **valid guarantee** (completed with the correct calibre case, serial number and purchase date) or purchase receipt must be supplied (**NO PHOTOCOPIED WARRANTIES**).
- **STOCK:** repairs to be accepted as stock must state “stock” on the paperwork and be in **ORIGINAL CONDITION – NOT WORN BY CUSTOMER**.

#### Service Contact Information:

Toll Free: 1300 363 575  
Direct: 02 9805 4575  
Fax: 02 9887 3736  
Email: service@seiko.com.au

### SPARE PARTS

Links prices are varied and can be ordered through spare parts.

#### Spare Parts contact information:

Toll Free: 1300 363 575  
Direct number: 02 9805 4690  
Fax: 02 9878 4770  
Email: parts@seiko.com.au

### SALES DESK

Small Order Charge:

- For orders supplied in full where the value is less than \$250 exc. GST

#### Sales Desk Contact information:

Toll Free: 1300 300 776  
Direct Number: 02 9805 4776  
Fax: 02 9887 3736  
Email: salesdesk@seiko.com.au

#### Damaged Stock Received:

Needs to be returned to Seiko head office within 14 days of invoice.

# SEIKO

## CORPORATE GIFTS

Specialised timepieces are the perfect corporate gift for service awards, incentive and reward programs, product launches, corporate gifts, safety awards, promotions and many other corporate occasions.



### Customisations Options:

- Dial printing of company logo up to 5 colours
- Engraving logos and or text message on the case back or clasp

All watches are supplied in presentation boxes with full Seiko warranty

Minimum orders 1 unit

**For more information contact the Corporate Sales Department:**

Ph: +61 2 9805 4614

Email: [corporate@seiko.com.au](mailto:corporate@seiko.com.au)





## SPORTS TIMING & SPECIALTY CLOCKS

The world over, people have come to rely on the expert time keeping of SEIKO. Whether this be a major sporting event like the IAAF Championships which SEIKO have timed since 1987, or a Landmark clock, such as the Waco Department store in Japan, SEIKO has a timing solution for any need.

The extensive range of Sports Timing Equipment, and Landmark Clocks are now available in Australia.

Both catalogues can be found on our website  
<http://www.seiko.com.au/pr-media/sports-timing>

For more information or a quote email  
[specialisttiming@seiko.com.au](mailto:specialisttiming@seiko.com.au)

Model Number	Price	Page	Model Number	Price	Page	Model Number	Price	Page	Model Number	Price	Page	Model Number	Price	Page	Model Number	Price	Page
S23535P	\$625	62	SNE406P	\$725	34	SRP775K	\$840	15	SRZ492P	\$660	58	SSC555P	\$799	38	SUR698P-2	\$499	59
S23547J	\$125	62	SNE411P-9	\$550	31	SRP777K	\$799	15	SRZ494P	\$599	58	SSC557P	\$799	38	SUR698P	\$575	59
S23569J	\$725	62	SNE412P-9	\$599	31	SRP887J	\$799	23	SRZ495P	\$550	57	SSC559P	\$925	38	SUR699P	\$425	59
S23571J	\$1150	62	SNE420P	\$660	31	SRPA17J-2	\$975	25	SRZ496P	\$599	57	SSC560P-9	\$860	29	SUT128P	\$525	51
S23589J	\$150	62	SNE421P	\$699	17	SRPA17J	\$1100	25	SRZ498P	\$625	57	SSC561P-9	\$975	29	SUT154P	\$575	54
S23593J	\$625	62	SNE423P	\$599	17	SRPA21K	\$799	12	SRZ500P	\$550	57	SSC567P-9	\$625	41	SUT158P	\$575	54
S23601P	\$299	62	SNE432P	\$799	34	SRPA25K	\$625	49	SSA271J	\$975	22	SSC572P	\$975	29	SUT162P	\$525	51
S23603P	\$350	62	SNE434P	\$860	34	SRPA26K	\$725	49	SSA283K	\$550	48	SSC573P	\$975	29	SUT244P-9	\$660	35
S23605P	\$399	62	SNE435P	\$699	12	SRPA58K	\$625	46	SSA287K	\$525	48	SSC595P	\$899	24	SUT268P	\$725	35
SFQ804P	\$625	57	SNE437P	\$699	13	SRPA61K	\$575	47	SSA303J	\$975	20	SSC597P-2	\$899	24	SUT294P	\$575	51
SFQ805P	\$575	57	SNE439P	\$599	13	SRPA67K	\$550	47	SSA327K	\$599	47	SSC597P	\$899	24	SUT307P-9	\$625	31
SFQ806P	\$699	56	SNE441P	\$660	13	SRPA75K	\$625	17	SSA331K	\$599	47	SSC603P	\$1100	16	SUT308P-9	\$699	31
SFQ807P	\$575	56	SNE444P-9	\$750	31	SRPA77K	\$625	17	SSA343J	\$975	21	SSC605P	\$1050	16	SUT310P-9	\$725	31
SFQ808P	\$660	61	SNE445P-9	\$525	43	SRPA81K	\$1250	14	SSA346J	\$1250	21	SSC607P	\$1150	16	SUT312P-9	\$625	53
SFQ810P	\$725	61	SNE453P	\$725	25	SRPA82K	\$1250	14	SSA354J	\$1200	20	SSC611P	\$1050	16	SUT318P-9	\$775	52
SFQ814P	\$575	57	SNE455P	\$725	25	SRPA83K	\$1200	12	SSA852J	\$1050	23	SSC613P	\$750	13	SUT320P-9	\$799	52
SGEH39P	\$460	45	SNE462P-9	\$750	44	SRPA89K	\$575	48	SSA884J	\$1200	36	SSC617P	\$699	13	SUT321P	\$725	27
SGEH41P	\$460	45	SNE463P-9	\$625	44	SRPA91K	\$575	48	SSB199P	\$525	42	SSC618P	\$899	13	SUT322P	\$840	27
SGEH49P	\$460	45	SNE468P	\$699	34	SRPA93K	\$575	48	SSB229P	\$575	42	SSC627P-9	\$760	30	SUT323P	\$575	52
SGEH67P	\$460	45	SNE470P	\$775	34	SRPB15K	\$550	48	SSB241P	\$525	42	SSC628P-9	\$799	30	SUT324P	\$699	52
SGEH68P	\$525	45	SNKM87K	\$325	50	SRPB17K	\$550	48	SSB243P	\$525	42	SSC634P-9	\$799	41	SUT326P	\$699	52
SGEH70P	\$550	45	SNKM92K	\$375	50	SRPB19K	\$550	48	SSB267P	\$525	42	SSC635P-9	\$899	41	SUT327P	\$699	53
SGG717P	\$425	45	SNKP23P-9	\$525	49	SRPB25K	\$575	47	SSB269P	\$525	42	SSC641P-9	\$750	30	SUT328P	\$775	53
SGGA61P	\$460	45	SNKP25P-9	\$499	49	SRPB29K	\$625	47	SSC138P-9	\$799	38	SSC642P	\$840	30	SUT330P	\$775	53
SGGA62P	\$499	45	SNKP27P-9	\$499	49	SRPB31K	\$550	47	SSC139P-9	\$860	38	SSC643P	\$725	32	SUT338P-9	\$860	52
SKA745P	\$725	37	SNP139P	\$1500	24	SRPB37K	\$599	46	SSC141P	\$699	39	SSC644P	\$860	32	SUT340P-9	\$925	52
SKP391P	\$750	26	SNP146P	\$1750	24	SRPB39K	\$525	46	SSC142P	\$750	39	SUN019P	\$1325	13	SUT342P	\$625	35
SKP393P	\$750	26	SNZE32K	\$525	49	SRPB41J	\$775	21	SSC143P-9	\$799	39	SUN065P	\$1150	12	SUT344P	\$699	35
SKP396P	\$725	26	SNZG13K	\$499	48	SRPB43J	\$750	21	SSC147P	\$725	39	SUP216P	\$550	54	SWR025P	\$699	27
SKP397P	\$699	26	SPB035J	\$1450	20	SRPB46J	\$975	21	SSC193P-9	\$725	33	SUP272P-9	\$550	54	SWR026P	\$750	27
SKP398P	\$750	26	SPB037J	\$1450	20	SRPB47J	\$799	21	SSC194P-9	\$799	32	SUP300P	\$399	55	SWR029P	\$725	27
SKP399P	\$750	26	SPB039J	\$1450	20	SRPB49K	\$860	14	SSC196P-9	\$799	32	SUP304P	\$350	55	SWR030P	\$799	27
SKP400P	\$799	26	SPB043J	\$1750	20	SRPB51K	\$860	14	SSC218P	\$860	32	SUP347P	\$499	54	SXB429P	\$750	28
SNAF07P	\$725	40	SPB045J	\$2500	19	SRPB53K	\$775	14	SSC265P	\$860	32	SUP349P	\$525	54	SXB430P	\$860	28
SNAF69P	\$575	40	SPB047J	\$2050	19	SRPB55K	\$899	14	SSC295P	\$660	17	SUP352P	\$550	54	SXB431P	\$699	28
SNAF72P	\$625	40	SPB049J	\$2500	19	SRPB99K	\$899	12	SSC312P-9	\$1150	32	SUP359P-9	\$625	54	SXB432P	\$725	28
SNAF73P	\$950	25	SPB051J	\$2300	11	SRQ023J	\$4850	19	SSC314P-9	\$1200	32	SUP364P-9	\$750	54	SXB433P-2	\$799	28
SNAF75P	\$950	25	SPB053J	\$1750	11	SRZ399P	\$550	58	SSC357P	\$999	36	SUP369P	\$375	55	SXB433P	\$925	28
SNE094P	\$499	43	SPB059J	\$1750	20	SRZ402P	\$599	58	SSC376P-9	\$860	29	SUP370P	\$399	55	SXB434P	\$999	28
SNE095P-2	\$399	43	SRN066P-9	\$860	30	SRZ462P	\$425	59	SSC377P-9	\$899	29	SUP373P-9	\$1100	53	SXB436P	\$750	28
SNE095P	\$399	43	SRP601K	\$550	46	SRZ464P	\$460	59	SSC394P	\$860	29	SUP374P-9	\$1150	53	SXDG79P	\$750	56
SNE098P-9	\$499	43	SRP605K-2	\$575	46	SRZ465P	\$625	60	SSC396P	\$860	33	SUP378P-9	\$725	53	SXDG80P	\$840	56
SNE291P	\$499	43	SRP639K	\$925	14	SRZ466P	\$750	60	SSC421P	\$660	17	SUP379P-9	\$575	53	SXDG84P	\$860	56
SNE363P	\$425	43	SRP691J	\$850	22	SRZ468P	\$725	60	SSC487P	\$1100	16	SUP860P	\$399	44	SXDG88P	\$775	56
SNE366P	\$525	43	SRP694J	\$950	22	SRZ482P	\$599	57	SSC493P	\$750	41	SUP863P	\$375	44	SXDG89P	\$460	56
SNE368P-9	\$525	43	SRP761J-2	\$725	22	SRZ485P	\$625	60	SSC495P	\$775	41	SUP872P	\$399	44	SXDG90P	\$525	56
SNE391P	\$499	44	SRP765J	\$750	22	SRZ486P	\$775	60	SSC497P	\$840	41	SUP880P-9	\$350	44	SXDG92P	\$550	56
SNE393P	\$499	44	SRP766J	\$925	22	SRZ488P	\$750	60	SSC514P	\$1325	32	SUR234P	\$460	59	SXGP65P	\$575	58
SNE395P-9	\$599	34	SRP767K	\$625	49	SRZ490P	\$660	60	SSC549P	\$1150	16	SUR238P	\$460	59	SXGP67P	\$425	58
SNE398P-9	\$660	34	SRP773K	\$840	15	SRZ491P	\$525	58	SSC551P	\$1150	16	SUR697P	\$460	59	SXGP68P	\$550	58



# SEIKO

Sales orders & enquiries:  
nzsales@seiko.co.nz

For sales enquiries within New Zealand  
please phone 0800 734 561.

## NEW ZEALAND

226A Bush Road  
Albany  
New Zealand 0632  
PO Box 100037  
North Shore Mail Centre  
Auckland 0745  
Ph: +64 (9) 415 5668  
Fax: +64 (9) 415 5661



## TRADE PRACTICES ACT 1974

Resale Price maintenance (S48 SS96 100). The prices shown in this catalogue are recommended retail prices as at 1st July 2017 and there is no obligation to comply with the recommendation. All prices are in New Zealand dollars and all prices include GST. All prices are subject to change without notice. Seiko Australia Pty Ltd (ABN 63 000 797 946). SCATPCNZ0717